

Canadian Journal of Anaesthesia

Index of Authors

VOLUME 37, 1990

- Abbott FV, see Wasylak TJ, jt. auth.
- Abhay K, see Bonnet F, jt. auth.
- Abouleish E, see Butler BD, jt. auth.
- Ackerman III WE, Colclough GW, Juneja MM. Epidural buprenorphine (correspondence - reply), 273
- Addetia AM, see King FG, jt. auth.
- Adnet PJ, Krivosic-Horber RM, Haudecoeur, Reyford HG, Adamantidis MM, Dupuis BA. Diltiazem and nifedipine reduce the *in vitro* contracture response to the halothane in malignant hyperthermia-susceptible muscle, 556
- see Adnet PJ, jt. auth.
- Adu-Gyamfi Y, see Al-Salem, AH, jt. auth.
- Agoston S, see Wierda JMKH, jt. auth.
- Akata T, see Irita K, jt. auth.
- Albert JF, see Perreault C, jt. auth.
- Ali MJ, see Watson JT, jt. auth.
- Allberry RAW, Drake HF. Preoperative beta-blockade for patients undergoing craniotomy. A comparison between propranolol and atenolol, 448
- Allen GC, Horrow JC, Rosenberg H. Does forehead liquid crystal temperature accurately reflect "core" temperature, 659
- Rosenberg H. Malignant hyperthermia susceptibility in adult patients with masseter muscle rigidity, 31
- Phaeochromocytoma presenting as acute malignant hyperthermia - a diagnostic challenge, 593
- Al-Salem AH, Adu-Gyamfi Y, Grant CS. Congenital lobar emphysema (clinical report), 377
- Alyafi W, see Sharpe MD, jt. auth.
- Amaki Y, see Kumagai M, jt. auth.
- Amar D, see Cohen S, jt. auth.
- Amatya R, see Tweed WA, jt. auth.
- Amyot Y, see Blaise GA, jt. auth.
- see Tanguay M, jt. auth.
- Ananthanarayan C, Urbach G, Tincombe, Smith R, Marshall-Hanasyk S. Breathing circuit occlusion due to defect in Swivel port Connector (correspondence), 707
- Anderson GH, see O'Leary AM, jt. auth.
- Anderson DM, see Howard R, jt. auth.
- Ansley DM, see McMorland GH, jt. auth. Ando H, see Tsuda T, jt. auth.
- Ando H, see Tsuda T, jt. auth.
- Antsya V, see Ramachandra DS, jt. auth.
- Anzai Y, Nishikawa T, Namiki A. Attenuated sympathetic tone augments nitrous oxide-induced myocardial depression during high dose fentanyl anaesthesia in dogs (laboratory investigation), 245
- Aoe T, Kohchi T, Mizuguchi T. Respiratory inductance plethysmography and pulse oximetry in the assessment of upper airway patency in a child with Goldenhar's syndrome (clinical report), 369
- Aoki K, see Inada E, jt. auth.
- Aoki Y, see Inada E, jt. auth.
- Arakawa K, see Kovac AL, jt. auth.
- Arcario TJ, see Stevens RA, jt. auth.
- Archer DP. Anesthesia and the Brain (book review), 492
- Anesthesia and uncommon diseases, 3rd ed. (book review), 829
- Armstrong JN, see Davies JM, jt. auth.
- Armstrong P, Young C, McKeown D. Ethyl chloride and venepuncture pain: a comparison with intradermal lidocaine, 656
- Aronson S, Goldberg LI, Roth S, Glock D, Moss J, Roizen MF. Preservation of renal blood flow during hypotension induced with fenoldopam in dogs (laboratory investigations), 380
- Arthur GR, see Santos AC, jt. auth.
- Ashburn MA, Streisand JB, Tarver SD, Mears SL, Mulder SM, Floet AW, Elwyn RA, Pace NL, Stanley TH. Oral transmucosal fentanyl citrate for premedication in paediatric outpatients, 857
- Assimes IK, see Bevan JC, jt. auth.
- Atkinson GR, see Taylor RH, jt. auth.
- Aull L, Woodward ER, Rout RW, Paulus DA. Analgesia and postoperative hypoxaemia after gastric partition with and without bupivacaine wound infiltration (abst.), S53
- Azmy SS, see Grum DF, jt. auth.
- Bachi, see Tuffa-Bachi
- Bacon GS, see Stevens RA, jt. auth.
- Badner N, see Panos L, jt. auth.
- see Stringer DG, jt. auth.
- Badner NH, Nielson WR, Munk S, Kwiatkowska C, Gelb AW. Preoperative anxiety: detection and contributing factors, 444
- see Reimer EJ, jt. auth.
- see Watson JT, jt. auth.
- Badgwell JM, see Hillier SC, jt. auth.
- Baillargeon R, see Perreault L, jt. auth.
- Baird BA, see Tetzlaff JE, jt. auth.

- Balendran P, see Fiset P, jt. auth.
- Baraka A, Louis F, Dalleh R. Maternal awareness and neonatal outcome after ketamine induction of anaesthesia for Caesarean section, 641
- Barber CD, see Riley RH, jt. auth.
- Baribault J-P, see Isabel L, jt. auth.
- see Lessard MR, jt. auth.
- see Roy AG, jt. auth.
- Bassoul BP, see de La Coussaye JE, jt. auth.
- Bastien O, see Chassard D, jt. auth.
- Batson MA, Longmire S, Csontos E. Alfentanil for urgent Caesarean section in a patient with severe mitral stenosis and pulmonary hypertension (clinical report), 685
- Baxter MRN. Manual of Pediatric anesthesia (book review), 600
- Beach J, see Jolly D, jt. auth.
- Beach TP, see Warner LO, jt. auth.
- Beattie WS, see Forrest JB, jt. auth.
- see Lindblad T, jt. auth.
- Beauchamp RJ, Mazer CD. Inotropic effect of calcium on stunned myocardium (abst.), S151
- see Kay JC, jt. auth.
- see Sharpe MD, jt. auth.
- Beauprie IG, Clark AG, Keith IC, Spence D. Pre-use testing of coaxial circuits: The perils of Pethick (abst.), S103
- Beique G, see Tanguay M, jt. auth.
- Belopavlovic M, Blanksma LJ. Regional anaesthesia for 12,000 cataract extraction and intraocular lens implantation procedures (correspondence), 943
- Bender H, see Kambaum J, jt. auth.
- Berkowitz J, see McMorland GH, jt. auth.
- Bertlik M, see Orser B, jt. auth.
- Bevan DR. Neuromuscular monitoring after surgery (editorial), 395
- Johnston C, Haig MJ, Tousignant G, Lucy S, Kirnon V, Assimes IK, Carranza R. Preoperative parental anxiety predicts behavioural and emotional responses to induction of anaesthesia in children, 177
- see Fiset P, jt. auth.
- see Plumley MH, jt. auth.
- see Saddler JM, jt. auth.
- see Szalados J, jt. auth.
- Bevan JC. Lectures on Anesthetics and on asphyxia (book review), 492
- see Saddler JM, jt. auth.
- Biehl D. Resuscitation of the newborn (book review), 276
- see Tessier MJ, jt. auth.
- Bisnaire D, see Davies KR, jt. auth.
- Bissonnette B. Lidocaine en aérosol après l'amygdalectomie chez l'enfant, 534
- see Brown KA, jt. auth.
- see Hartley E, jt. auth.
- see Leon JE, jt. auth.
- see Roy WL, jt. auth.
- see Taylor RH, jt. auth.
- Bjornson J, see Friesen RM, jt. auth.
- Blackstock D, see Pounder DR, jt. auth.
- Blaise GA, Nugent M, McMichan, Durant PAC. Side effects of nalbuphine while reversing opioid-induced respiratory depression: report of four cases (clinical report), 794
- Villeneuve, E, Buluran, Hollmann C, Amyot Y, Meloche R. Isoflurane does not inhibit platelet-induced vasoconstriction in the canine coronary arteries (abst.), S146
- see Lancombe P, jt. auth.
- see Perreault C, jt. auth.
- see Tanguay M, jt. auth.
- Blanchard J, see Hickey R, jt. auth.
- Blanksma LJ, see Belopavlovic M, jt. auth.
- Blogg, CE, Gilman D, Lawson RA. Surgery in Jehovah's Witnesses (correspondence), 391
- Bloor BC, see Mills CA, jt. auth.
- Bodman R, Gillies D. Harold Griffith (correspondence), 146
- Hope CE. Walter Muir (History of Canadian Anesthesia), 468
- Boezaart AP. Epidural air-filled bubbles and unblocked segments (correspondence – reply), 391
- Boisvenu G, Warriner CB, Haley LD, Jenkins LC. Effect of saline dilution and I.V. catheter size on infusion of packed red blood cells (abst.), S85
- Bonfanti N, see Imberti R, jt. auth.
- Bonn GE, see Splinter WM, jt. auth.
- Bonnet F, Derozier JP, Pluskwa F, Abhay K, Gaillard A. Cervical epidural anaesthesia for carotid artery surgery (clinical report), 353
- Book WJ, see Eisenkraft JB, jt. auth.
- Bonneville-Chouinard, N, see Hardy J-F, jt. auth.
- Book WJ, see Eisenkraft JB, jt. auth.
- Borgeat A, Linder S, Schwander D. Réaction anaphylactique singulière après chlorure de succinylcholine chez un enfant de 21 mois (clinical report), 675
- Bosnjak ZJ, see Sprung J, jt. auth.
- Bouchard AG, see Miller DR, jt. auth.
- Boughner DR, see Davies KR, jt. auth.
- Boulanger A, Hardy J-F, Lepage Y. Rapid induction sequence with vecuronium: should we intubate after 60 or 90 seconds? 296
- Boylan JF, O'Leary G, Weisel RD, Ivanov J, Mickle DA, Teasdale SJ. A comparison of diltiazem, esmolol, nifedipine and nitroprusside therapy of post-CABG hypertension (abst.), S156
- see O'Leary G, jt. auth.
- Brandon B. Atracurium and succinylcholine on the masseter muscle (editorial), 7
- Braude BM, see Rolbin SR, jt. auth.
- see Swartz JS, jt. auth.

- Breen TW, Haigh JD.* Continuous suprascapular nerve block for analgesia of scapular fracture (clinical report), 786
- Brien J*, see *Penning DH*, jt. auth.
- Broadman L, Hannallah R, DeLeon E, Reff R.* Intra-articular bupivacaine does not decrease narcotic requirements after arthroscopic surgery in adolescents (abst.), S51
- Brochu JG*, see *Lessard MR*, jt. auth.
- see *Roy AG*, jt. auth.
- see *Trépanier CA*, jt. auth.
- Brown FN, McIntyre RE.* Is the tide turning? (editorial), 4
- Brown KA, Bissonnette B, Holtby H, Ein S, Shandling B.* Chest wall motion during halothane anaesthesia in infants (abst.), S113
- *Bissonnette B, McIntyre B.* Hyperkalaemia during rapid blood transfusion and hypovolaemic cardiac arrest in children, 747
- Minute ventilation during mask halothane anaesthesia in infants (abst.), S101
- *Bissonnette B, MacDonald M, Poon AO.* Hyperkalaemia during massive blood transfusion in paediatric craniofacial surgery, 401
- Brown RE*, see *James DJ*, jt. auth.
- Brown WF*, see *Merchant RN*, jt. auth.
- Bryk D*, see *Rosenblatt M*, jt. auth.
- Buckley DN*, see *Lindblad T*, jt. auth.
- Buist RJ*, see *Smith M*, jt. auth.
- Buluran J*, see *Blaise GA*, jt. auth.
- Burgess MM.* Failed intubation (correspondence), 388
- Burrows FA, Lerman J, LeDez KM, Strong HA.* Alpha₁-acid glycoprotein and the binding of lidocaine in children with congenital heart disease, 883
- see *Taylor RH*, jt. auth.
- Builer BD, Warters RD, Elk JR, Davies I, Abouleish E.* Loss of resistance technique for locating the epidural space: evaluation of glass and plastic syringes, 438
- Butler P*, see *O'Leary AM*, jt. auth.
- Byrick RJ, Mullen JB, Wong PY, Wigglesworth D, Kay JC.* Corticosteroids do not inhibit acute pulmonary response to fat embolism (abst.), S130
- *Rose DK.* Pathophysiology and prevention of acute renal failure: the role of the anaesthetist (review article), 457
- Cabiro C*, see *Torrielli R*, jt. auth.
- Cameron C, Kobrinsky N.* Perioperative management of patients with Von Willebrand's disease (review article), 341
- Campbell LA*, see *Davies JM*, jt. auth.
- Candido KD*, see *Hickey R*, jt. auth.
- Cantees KK*, see *Yealy DM*, jt. auth.
- Carmichael FJ*, see *Crawford MW*, jt. auth.
- Carceles MD*, see *Laorden ML*, jt. auth.
- Carranza R*, see *Bevan JC*, jt. auth.
- Castro AD*, see *Chen L*, jt. auth.
- Catchlove H.* Drug treatment of cancer pain in a drug-oriented society (book review), 277
- Cervenko FW*, see *Parlow JL*, jt. auth.
- Cesarini M*, see *Torrielli R*, jt. auth.
- Chai X*, see *Gao Y*, jt. auth.
- Champion LK*, see *Herrick IA*, jt. auth.
- Chan K*, see *Gregory MA*, jt. auth.
- Chang PC, Reynolds FB, Lang SA, Ha HC.* Endobronchial intubation in dogs (abst.), S44
- Chang W*, see *Matteo RS*, jt. auth.
- Chapman KR*, see *Gauthier RA*, jt. auth.
- see *Cheng DCH*, jt. auth.
- Charatrand D.* Urgences en pratique anesthésique (book review), 600
- Chassard D, George M, Guiraud M, Lehot JJ, Bastien O, Hercule C, Villard J, Estanove S.* Relationship between preoperative amiodarone treatment and complications observed during anaesthesia for valvular surgery (clinical report), 251
- Chen K, Pan J, Ji, X.* The effect of three kinds of anesthesia on lower esophageal sphincter pressure (abst.), S59
- Chen L, Castro AD.* Autonomic hyperreflexia (correspondence – reply), 488
- Cheng DCH, Chung F, Chapman KR, Romanelli J.* Low-dose sufentanil and lidocaine supplementation of general anaesthesia, 521
- see *Chung F*, jt. auth.
- Chernow B.* Perioperative endocrine and electrolyte emergencies (refresher course outline), S1xxi
- Chevier R*, see *Splinter WM*, jt. auth.
- Chi OZ, Subramoni J, Jasaitis D.* Visual evoked potentials during etomidate administration in humans, 452
- Chouinard*, see *Bonneville-Chouinard*
- Chung D*, see *Oxorn D*, jt. auth.
- Chung DC.* Failed intubation: a different perspective (correspondence), 486
- see *Sharpe MD*, jt. auth.
- Chung F.* Cardiac anesthesia, 2nd ed. (book review), 830
- *Cheng DCH, Seyone C, Dyck BJ.* A randomized comparison of midazolam and diazepam injectable emulsion in cataract surgery, 528
- see *Cheng DCH*, jt. auth.
- see *Gauthier RA*, jt. auth.
- Clanachan AS*, see *Finegan BA*, jt. auth.
- Clark AG*, see *Beauprie IG*, jt. auth.
- Clark K*, see *Oxorn D*, jt. auth.
- Code WE, Hertz L, White HS.* Midazolam potentially affects free calcium concentration in astrocytes (abst.), S27
- see *Gelliner D*, jt. auth.
- see *Johnson JA*, jt. auth.
- see *Shokeir O*, jt. auth.
- Cohen JA.* Fewer adverse occurrences during regional than general anaesthesia (abst.), S84

- Cohen M, see Eldor J, jt. auth.
- Cohen MM. Patient identity (correspondence), 706
- Using epidemiology to study adverse outcomes in anaesthesia (refresher course outline), Sxlv
 - Wade J, Woodward C. Medical-legal concerns among Canadian anaesthetists (occasional survey), 102
 - see Yee DA, jt. auth.
- Cohen S, Amar D. Prevention of obstruction of epidural catheter by blood clot (correspondence - reply), 710
- A simple solution to blood clot obstruction of epidural catheter during labour (correspondence), 143
- Colclough GW, see Ackerman WE, jt. auth.
- Cole DJ, Lin DM, Drummond JC, Shapiro HM. Spinal tetracaine decreases central nervous system metabolism during somatosensory stimulation in the rat (laboratory investigation), 231
- Coleman M, see Sosis MB, jt. auth.
- Colmenares ME, see Daley MD, jt. auth.
- Collins RM, Gascoyne RD. The use of normosol-R for dilution of red blood concentrates prior to transfusion (abst.), S36
- Colville, see Naugler-Colville
- Conn A. Dr. Charles Robson (History of Canadian Anaesthesia), 579
- Cooper JD, see Lam AM, jt. auth.
- Corne R, see Duke PC, jt. auth.
- Côté JJ, see Lessard MR, jt. auth.
- see Roy AG, jt. auth.
- Cotev S, see Eldor J, jt. auth.
- Coull, see Forster-Coull
- Courtice ID, MacLeod BA. Ischiorectal space block for anorectal surgery (abst.), S65
- Couture P, see Perreault C, jt. auth.
- Covert CR. Medical therapeutics: A pocket companion (book review), 715
- Covino BG, see Santos AC, jt. auth.
- Cox RG. Malignant hyperthermia -current concepts (book review), 149
- Crawford MW, Carmichael FJ, Orrego H, Saldivia V, Lerman J. Systemic hemodynamics and organ blood flow during adenosine-induced hypotension: effects of halothane and sevoflurane anaesthesia (abst.), S19
- Craig DB. The evolution of anaesthesia as a specialty in Canada (correspondence), 712
- Crawhall J, see Salevsky FC, jt. auth.
- Creighton RE, see Hillier SC, jt. auth.
- Cress LW, see Stevens RA, jt. auth.
- Crider B, see Tait AR, jt. auth.
- Crone LA, Davies JM, Weeks SK, Pavlin EG. Patient identity (correspondence - reply), 706
- Crosby ET. Epidural catheter migration during labour (clinical report), 789
- Lui A. The adult cervical spine: implications for airway management (review article), 77
 - Airway management in C-spine injuries (correspondence-reply), 708
 - see Halpern SH, jt. auth.
 - see Suderman VS, jt. auth.
- Cross G, Gaylard D, Lim M. Atropine-induced heart rate changes: a comparison between midazolam-fentanyl-propofol-N₂O and midazolam-fentanyl-thiopentone-enflurane-N₂O anaesthesia, 416
- Cuillerier DJ, see Manninen PH, jt. auth.
- Cuppage A, see Lewis P, jt. auth.
- Daar, A, see Gyasi HK, jt. auth.
- Dain S, see Fuller J, jt. auth.
- Daley MD, Colmenares ME, Norman PH, Sandler AN. Hypoxemia in the post-anaesthesia care unit (abst.), S10
- Roblin S, Hew E, Morningstar B. Continuous epidural anaesthesia for obstetrics after major spinal surgery (abst.), S112
 - see Norman PH, jt. auth.
- Dalleh R, see Baraka A, jt. auth.
- Daly DS, see Donnelly M, jt. auth.
- Dan K, see Tanaka K, jt. auth.
- David M, see Guay J, jt. auth.
- Davidson JS, see Davies JM, jt. auth.
- Davidson PJ, see Warner LO, jt. auth.
- Davies I, see Butler BD, jt. auth.
- Davies JM. Problems in Anaesthesia (book review), 599
- Armstrong JN. Fatal embolism (correspondence), 709
 - Campbell LA. Fatal air embolism during dental implant surgery: a report of three cases (clinical report), 112; (correspondence - reply), 825
 - Davison JS, Nimmo WS, Hardy J-F, O'Sullivan G, Maltby R. The stomach: factors of importance to the anaesthetist (symposium report), 896
 - Weeks SK. Failed intubation (correspondence), 705; (reply), 706
 - see Crone LA, jt. auth.
 - see Lewis P, jt. auth.
- Davies KR, Gelb A, Manninen PH, Boughner DR, Bisnaire D. A comparison of electrocardiographic and echocardiographic abnormalities in subarachnoid hemorrhage (abst.), S25
- Davis RF, see Sidi A, jt. auth.
- Davison JS, see Davies JM, jt. auth.
- Dawe G, Hall RI. Influence of membrane binding in the accurate measurement of equilibrium dialysis of plasma free fentanyl concentrations (abst.), S15
- Day P, see Kambam JR, jt. auth.
- Deen L, see Leeuwen L van, jt. auth.
- DeLeon E, see Broadman L, jt. auth.
- de Mello, see Mello WF de
- Denault PH, see Lessard MR, jt. auth.
- see Trépanier CA, jt. auth.

- Derozier JP, see Bonnet F, jt. auth.
- Desjardins P, see Duke PC, jt. auth.
- Devi, see Gourie-Devi
- Devitt JH, Pagliarello G, Simons J. The involvement of anesthesiologists in critical care medicine (abst.), S119
- see Hunziker P, jt. auth.
- Didier EP, see Grigsby EJ, jt. auth.
- Dillon F, see Sosis M, jt. auth.
- Doenicke A, Kugler A, Vollmann N. Venous tolerance to etomidate in lipid emulsion of propylene glycol (Hypnomidate) (correspondence), 823
- Dolman J, Jenkins LC, Fancourt-Smith PF. Propofol for induction and maintenance of anaesthesia: A comparison with thiopental – isoflurane (abst.), S141
- Dolman JF, see Grant RP, jt. auth.
- Dolovich J, see Swartz JS, jt. auth.
- Donati, F. Le risque allergique en anesthésie-réanimation (book review), 716
- Meistelman C, Plaud B. Vecuronium neuromuscular blockade at the diaphragm, orbicularis oculi and adductor pollicis muscles (abst.), S13
- see Fiset P, jt. auth.
- see Plumley MH, jt. auth.
- see Robbins GR, jt. auth.
- see Saddler JM, jt. auth.
- see Szalados J, jt. auth.
- Donnelly M, Scott WAC, Daly DS. A comparison of sedation for upper GI endoscopy using diazepam with demerol or midazolam with alfentanil (abst.), S21
- Donen N. Clinical anesthesia (book review), 276
- see Mutch WAC, jt. auth.
- Douglas MJ, see Fuller JG, jt. auth.
- see Liepert DJ, jt. auth.
- see McMorland GH, jt. auth.
- Doyle DJ. Time constant related distortion in side-stream capnography (abst.), S70
- Mark PWS. Reflex bradycardia during surgery (review article), 219
- Teves LY, Jhawahar BS. Phonocardiographic monitoring using a special endotracheal tube (abst.), S105
- Downar E, see Teasdale S, jt. auth.
- Drake HF, see Aliberry RAW, jt. auth.
- Drummond JC. Changing practices in neuroanaesthesia (refresher course outline), S1xxxix
- see Cole DJ, jt. auth.
- see Lang SA, jt. auth.
- Duffin J. The chemoreflex control of breathing and its measurement (continuing medical education), 933
- Duke, PC, Leroux M, Corne R, Patton N, Greenberg D, Parrott J, Desjardins P. Criteria for the diagnosis of perioperative myocardial infarction in patients undergoing CABG surgery (abst.), S150
- Dull DL, see Murray DJ, jt. auth.
- Dun L, see Van Leeuwen L, jt. auth.
- Duncalf D, see Foldes FF, jt. auth.
- Duncan PG, see Gellner D, jt. auth.
- see Johnson JA, jt. auth.
- see Lang SA, jt. auth.
- Dunn GL. A multicentre evaluation of alfentanil as an anaesthetic adjuvant in spontaneously breathing patients (abst.), S124
- see Ralley FE, jt. auth.
- Dupuis BA, see Adnet PJ, jt. auth.
- Dupuis J-Y, Martin R, Tessonier JM, Tétrault JP. Clinical assessment of the muscular response to tetanic nerve stimulation, 397
- Tétrault. Clinical electrical and mechanical correlations during recovery from neuromuscular blockade with vecuronium, 192
- see Martin R, jt. auth.
- Durant PAC, see Blaise GA, jt. auth.
- Durrani Z, see Hickey R, jt. auth.
- Dyck B, see Gauthier RA, jt. auth.
- Dyck BJ, see Chung F, jt. auth.
- Eagle CJ. Preparing for the anaesthesia orals: Board Stiff (book review), 393
- see Sheppard S, jt. auth.
- Edelist G, see Kashan H, jt. auth.
- see Mallon JS, jt. auth.
- Eidt PR. Sporadic PCA pump failure accompanied by activation of a “fail safe” mechanism (correspondence – reply), 273
- Ein S, see Brown KA, jt. auth.
- Einarson TR, see Stringer DG, jt. auth.
- Eisenkraft JB, Book WJ, Papatestas AE. Sensitivity to vecuronium in myasthenia gravis: a dose-response study, 301
- Mingus ML, Herlich A, Book WJ. A defasciculating dose of d-tubocurarine causes resistance to succinylcholine, 538
- Eldor J. A device for small-bore spinal needles for immediate detection of CSF (correspondence), 145
- Gozal Y. The length of the blade is more important than its design in difficult tracheal intubation (correspondence), 268
- Guedj P, Cotev S. Epidural morphine injections for the treatment of postspinal headache (correspondence), 710
- Zlotogorski A, Meirou D, Cohen M. Epidural analgesia for a parturient with herpes gestations (clinical report), 678
- Eledjam J-J, see de La Coussaye JE, jt. auth.
- Elk JR, see Butler BD, jt. auth.
- Elliott RH, Rees GB. Amphetamine ingestion presenting as eclampsia (clinical report), 130
- see Malby JR, jt. auth.
- Elliott RD, Stockwell M. Continuous infusion epidural anaesthesia for obstetrics: bupivacaine vs bupivacaine-fentanyl (abst.), S6

- Elwyn RA, see Ashburn MA, jt. auth.
 English MJM, see Wasylak TJ, jt. auth.
 Erian RF. Phrenic artery blood flow patterns during and after TOF stimulation of the dog diaphragm (abst.), S162
 Estanove S, see Chassard D, jt. auth.
 Etches RC. Hyperbaric oxygen and CO₂ metabolism (correspondence), 270
 Evans KG, see Grant RP, jt. auth.
 Ewart F, see Mutch WAC, jt. auth.
 Ewing D, see Miller DR, jt. auth.
- Fairbrass M, see Maltby JR, jt. auth.
 Fancourt-Smith PF, Hornstein J, Jenkins LC. Hospital admissions from the surgical day care centre of Vancouver General Hospital 1977-1987 (occasional survey), 699
 - McEwen JA, Warriner CB, Moore R. Comparison of two methods of limb exsanguination (abst.), S55
 - see Dolman J, jt. auth.
 Fanzio M, see Imberti R, jt. auth.
 Farrar JK, see McNeill BR, jt. auth.
 - see Murkin JM, jt. auth.
 Fedorko L, see Orser B, jt. auth.
 Ferrazza AC, see Gemma M, jt. auth.
 Finch JS, see Tait AR, jt. auth.
 Finegan BA, Clanachan AS. Comparison of the haemodynamic effects of SNP and AMP following acute microsphere induced ischaemic ventricular dysfunction (abst.), S149
 - see Jolly D, jt. auth.
 Fink R, see Welborn LG, jt. auth.
 Finlayson DC, see Hall RI, jt. auth.
 Finster M, see Santos AC, jt. auth.
 Finucane B. Ropivacaine - a worthy replacement for bupivacaine? (editorial), 723
 Fiset P, Balendran P, Donati F, Bevan DR. Nitrous oxide potentiates vecuronium (abst.), S17
 Fisher DM, see Henderson JM, jt. auth.
 Flacke JW, see Mills CA, jt. auth.
 Flacke WE, see Mills CA, jt. auth.
 Fletcher JE, Huggins FJ, Rosenberg H. The importance of calcium ions for *in vitro* malignant hyperthermia testing (laboratory investigation), 695
 Floet AW, see Ashburn MA, jt. auth.
 Foldes FF, Nagashima H, Nguyen HD, Duncalf D, Goldiner PL. Neuromuscular and cardiovascular effects of pipercuronium, 549
 Foldva: M, see Hansen LM, jt. auth.
 Fong J, Druzin M, Gimbel AA, Fisher J. Epidural anaesthesia for labour and Caesarean section in a parturient with a single ventricle and transposition of the great arteries (clinical report), 680
 - Gadalla F, Gimbel AA. Precordial Doppler diagnosis of haemodynamically compromising air embolism during Caesarean section (clinical report), 262
 Forbes RB, see Murray DJ, jt. auth.
 Ford G, see Nalder B, jt. auth.
 - see Tang T, jt. auth.
 Forrest JB, Beattie WS, Goldsmith CH. Risk factors for nausea and vomiting after general anaesthesia (abst.), S90
 - Lam, L, Woo J, Rifkind A. Oxygen desaturation in elderly patients during cataract surgery (abst.), S50
 - Recovery after neuroleptanalgesia for cataract surgery (abst.), S82
 - see Lindblad T, jt. auth.
 Forster, see Morley-Forster
 Forster-Coull J, see McCormack JP, jt. auth.
 Fox AW. Epidural buprenorphine (correspondence), 273
 Fox GS, see Wiesel S, jt. auth.
 Franks JJ, see Kambam JR, jt. auth.
 Friesen RH, see Morrison JE, jt. auth.
 Friesen RM, Hutton G, Bjornson J. The upgrading and replacement of anaesthetic equipment: a provincial approach (occasional review), 889
 Froese AB, see Herrick IA, jt. auth.
 Fujii K, see Morio M, jt. auth.
 Fujimori M, see Yukioka H, jt. auth.
 Fujita N, see Goto F, jt. auth.
 - see Suzuki H, jt. auth.
 Fujita T, see Goto F, jt. auth.
 Fuller J, LU G, Dain S. The contribution of pharyngeal suction devices to sore throat after endotracheal anaesthesia (abst.), S157
 Fuller JG, McMorland GH, Douglas MJ, Palmer L. Epidural morphine for analgesia after Caesarean section: a report of 4880 patients, 636
- Gadalla F, see Fong J, jt. auth.
 Gagnol J-P, see de La Coussaye JE, jt. auth.
 Gaillard A, see Bonnet F, jt. auth.
 Gambling DR, see Liepert DJ, jt. auth.
 Gamulin S, see Sprung J, jt. auth.
 Gao Y, Chai X. Narcotic analgesic, its antagonists and common bile duct pressure (abst.), S143
 Gascoyne RD, see Collins RM, jt. auth.
 Gauthier M. The CO₂ laser in otolaryngology and head and neck surgery (book review), 149
 Gauthier RA, Chung F, Dyck B, Romanelli OR, Chapman KR. Does spinal anaesthesia interact with sedation to alter ventilatory response? (abst.), S38
 Gaylord D, see Cross G, jt. auth.
 Gebert R, see Meretoja OA, jt. auth.
 Gelb AW, Robertson KM. Anaesthetic management of the brain dead for organ donation (continuing medical education), 806
 - see Badner NH, jt. auth.
 - see Davies KR, jt. auth.
 - see McNeill BR, jt. auth.

- see Manninen PH, jt. auth.
- see Murkin JM, jt. auth.
- Gellner D., Code WE, Duncan PG. Saskatchewan anaesthetic machines and related monitors - a hospital prevalence study (Abst.), S81 George M, see Chassard D, jt. auth.
- Gemma M, Ferrazza C. "Dental trauma" to oral airways (correspondence), 951
- George M, see Chassard D, jt. auth.
- Giesecke AH, see Siriwardhana SA, jt. auth.
- Gillies D, see Bodman R, jt. auth.
- Gilman D, see Blogg CE, jt. auth.
- Gilmour RF, see Swartz JS, jt. auth.
- see Swartz J, jt. auth.
- Gimbel AA, see Fong J, jt. auth.
- Gimbel HV, see Hamilton RC, jt. auth.
- Gin T, see Gregory MA, jt. auth.
- Glock D, see Aronson S, jt. auth.
- Gofton EA, see Kapnoudhis P, jt. auth.
- Golar S, see Nalder B, jt. auth.
- see Tang T, jt. auth.
- Gold M, see Swartz JS, jt. auth.
- Goldberg LI, see Aronson S, jt. auth.
- Goldiner PL, see Foldes FF, jt. auth.
- Goldsmith CH, see Forrest JB, jt. auth.
- Gordon AR, O'Connor JP, Ralley FE, Ramsay JG, Malcolm I. Midazolam-ketamine vs sufentanil for rapid sequence induction of anaesthesia for CABG surgery (abst.), S43
- Goresky GV. Bain circuit delivery tube obstructions (correspondence), 385
- Maltby JR. Fasting guidelines for elective surgical patients (editorial), 493
- Goto F, Fujita N, Fujita T. Cerebrospinal norepinephrine concentrations and the duration of epidural analgesia, 839
- Goto H, see Kovac AL, jt. auth.
- Goundrey J. Vertigo after epidural morphine: clinical report), 804
- Gourie-Devi AM, see Ramachandra DS, jt. auth.
- Gozal Y, see Eldor J, jt. auth.
- Grady MS, see Lam AM, jt. auth.
- Grant CS, see Al-Salem AH, jt. auth.
- Grant RP, Dolman JF, Harper JA, White SA, Parsons DG, Evans KG, Merrick P. Patient controlled lumbar epidural fentanyl for post thoracotomy pain (abst.), S45
- Morgan C, Page MS, Malm DN, Huckel V, Jenkins LC. Dipyrindamole-thallium myocardial scanning in the preoperative assessment of patients undergoing abdominal aortic aneurysmectomy, 409
- see Kapnoudhis P, jt. auth.
- Graybeal JM, see Russell GB, jt. auth.
- Greengrass D, see Duke PC, jt. auth.
- Greengrass R. Anaesthesia and mediastinal masses (correspondence), 596
- Gregory MA, Gin T, Yau G, Leung RKW, Chan K, OH TE. Propofol infusion anaesthesia for Caesarean section, 514
- Grigsby EJ, Lennon RL, Didier EP, Liu TL. Massive tongue swelling after uncomplicated general anaesthesia (correspondence), 825
- Gross M, see Shevde K, jt. auth.
- Grum DF, Azmy SS. Halothane anaesthesia does not modify the cardiovascular response to phenylephrine in man, 873
- Guay J, Reinberg C, Rivard GE, Poitras B, Mathews S, David M. DDAVP does not reduce bleeding during spinal fusion for idiopathic scoliosis (abst.), S14
- Guedj P, see Eldor J, jt. auth.
- Guiraud M, see Chassard D, jt. auth.
- Gulamhusein S, see Jolly D, jt. auth.
- Gulden H, see Siriwardhana SQA, jt. auth.
- Gurkowski MA, see Rasch DK, jt. auth.
- Gyasi HK, Zarroug AW, Matthew M, Joshi J, Daar A. Anaesthesia for renal transplantation in sickle cell disease (clinical report), 779
- Ha HC, see Chang FC, jt. auth.
- see Lang SA, jt. auth.
- Hackmann T., Steward DJ. An evaluation of a simple, in-line fluid warming device (abst.), S107
- Haig MJ, see Bevan JC, jt. auth.
- Haigh JD, see Breen TW, jt. auth.
- Haley LD, see Boisvenu G, jt. auth.
- Hall, RI, Murdoch J. Brain protection: physiological and pharmacological considerations. Part II: the pharmacology of brain protection (review article), 762
- Poole L, Murphy JT., Moffitt EA. A randomized study of changes in serum cholesterol, triglycerides, high density lipoproteins, and cortisol during cardiac surgery in patients anaesthetized with propofol-sufentanil vs enflurane-sufentanil (abst.), S76
- Schweiger IM, Finlayson DC. The benefit of the Hemonetics cell saver apparatus during cardiac surgery, 618
- Transfusion using a cell saver apparatus during surgery for coronary artery disease: Is it beneficial? (abst.), S155
- see Dawe G, jt. auth.
- see Murdoch J, jt. auth.
- see Stafford-Smith M, jt. auth.
- Hall SC, see Stevenson GW, jt. auth.
- Halpern M, see Trivedi NS, jt. auth.
- Halpern SH, Crosby ET. Supplemental oxygen during Caesarean section under epidural anaesthesia: Nasal prongs vs face mask (abst.), S137
- see Rolbin SR, jt. auth.
- Hamilton RC, Gimbel HV. Strunin L. Regional anaesthesia for 12,000 cataract extraction and intraocular lens implantation procedures (correspondence - reply), 943
- Hanamura Y, see Tsuda T, jt. auth.
- Hanaszyk see Marshall-Hanaszyk

- Hannallah R, see Broadman L, jt. auth.
 – see Welborn LG, jt. auth.
- Hannallah RS, see Rice LJ, jt. auth.
- Hansen LM, Reynolds FB, Foldvari M. Topical liposomal tetracaine for IV cannulation (abst.), S64
- Harada T, see Tanaka K, jt. auth.
- Hardy J-F, Lepage Y, Bonneville-Chouinard N. Occurrence of gastroesophageal reflux on induction of anaesthesia does not correlate with the volume of gastric contents, 502
 – see Boulanger A, jt. auth.
 – see Davies JM, jt. auth.
 – see Ralley FE, jt. auth.
 – see Raymond J, jt. auth.
- Harioka T, Sone T, Kakuyama M, Miyake C, Toda H. Temperature monitoring during major abdominal and thoracic surgery (abst.), S71
- Harper JA, see Grant RP, jt. auth.
- Hartley E, Bissonnette B, St. Louis P, Rybczynski J, McLeod ME. Scalp infiltration with bupivacaine in paediatric brain surgery (abst.), S129
- Harwood T, see Sosis M, jt. auth.
- Hassard P, see O'Leary G, jt. auth.
- Hatao Y, Nakamura K, Nishiwada M, Mori K. Intracellular action of thiamylal in vascular smooth muscle of canine mesenteric artery (abst.), S125
- Hatton G, see Friesen RM, jt. auth.
- Haudecoeur G, see Adnet PJ, jt. auth.
- Hayano Y, see Yoshitake S, jt. auth.
- Heifitz M, see Levin H, jt. auth.
- Hellmann C, see Lacombe P, jt. auth.
- Helmerts JH. Intranasal sufentanil (correspondence – reply), 387
 – Kraaijenhagen RJ, Leeuwen Lv, Zuurmond WWA. Reduction of pain on injection caused by propofol (correspondence), 267
 – see Leeuwen Lv, jt. auth.
- Henderson JM, Fisher DM. Intranasal sufentanil (correspondence), 387
- Hercule C, see Chassard D, jt. auth.
- Herlick A, see Eisenkraft JB, jt. auth.
- Hernandez J, see Laorden ML, jt. auth.
- Herrick IA, Champion LK, Froese AB. A clinical comparison of indices of pulmonary gas exchange with changes in the inspired oxygen concentration, 69
- Hertz L, see Code WE, jt. auth.
- Hessel EA, see Stein RA, jt. auth.
- Hew E, see Daley MD, jt. auth.
- Hickey R, Blanchard J, Hoffman J, Sjovall J, Ramamurthy S. Plasma concentrations of ropivacaine given with or without epinephrine for brachial plexus block, 878
 – Candido KD, Ramamurthy S, Winnie AP, Blanchard J, Raza SM, Hoffman J, Durrani Z, Masters RW. Brachial plexus block with a new local anaesthetic: 0.5 per cent ropivacaine, 732
- Higgins T, see Welborn LG, jt. auth.
- Hill J, see Oxorn D, jt. auth.
- Hiller JM, see Wang BC, jt. auth.
- Hillier SC, Badgwell JM, McLeod ME, Creighton RE, Lerman J. Accuracy of end-tidal PCO₂ measurements using a sidestream capnometer in infants and children ventilated with the Sechrist infant ventilator, 318
- Hillman DE, see Wang BC, jt. auth.
- Hirst R, see Lam AM, jt. auth.
- Hiyama A, see Ochiai R, jt. auth.
- Hoffman J, see Hickey R, jt. auth.
- Holland AJ. Dr. E.D. Worthington – An early Quebec anaesthetist (History of Canadian Anaesthesia), 250
- Hollmann C, see Blaise GA, jt. auth.
 – see Lacombe P, jt. auth.
 – see Tanguay M, jt. auth.
- Holtby H, see Brown KA, jt. auth.
- Holzman R, see Pullerits J, jt. auth.
- Honda N, see Yoshitake S, jt. auth.
- Hong M, Milne B, Loomis C, Jhamandas K. In vivo catechol activity in the locus coeruleus following nociception, naloxone, and yohimbine (abst.), S28
- Hooper JGV, see Oxorn DC, jt. auth.
- Hope CE, see Bodman R, jt. auth.
- Horber, see Krivosic-Horber
- Horimoto Y, Naide M. Transdermal scopolamine patches reduce postoperative emesis in pediatric patients undergoing strabismus surgery (abst.), S94
- Hornstein J, see Fancourt-Smith PF, jt. auth.
- Horrow JC, see Allen GC, jt. auth.
- Howard R, Anderson W. Subdural catheterization and opiate administration in a patient with Harrington rods (correspondence), 712
- Hsu D, see Lippmann M, jt. auth.
- Huckel V, see Grant RP, jt. auth.
- Hudes ET. Continuous infusion interpleural analgesia for multiple fractured ribs (correspondence), 699
- Hudson R, see Tessier MJ, jt. auth.
- Hudson RJ. Apnoea and unconsciousness after apparent recovery from alfentanil-supplemented anaesthesia (clinical report), 255
 – see Ralley FE, jt. auth.
- Huggins FJ, see Fletcher JE, jt. auth.
- Hull KA, see Reid CW, jt. auth.
 – see Martineau RJ, jt. auth.
 – see Miller DR, jt. auth.
 – see Sullivan PJ, jt. auth.
 – see Torsher L, jt. auth.
- Hung OR, Varvel J, Shafer S, Stanski DR. Quantitation of thiopental anesthetic depth with clinical stimuli (abst.), S18
- Hunziker P, Roch JP, Devitt JH. Formalization and implementation of an institutional preanaesthetic checklist (abst.), S9

- Hurst T, see Johnson D, jt. auth.
- Hynynen M. Atrial natriuretic factor and cardiopulmonary bypass (correspondence), 488
- Ide T, Isono S, Kochi T, Mizuguchi T. Effects of sevoflurane and enflurane on contractility of canine diaphragm (abst.), S161
– see Kochi T, jt. auth.
- Imberti R, Locatelli D, Fanzio M, Bonfanti N, Preseglio I. Intra- and postoperative management of craniostomosis (correspondence), 948
- Immelman L, Roth S, Sabourin MA, Strunin L. Analgesia and serum concentrations of extradural, subdural and intraperitoneal fentanyl in a rat model, 63
- Inada E, Iwahashi K, Aoki K, Takanashi S, Kohama M, Aoki Y. Changes of antithrombin III and antithrombin III-heparin complex levels, and act in cardiac surgery (abst.), S75
- Irita K, Satoh M, Akata T, Yano T, Takahashi S, Yoshitake J. Lambert-Eaton myasthenic syndrome (correspondence), 944
– Shafiq J, Yoshitake S, Tareen FM, Yoshitake J. Factors affecting hypomagnesemia after cardiopulmonary bypass (abst.), S120
- Isabel L, Baribault J-P. A Triple lumen catheter: a potential hazard (correspondence), 950
- Ishikawa K, see Tsuda T, jt. auth.
- Isono S, see Ide T, jt. auth.
– see Kochi T, jt. auth.
- Ivanov J, see Boylan JF, jt. auth.
- Iwahashi K, see Inada E, jt. auth.
- Iwahaka H, see Yoshitake S, jt. auth.
- Izumi Y, see Kochi T, jt. auth.
- James DJ, Brown RE. Jr. Vascular volume monitoring with pulse oximetry during paediatric anaesthesia (correspondence), 266
- James RN, see Miller DR, jt. auth.
- Janardhan Y, see Patel D, jt. auth.
- Jansen GFA, Kedaris M, Zuurmond WWA. Total intravenous anaesthesia during intracranial surgery. Continuous propofol infusion in combination with either fentanyl or sufentanil (abst.), S128
- Janson VE, see Kambam JR, jt. auth.
- Jasaitis D, see Chi OZ, jt. auth.
- Jean M-E, see Wasylak TJ, jt. auth.
- Jenkins LC, see Boisvenu G, jt. auth.
– see Dolman J, jt. auth.
– see Fancourt-Smith PF, jt. auth.
– see Grant RP, jt. auth.
– see Kapnoudhis P, jt. auth.
– see Stasiuk RBP, jt. auth.
– see Wong DHW, jt. auth.
- Jhamandas K, see Hong M, jt. auth.
- Jhawar BS, see Doyle DJ, jt. auth.
- Ji X, see Chen K, jt. auth.
- Jivraj K, see Nalder B, jt. auth.
– see Tang T, jt. auth.
- Johnson D, Hurst T, Mayers I. Acute cardiopulmonary effects of an anterior mediastinal mass (abst.), S165
– Halothane effects regional hypoxic pulmonary vasoconstriction (abst.), S167
– Mayers I, Hurst T. Halothane inhibits hypoxic pulmonary vasoconstriction in the presence of cyclooxygenase blockade, 287
- Johnson JA, Code WE, Duncan PG. "An improved system for narcotic control in the operating room" (abst.), S83
- Johnston C, see Bevan JC, jt. auth.
- Jolly D, Finegan BA, Beach J, Gulamhusein S, Vincent D. Preoperative anxiety and myocardial ischaemia: Is there a relationship? (abst.), S77
- Joshi J, see Gyasi HK, jt. auth.
- Juneja MM, see Ackerman WE, jt. auth.
- Kajitani H, see Takasaki M, jt. auth.
- Kakuyama M, see Harioka T, jt. auth.
- Kalant D, see Salevsky FC, jt. auth.
- Kamani AA, see McMorland GH, jt. auth.
- Kambam JR, Janson VE, Day P, Sastry BVR. Pancuronium, vecuronium, and d-tubocurarine inhibit and succinylcholine stimulates choline acetyltransferase activity (laboratory investigations), 690
– Meszaros R, Merrill W, Stewart J, Smith BE, Bender H. Prophylactic administration of histamine₁ and histamine₂ receptor blockers in prevention of protamine related haemodynamic effects, 420
- Kambam JR, Parris WCV, Naukam RJ, Franks JJ, Sastry BVR. In vitro effects of fluoride and bromide on pseudocholinesterase and acetylcholinesterase activities (laboratory investigation),
– see Kinney WW, jt. auth.
- Kampine JP, see Sprung J, jt. auth.
- Kapala D, see Kashtan H, jt. auth.
– see Rolbin SR, jt. auth.
- Kaplan RF, see Sidi A, jt. auth.
- Kapnoudhis P, Vaghadia H, Jenkins LC, Turnbull KW, Gofton EA, Grant RP, Malm DM, Lim G. Esmolol versus fentanyl for preventing haemodynamic response to intubation in cardiovascular disease (abst.), S145
- Karliczek GK, see Wierda JMKH, jt. auth.
- Kashtan H, Edelist G, Mallon J, Kapala D. Comparative evaluation of propofol and thiopentone for total intravenous anaesthesia, 170
- Kataja J, see Kaukinen S, jt. auth.
- Katano T, see Kubota T, jt. auth.
- Kaukinen L, see Kaukinen S, jt. auth.
- Kaukinen S, Kataja J, Kaukinen L. Antagonism of benzodiazepin-fentanyl anaesthesia with flumazenil, 40

- Kawamura T, Wakusawa R.* The effect of ulinastatin on the release of granulocyte elastase during hypothermia with surface cooling (abst.), S106
- Kawas A, see Sirwardhana SA, jt. auth.*
- Kay J, see Splinter WM, jt. auth.*
- Kay JC, Beauchamp RJ, Mazer CD.* Software to analyze regional left ventricular function (abst.), S74
- see *Byrick RJ, jt. auth.*
- Kayazawa H, see Oshima E, jt. auth.*
- Keane P, see McEllistrem RF, jt. auth.*
- Kearney RA.* Intra- and postoperative management of craniosynostosis (correspondence – reply), 949
- Kedaria M, see Jansen GFA, jt. auth.*
- Keith IC.* Anesthesia in emergency medicine (book review), 599
- see *Beauprie IG, jt. auth.*
- see *MacDougall JA, jt. auth.*
- Kemmotsu O, see Sato K, jt. auth.*
- Kenny GNC, see Marsh BJ, jt. auth.*
- Kersten-Kleef UE, see Wierda JMKH, jt. auth.*
- Kharasch ED.* Atrial natriuretic factor and cardiopulmonary bypass (correspondence), 489
- Kim JHK, see Liepert DJ, jt. auth.*
- see *McMorland GH, jt. auth.*
- King FG.* Anesthesia for vascular surgery (book review), 600
- *Addetia AM, Peters SD, Peachey GO.* Prophylactic lidocaine for postoperative coronary artery bypass patients – a double-blind randomized study (clinical report), 363
- Kinney WW, Matsuda F, Wright W, Kambam JR.* Nicardipine reduces the cardio-respiratory toxicity of intravenously administered bupivacaine in rats (laboratory investigation), 920
- Kirnon V, see Bevan JC, jt. auth.*
- Kirpalani H, see McEvedy BAB, jt. auth.*
- Kitano T, see Yoshitake S, jt. auth.*
- Kleef, see Kersten-Kleef*
- Kliffer AP, see Slinger PD, jt. auth.*
- Kluf UE, see Kersten-Kluf*
- Knill RL.* Heart-lung interactions in health and disease (book review), 149
- Textbook of respiratory medicine Volumes 1 & 2 (book review), 148
- *Skinner MI, Novick T, Vandenberghe HM, Moote CA.* The night of intense REM sleep after anaesthesia and surgery increases urinary catecholamines (abst.), S12
- Knox JWD, see Oxorn DC, jt. auth.*
- Kobayashi K, see Kumagai M, jt. auth.*
- Kobrinsky N, see Cameron C, jt. auth.*
- Koch JP, see Hunziker P, jt. auth.*
- Kochi A, see Oka T, jt. auth.*
- Kochi T, Isono S, Ide T, Izumi Y, Mizuguchi T.* Effects of sevoflurane and halothane on pattern and mechanics of breathing in man (abst.), S169
- see *Ide T, jt. auth.*
- Kohama M, see Inada E, jt. auth.*
- Kohchi T, see Aoe T, jt. auth.*
- Kolesar R, Volgyesi G, Lerman J.* Effect of haemoglobin concentration on the accuracy of pulse oximetry (abst.), S88
- see *Volgyesi GA, jt. auth.*
- Kolton M.* Clinical monitoring (book review), 830
- see *McLean RF, jt. auth.*
- Komar WE, see Pillow KJ, jt. auth.*
- see *Reimer EJ, jt. auth.*
- Komocar L, see Splinter WM, jt. auth.*
- Konstadt SN, Reich DL, Thys DM.* Nitrous oxide does not exacerbate pulmonary hypertension or ventricular dysfunction in patients with mitral valvular disease, 613
- Kopman AF.* Atropine-neostigmine mixtures (correspondence), 269
- Clinical, electrical and mechanical correlations during recovery from neuromuscular blockade with vecuronium (correspondence), 711
- Koren G, see Panos L, jt. auth.*
- Kovac AL, Goto H, Arakawa K, Pardo MP.* Esmolol bolus and infusion attenuates increases in blood pressure and heart rate during electroconvulsive therapy, 58
- Koyama K, Takahashi J, Ochiai R, Takeda J, Nagano M.* Evaluation of esophageal temperature measured by gastric tube with thermister (abst.), S111
- see *Ochiai R, jt. auth.*
- Kozody R.* Catecholamines and neuraxial anaesthesia (editorial), 836
- Kraaijenhagen RJ, see Helmers JH, jt. auth.*
- Krivacic-Horber RM, see Adner PJ, jt. auth.*
- Kross J, see Stevenson GW, jt. auth.*
- Kubota T, Katano T, Yoshizawa M, Ohtake K, Onodera F.* Measurement of respiratory work in a breath by breath analysis using new bedside respiratory monitoring system (abst.), S109
- Kubota H, see Kubota Y, jt. auth.*
- Kubota Y, Toyoda Y, Kubota H.* Autonomic hyperreflexia (correspondence), 488
- Kudo J, see Tsubo T, jt. auth.*
- Kugler A, see Doenicke A, jt. auth.*
- Kumagai M, Takinami M, Tanaka S, Shudo Y, Amaki Y, Kobayashi K.* Determination of maintenance dose of vecuronium in continuous infusion (abst.), S127
- Kumar CM.* Prevention of obstruction of epidural catheter by blood clot (correspondence), 709
- Kwiatkowska C, see Badner NH, jt. auth.*
- Kyff JV, see Tait AR, jt. auth.*
- Lacombe P, Blaise G, Plante F, Hollmann C.* Treatment with isoproterenol of bupivacaine toxicity (abst.), S1
- de La Coussaye JE, Masse C, Bassoul BP, Eledjam J-J, Gagnol J-P, Sassine A.* Bupivacaine-induced slow-inward cur-

- rent inhibition: a voltage clamp study on frog atrial fibres (laboratory report), 819
- Laird B*, see *O'Connor G*, jt. auth.
- Lam AM, Slee T, Hirst R, Cooper JO, Pavlin EG, Sundling N*. Cerebral blood flow velocity following tourniquet release in humans (abst.), S29
- *Winn HR, Grady MS, Sundling N*. Catecholamine level and plasma renin activity during induced hypotension – adenosine vs sodium nitroprusside (abst.), S31
- see *Sharpe MD*, jt. auth.
- Lam L*, see *Forrest JB*, jt. auth.
- Lampe KM*. Regional anaesthesia: an illustrated procedural guide (book review), 715
- see *Pillow KJ*, jt. auth.
- Lang SA, Duncan PG, Shephard DAE, Ha HC*. Pulmonary oedema associated with airway obstruction (review article), 210
- see *Chang FC*, jt. auth.
- Langanieri S*, see *O'Leary G*, jt. auth.
- Laorden ML, Miralles FS, Carceles MD, Hernandez J, Puig MM*. Temperature dependent effects of halothane and isoflurane on the isolated left atrium (laboratory investigation), 482
- Lavoie J, Martin R, Tétrauld JD*. Axillary plexus block using a peripheral nerve stimulator: Single or multiple injections (abst.), S39
- Lawson RA*, see *Blogg CE*, jt. auth.
- Lawson S*, see *Panos L*, jt. auth.
- see *Stringer DG*, jt. auth.
- Learned D*, see *Tait AR*, jt. auth.
- LeDez KM*, see *Burrows FA*, jt. auth.
- Lee LW*, see *YU PYH*, jt. auth.
- Leeuwen Lv, Zuurmond WWA, Deen L, Helmers HJHJ*. Total intravenous anaesthesia with propofol, alfentanil, and oxygen-air: three different dosage schemes, 282
- see *Helmers JH*, jt. auth.
- Lehot JJ*, see *Chassard D*, jt. auth.
- Lennon RL*, see *Grigsby EJ*, jt. auth.
- Leon JE, Bissonnette B, Lerman J*. Cranial duplex sonography: Does halothane affect the cerebrovascular response to carbon dioxide in anaesthetized children? (abst.), S24
- Cranial duplex sonography: Does isoflurane affect the cerebrovascular response to carbon dioxide in anaesthetized children? (abst.), S33
- Liquid crystalline temperature monitoring: Does it estimate core temperature in anaesthetized paediatric patients? (abst.), S98
- Lepage Y*, see *Boulanger A*, jt. auth.
- see *Hardy J-F*, jt. auth.
- Lerman J*, see *Burrows FA*, jt. auth.
- see *Crawford MW*, jt. auth.
- see *Hillier SC*, jt. auth.
- see *Kolesar R*, jt. auth.
- see *Leon JE*, jt. auth.
- see *McEvedy BAB*, jt. auth.
- see *Roy WL*, jt. auth.
- see *Taylor RH*, jt. auth.
- see *Volgyesi GA*, jt. auth.
- Leroux M*, see *Duke PC*, jt. auth.
- Lessard MR, Trépanier, CA, Brochu JG, Coté JJ, Denault PH, Baribault JP*. Effects of isoflurane-induced hypotension on renal function and hemodynamics (abst.), S42
- see *Trépanier CA*, jt. auth.
- Leung RKW*, see *Gregory MA*, jt. auth.
- Levin H, Heifetz M*. Phaeochromocytoma and severe protracted postoperative hypoglycaemia (clinical report), 477
- Levine M*, see *McCormack JP*, jt. auth.
- Lewis G*. Illustrated manual of regional anesthesia (book review), 148
- Lewis J*, see *Wood G*, jt. auth.
- Lewis P, Maltby JR, Sutherland LR*. Unrestricted oral fluid until three hours preoperatively: effect on gastric fluid volume and PH (abst.), S132
- *Staniland J, Cuppage A, Davies JM*. Operating room noise (abst.), S79
- Liepert DJ, Douglas MJ, McMorland GH, Gambling DR, Kim, JHK, Ross PLE*. Comparison of lidocaine CO₂, two per cent lidocaine hydrochloride and pH adjusted lidocaine hydrochloride for Caesarean section anaesthesia, 333
- *O'Connor JP*. The practice of cardiac anesthesia (book review), 952
- Lim G*, see *Kapnoudhis P*, jt. auth.
- Lim M*, see *Cross G*, jt. auth.
- Lin DM*, see *Cole DJ*, jt. auth.
- Lindblad T, Beattie WS, Forrest JB, Buckley DN*. Loss of the antiemetic effect of droperidol in menstruating women (abst.), S139
- Linder S*, see *Borgeat A*, jt. auth.
- Lineberry PJ*, see *Stevens RA*, jt. auth.
- Lippmann M, Hsu D, Yang E*. Neuromuscular blocking agents used with antibiotics (correspondence), 945
- Lipton JM*, see *Siriwardhana SA*, jt. auth.
- Little KE*. Breathing circuit occlusion due to defect in Swivel port connector (correspondence – reply), 707
- Liu MD*, see *Mills CA*, jt. auth.
- Liu TL*, see *Grigsby EJ*, jt. auth.
- Locatelli D*, see *Imberti R*, jt. auth.
- Lok P*, see *Murkin JM*, jt. auth.
- Loken RG*, see *Maltby JR*, jt. auth.
- Loomis C*, see *Hong M*, jt. auth.
- Louis F*, see *Baraka A*, jt. auth.
- Lu G*, see *Fuller J*, jt. auth.
- see *Segstro R*, jt. auth.
- Lu GP*. Intercostal nerve block in obese patients (correspondence), 268
- Luban N*, see *Welborn LG*, jt. auth.

- Lucas WJ, Maccioli GA, Mueller RA. Advances in oral antiarrhythmic therapy: implications for the anaesthetist (review article), 94
- Lucy S, see Bevan JC, jt. auth.
- Lui A, see Crosby ET, jt. auth.
- McAllister JD, Moote CA, Sharpe MD, Manninen PH. Random double-blind comparison of nizatidine, famotidine, ranitidine and placebo (abst.), S22
- McCormack JP, Warriner CB, Levine M, Forster-Coull J. The use of regularly scheduled oral morphine in the treatment of post surgical pain secondary to total hip arthroplasty (abst.), S57
- McCulloch PR, Milne B. Neurological phenomena during emergence from enflurane or isoflurane anaesthesia, 739
- MacDonald M, see Brown KA, jt. auth.
- MacDougall JA, Keith I. Dr. William Bayard (History of Canadian Anaesthesia), 932
- McEllistrem RF, O'Toole DP, Keane P. Post cannulation radial artery aneurysm – a rare complication (clinical report), 907
- McEvedy BAB, McLeod ME, Kirpalani H, Volgyesi GA, Lerman J. End-tidal carbon dioxide measurements in critically ill neonates: a comparison of sidestream and mainstream capnometers, 322
- McEwen JA, see Fancourt-Smith PF, jt. auth.
- McGilveray I, see O'Leary G, jt. auth.
- McGrath B. Hyperbaric oxygen and CO₂ embolism (correspondence – reply), 271
- McGuinness JP, see Yealy DM, jt. auth.
- McIntyre B, see Brown KA, jt. auth.
- McIntyre BG, see Roy WL, jt. auth.
- McIntyre RW, see Brown FN, jt. auth.
- McIntyre JWR. The length of the blade is more important than its design in difficult tracheal intubation (correspondence – reply), 266
- McKeown D, see Armstrong P, jt. auth.
- McLean RF, Noble WH, Kolton M. Pulmonary pressure at high flows in the intact pulsatile flow perfused lung (abst.), S158
- McLeod BA, see Courtice ID, jt. auth.
- McLeod ME, see Hartley E, jt. auth.
- see Hillier SC, jt. auth.
- see McEvedy BAB, jt. auth.
- McLeskey CH. Anaphylactoid reactions following propofol-atracurium sequence (correspondence), 946
- see Michael C, jt. auth.
- McMichan JC, see Blaise GA, jt. auth.
- McMorland GH, Ansley DM, Douglas MJ, Kim JHK, Kamani AA, Swenerton JE, Berkowitz J, Ross PLE, Palmer L. Epidural sufentanil for post-Caesarean section analgesia: lack of benefit of epinephrine, 432
- see Fuller JG, jt. auth.
- see Liepert DJ, jt. auth.
- McNeill B, see Murkin JM, jt. auth.
- McNeill BR, Murkin JM, Farrar JK, Gelb AW. Autoregulation and the CO₂ responsiveness of cerebral blood flow after cardiopulmonary bypass, 313
- McNeill HB, see Splinter WM, jt. auth.
- Maccioli GA, see Lucas WJ, jt. auth.
- Mahesh K. Attenuation of cardiovascular responses to intubation with combination of labetalol and sufentanil (abst.), S114
- Malcolm I, see Gordon AR, jt. auth.
- Mallon J, see Kashtan H, jt. auth.
- Mallon JS. Alfentanil in minor surgery requiring tracheal intubation: A multicentre trial (abst.), S123
- Edelist G. Total intravenous anaesthesia (editorial), 279
- Malm DM, see Grant RP, jt. auth.
- see Kapnoudhis P, jt. auth.
- Maltby JR, Elliott RH, Warnell I, Fairbrass M, Sutherland LR, Shaffer EA. Gastric fluid volume and pH in elective surgical patients: triple prophylaxis is not superior to ranitidine alone, 650
- Loken RG, Watson NC. Clinical appraisal of the laryngeal mask airway (abst.), S108
- The Laryngeal mask airway: clinical appraisal in 250 patients, 509
- Shaffer EA. Measurement of gastric contents (correspondence), 597
- see Davies JM, jt. auth.
- see Goresky AGV, jt. auth.
- see Lewis P, jt. auth.
- Malviya S, see Taylor RH, jt. auth.
- Manninen PH, Cuillerier DJ, Gelb AW, Nantau WE. Monitoring of brain stem function during posterior fossa surgery (abst.), S23
- see Davies KR, jt. auth.
- see McAllister JD, jt. auth.
- Mansour NY, see Smith M, jt. auth.
- Mark PWS, see Doyle DJ, jt. auth.
- Marsh BJ, Morton NS, White M, Kenny GNC. A computer controlled infusion of propofol for induction and maintenance of anaesthesia in children (abst.), S97
- Martin R. Neuromuscular blocking agents used with antibiotics (correspondence – reply), 945
- Dupuis J-Y. Clinical, electrical and mechanical correlations during recovery from neuromuscular blockade with vecuronium (correspondence – reply), 711
- see Dupuis JY, jt. auth.
- see Lavoie J, jt. auth.
- Martineau RJ, Tousignant CP, Hull KA, Miller DR. Alfentanil controls the haemodynamic response during rapid sequence induction of anaesthesia, 755
- see Miller DR, jt. auth.
- see Reid CW, jt. auth.
- see Sullivan PJ, jt. auth.

- see *Torsher L*, jt. auth.
- see *Warner LO*, jt. auth.
- Maru E*, see *Suzuki H*, jt. auth.
- Mason SA*, see *Riley RH*, jt. auth.
- Masse C*, see *de La Coussaye JE*, jt. auth.
- Masters RW*, see *Hickey R*, jt. auth.
- Mathews S*, see *Guay J*, jt. auth.
- Matthew M*, see *Gyasi HK*, jt. auth.
- Matthews RL*. Fatal air embolism (editorial), 12
- Matsuda F*, see *Kinney WW*, jt. auth.
- Matsuki A*, see *Tsubo T*, jt. auth.
- Matsumoto S*, see *Yoshitake S*, jt. auth.
- Matteo RS*, *Schwartz AE*, *Ornstein E*, *Young WL*, *Chang W*. Pharmacokinetics of sufentanil in the elderly surgical patient, 852
- Mayers I*, see *Johnson D*, jt. auth.
- Mazer CD*, see *Beauchamp RJ*, jt. auth.
- see *Kay JC*, jt. auth.
- Mears*, see *Ashburn MA*, jt. auth.
- Mehta M*, see *Murray DJ*, jt. auth.
- Meijer DKF*, see *Wierda JMKH*, jt. auth.
- Meiklejohn BH*. Epidural air-filled bubbles and unblocked segments (correspondence), 390
- Meistelman C*, see *Donati F*, jt. auth.
- Meirow D*, see *Eldor J*, jt. auth.
- de Mello WF*, *Restall J*. Difficult intubation (correspondence), 486
- Meloche R*, see *Blaise GA*, jt. auth.
- see *Perreault C*, jt. auth.
- see *Tanguay M*, jt. auth.
- Ménard EA*, see *Splinter WM*, jt. auth.
- Mene JM*, see *Torrielli R*, jt. auth.
- Merai B*, see *Patel D*, jt. auth.
- see *Rosenblatt M*, jt. auth.
- see *Vaidya D*, jt. auth.
- Merchant R*, see *Sharpe MD*, jt. auth.
- Merchant RN*, *Brown WF*, *Watson BV*. Peripheral nerve injuries in cardiac anaesthesia (abst.), S152
- Meretoja OA*, *Gebert R*. Postoperative neuromuscular block following atracurium or alcuronium in children, 747
- *Rautiainen P*. Alfentanil and fentanyl sedation in infants and small children during cardiac catheterization, 624
- Merrick P*, see *Grant RP*, jt. auth.
- Merrill W*, see *Kambaum J*, jt. auth.
- Messino MJ*, see *Stein RA*, jt. auth.
- Meszaros R*, see *Kambaum J*, jt. auth.
- Michael C*, *McLeskey CH*. Atracurium in the Bard alfentanil pump (correspondence), 144
- Mickle DA*, see *Boylan JF*, jt. auth.
- Midorikawa Y*, see *Ogata H*, jt. auth.
- Mikhail M*, see *Thangathurai D*, jt. auth.
- Miller DR*, *Martineau RJ*. Rate-pressure product (correspondence - reply), 389
- *Martineau RJ*, *Ewing D*, *Hull KA*, *James RN*, *Wellington L*, *Bouchard AG*. Cardiovascular response of a continuous variable rate alfentanil infusion for abdominal aortic surgery, 844
- see *Martineau RJ*, jt. auth.
- see *Reid CW*, jt. auth.
- see *Sullivan PJ*, jt. auth.
- see *Torsher L*, jt. auth.
- Mills CA*, *Flacke JW*, *Flacke WE*, *Bloor BC*, *Liu MD*. Narcotic reversal in hypercapnic dogs: comparison of naloxone and nalbuphine (laboratory investigation), 238
- Milne B*, see *Hong M*, jt. auth.
- see *McCulloch PR*, jt. auth.
- see *Parlow JL*, jt. auth.
- see *Wood G*, jt. auth.
- Mingus ML*, see *Eisenkraft JB*, jt. auth.
- Miralles FS*, see *Laorden ML*, jt. auth.
- Miyakawa H*, see *Yoshitake S*, jt. auth.
- Miyake C*, see *Harioka T*, jt. auth.
- Miyasaka K*. Respiratory monitoring of the infant in anaesthesia and intensive care (refresher course outline), Scxxiv
- Mizuguchi T*, see *Aoe T*, jt. auth.
- see *Ide T*, jt. auth.
- see *Kochi T*, jt. auth.
- see *Oka T*, jt. auth.
- Mizutani AR*, *Ward CF*. Amyloidosis associated bleeding diatheses in the surgical patient (clinical report), 910
- Modica PA*, see *Tempelhoff R*, jt. auth.
- Moffitt EA*, see *Hall RJ*, jt. auth.
- Montagne F*, *Truffa-Bachi J*, *Pichard E*. Airway obstruction during anaesthesia in a child with a mediastinal mass (correspondence), 271
- Monteith K*, *Rosaeg OP*. Epidural anaesthesia for transurethral resection of the prostate in a patient with carcinoid syndrome (clinical report), 349
- Moore R*, see *Fancourt-Smith PF*, jt. auth.
- Moote CA*, see *Knill RL*, jt. auth.
- see *McAllister JD*, jt. auth.
- see *Pillow KJ*, jt. auth.
- see *Reimer EJ*, jt. auth.
- Morgan C*, see *Grant RP*, jt. auth.
- Mori K*, see *Hatano Y*, jt. auth.
- Morio M*, *Yuge O*, *Fujii K*. Biotransformation and toxicity of inhalation anaesthetics (refresher course outline), Scxvi
- Morishima HO*, see *Santos AC*, jt. auth.
- Morison DH*, see *Puchalski SA*, jt. auth.
- Morley-Forster PK*, see *Segstro R*, jt. auth.
- Morningstar B*, see *Daley MD*, jt. auth.
- Morrison JE, Jr*, *Friesen RH*. Elevated serum bromide concentrations following repeated halothane anaesthesia in a child (clinical report), 801
- Morton NS*, see *Marsh BJ*, jt. auth.
- Moss J*, see *Aronson S*, jt. auth.

- Mueller RA, see Lucas WJ, jt. auth.
- Muir JG, see Splinter WM, jt. auth.
- Mulder SM, see Ashburn MA, jt. auth.
- Mullen JB, see Byrick RJ, jt. auth.
- Munk S, see Badner NH, jt. auth.
- Murakami F, see Sato K, jt. auth.
- Murdoch J, Hall RI. Brain protection: physiological and pharmacological considerations. Part I: the physiology of brain injury (review article), 663
– see Hall RI, jt. auth.
- Murkin JM, Farrar JK, McNeill B, Gelb AW, Lok P. Cerebral oxygen consumption during sufentanil anesthesia: measurement of N₂O uptake vs ¹³³xenon clearance (abst.), S32
– see McNeill BR, jt. auth.
– see Ralley FE, jt. auth.
- Murphy IL, Splinter WM. The clinical significance of diffusion hypoxia in children (abst.), S40
- Murphy JT, see Hall RI, jt. auth.
- Murray DJ, Forbes RB, Mehta M, Dull DL. The effect of different N₂O concentrations on MAC in infants and children (abst.), S93
- Mutch WAC, Patel PM, Ruta TS. A comparison of the cerebral pressure-flow relationships for halothane and isoflurane at haemodynamically equivalent end-tidal concentrations in the rabbit (laboratory investigations), 223
– Ringaert K, Ewart F, White I, Donen N. Narcotic infusions facilitate emergence following neurosurgery: A double blind comparison of fentanyl and alfentanil infusions (abst.), S30
- Nagano M, see Koyama K, jt. auth.
– see Ochiai R, jt. auth.
– see Yamada M, jt. auth.
- Nagasaka H, see Foldes FF, jt. auth.
– see Penning JP, jt. auth.
- Naguib M. Anaphylactoid reactions following propofol-atracurium sequence (correspondence – reply), 946
– Atropine-neostigmine mixtures (correspondence – reply), 270
- Naide M, see Horimoto Y, jt. auth.
- Nakamura K, see Hatano Y, jt. auth.
- Nalder B, Jivraj K, Golar S, Ford G, Rosenal T. "Off the wall – jet" for transtracheal ventilation (abst.), S34
- Namiki A, see Anzia Y, jt. auth.
- Nantau WE, see Manninen PH, jt. auth.
- Nathan HJ. Invasive haemodynamic monitoring: What do the numbers mean? (refresher course outline), Scviii
- Naugler-Colville MA, see Tessler MJ, jt. auth.
- Naukam RJ, see Kambam JR, jt. auth.
- Newfield AM, see Siriwardhana SA, jt. auth.
- Nguyen HD, see Foldes FF, jt. auth.
- Nicholas JF, see Sharpe MD, jt. auth.
- Nielson WR, see Badner NH, jt. auth.
- Nimmo WJ, see Davies JM, jt. auth.
- Nishikawa T, see Anzia Y, jt. auth.
- Nishiwada M, see Hatano Y, jt. auth.
- Noble WH, see McLean RF, jt. auth.
- Noguchi T, see Yoshitake S, jt. auth.
- Norman PH, Daley MD, Sandler AN. Oxygen desaturation and breathing patterns in pre-operative thoracic patients (abst.), S160
– see Daley MD, jt. auth.
- Novick T, see Knill RL, jt. auth.
- Nugent M, see Blaise GA, jt. auth.
- O'Brodivich H, see Orser B, jt. auth.
- Ochiai R, Takeda J, Koyama K, Hiyama A, Yamada M, Nagano M. Evaluation of breathing pattern for successful weaning from mechanical ventilation (abst.), S168
– see Koyama K, jt. auth.
– see Yamada M, jt. auth.
- O'Connor G. Nitrous oxide 1844–1990 (editorial), 603
– Riding K, Laird B, Riou S, Steward DJ. Day care tonsillectomy: A study (abst.), S133
- O'Connor JP, see Gordon AR, jt. auth.
– see Liepert DJ, jt. auth.
- Ogata H, Midorikawa Y. Agonist and antagonist of oxygen free radical (abst.), S104
- Oh TE, see Gregory MA, jt. auth.
- Ohtake K, see Kubota T, jt. auth.
- Ohwada T, see Oka T, jt. auth.
- Oka T, Ohwada T, Kochi A, Mizuguchi T. Effects of portal clamping on myocardial contractility (abst.), S73
- O'Leary AM, Veall G, Butler P, Anderson GH. Acute pulmonary oedema after tourniquet release (correspondence), 826
- O'Leary G, Qureshi SA, Langanieri S, McGilveray I, Boylan JF, Hassard P, Teasdale SJ. Intranasal nifedipine for post-bypass hypertension – hemodynamics and pharmacokinetics (abst.), S144
– see Boylan JF, jt. auth.
- Onodera F, see Kubota T, jt. auth.
- Ornstein E, see Matteo RS, jt. auth.
- Orrego H, see Crawford MW, jt. auth.
- Orser B, Bertlik M, Fedorko L, O'Brodivich H. Cation channels in apical membrane of fetal alveolar epithelium (abst.), S3
- Oshima E, Tei K, Kayazawa H, Urabe N. Continuous subcutaneous injection of ketamine for cancer pain (correspondence), 385
- O'Sullivan B. Rate-pressure product (correspondence), 389
- O'Sullivan G, see Davies JF, jt. auth.
- O'Toole DP, see McEllisrem RF, jt. auth.
- Oxorn D. Techniques and procedures in critical care (book review), 716

- Chung D. A simple technique for topically anaesthetizing the airway (correspondence), 823
- Clark K. Crico-tracheal disruption and common carotid artery occlusion: a case of blunt trauma (clinical report), 913
- Knox JWD, Hill J. Bolus doses of esmolol for the prevention of perioperative hypertension and tachycardia, 206
- Whatley GS, Knox JWD, Hooper JGV. Atracurium and d-tubocurarine pretreatment in prevention of succinylcholine myalgias: A study of vaginal hysterectomies (abst.), S140
- Oyama T, see Tsubo T, jt. auth.
- Oyston JP. Anaesthesia and the Amazon (correspondence), 490
- A new syringe holder (correspondence), 827
- Perioperative respiratory management: Do respirologists and anaesthetists agree? (abst.), S11
- Pace NL, see Ashburn MA, jt. auth.
- Page MS, see Grant RP, jt. auth.
- Pagliarello G, see Devitt JH, jt. auth.
- Palmer L, see Fuller JG, jt. auth.
- see McMorland GH, jt. auth.
- Pan J, see Chen K, jt. auth.
- Panos L, Sandler AN, Stringer DG, Badner N, Lawson S, Koren G. Continuous infusions of lumbar epidural fentanyl and intravenous fentanyl for post-thoracotomy pain relief. I: Analgesic and pharmacokinetic effects (abst.), S66
- see Stringer DG, jt. auth.
- Papatestas AE, see Eisenkraft JB, jt. auth.
- Pardo MP, see Kovac AL, jt. auth.
- Parlow JL, Milne B, Cervenko FW. Balloon floatation is more important than flow-direction in positioning "flow-directed" PA catheters (abst.), S86
- Parris WCV, see Kambam JR, jt. auth.
- Parrott J, see Duke PC, jt. auth.
- Parsons DG, see Grant RP, jt. auth.
- Patel D, Janardhan Y, Merai B, Robalino J, Shevde. Comparison of intrathecal meperidine and lidocaine in endoscopic urological procedures, 567
- Patel PM, see Mutch WAC, jt. auth.
- Patel YC, see Robbins GR, jt. auth.
- Patrick J, see Penning DH, jt. auth.
- Patton N, see Duke PC, jt. auth.
- Paulus DA, see Aull L, jt. auth.
- Pavlin EG. Failed intubation (correspondence), 706
- see Crone LA, jt. auth.
- see Lam AM, rjt. auth.
- Peachey GO, see King FG, jt. auth.
- Pedersen H, see Santos AC, jt. auth.
- Penning DH, Patrick J, Brien J. Effects of hypoxia on release of amino acid neurotransmitters from fetal lamb brain *in vitro* (abst.), S2
- see Yee DA, jt. auth.
- Penning JP, Nagasaka H, Yaksh TL. Intrathecal morphine and bupivacaine in the rat; analgesic synergy without augmentation of motor dysfunction or hypotension (abst.), S49
- Yaksh TL. The analgesic interaction between intrathecal morphine, lidocaine and bupivacaine in the rat (abst.), S48
- Perreault C, Albert JF, Couture P, Meloche R. Epidural alfentanil during labor, in association with a continuous infusion of bupivacaine (abst.), S5
- Blaise, GA, Meloche R. Another look at maternal inspired oxygen concentration during Cesarean section (abst.), S118
- Perreault L, Vezina D, Roberts K, Baillargeon R. Low-dose sufentanil in major surgery, 629
- see Ralley FE, jt. auth.
- Peters SD, see King FG, jt. auth.
- Pichard E, see Montange F, jt. auth.
- Pietak SP. Intensive care manual, 3d ed. (book review), 829
- Pillow KJ, Moote CA, Komar WE, Lampe KM. Postoperative pain management in patients with inflammatory bowel disease (abst.), S63
- Pinto I, see Wierda JMKH, jt. auth.
- Plante F, see Lacombe P, jt. auth.
- Plaude B, see Donati F, jt. auth.
- Plourde G. Bailliere's clinical anaesthesiology: International practice and research, Depth of Anaesthesia (book review), 715
- Plumley MH, Bevan JC, Saddler JM, Donati F, Bevan DR. Dose-related effects of succinylcholine on the adductor pollicis and masseter muscles in children, 15
- see Saddler JM, jt. auth.
- Pluskwa F, see Bonnet F, jt. auth.
- Poitras B, see Guay J, jt. auth.
- Pollard TG, see Rasch DK, jt. auth.
- Polomeno RS, see Saddler JM, jt. auth.
- Poole L, see Hall RI, jt. auth.
- Poon AO, see Brown KA, jt. auth.
- Pounder DR, Blackstock D, Steward D. Emergence respiratory complications in children: A comparison between halothane and isoflurane (abst.), S126
- Presiglio I, see Imberti R, jt. auth.
- Probst R, see Schneider M, jt. auth.
- Puchalski SA, Morison DH. Onset of subarachnoid bupivacaine in Caesarean section (abst.), S35
- Pudimat MA, see Rice LJ, jt. auth.
- Puig MM, see Laorden ML, jt. auth.
- Pulleris J, Holzman R. Anaesthesia and mediastinal masses (correspondence - reply), 596
- Purkis IE. Preanesthetic assessment (book review), 829
- Qureshi SA, see O'Leary G, jt. auth.

- Radhakrishnan S, see Rolbin SR, jt. auth.
- Rains G. Triple lumen catheter: a potential hazard (correspondence - reply), 950
- Ralley FE, Murkin JM, Hudson RJ, Dunn G, Perreault L, Hardy JF. Alfentanil infusion for intra-abdominal surgery (abst.), S20
- see Gordon AR, jt. auth.
- Ramamurthy S, see Hickey R, jt. auth.
- Ramchandra DS, Anisya V, Gourie-Devi M. Ketamine mono-anaesthesia for diagnostic muscle biopsy in neuromuscular disorders in infancy and childhood: floppy infant syndrome (clinical report), 474
- Ramsay JG, see Gordon AR, jt. auth.
- see Robbins GR, jt. auth.
- Rasch DK, Webster DE, Pollard TG, Gorkowski MA. Lumbar and thoracic epidural analgesia via the caudal approach for postoperative pain relief in infants and children (clinical report), 359
- Rautiainen P, see Meretoja OA, jt. auth.
- Raymond J, Hardy J-F. Oxygénation via trachéostomie (correspondence), 274
- Raza SM, see Hickey R, jt. auth.
- Ready LB. Patient-controlled analgesia - does it provide more than comfort? (editorial), 719
- Rees GB, see Elliott RH, jt. auth.
- Reff R, see Broadman L, jt. auth.
- Reich DL, see Konstadt SN, jt. auth.
- Reid CW, Martineau RJ, Miller DR, Sullivan PJ, Hull KA, Samson B. A comparison of end-tidal and transcutaneous PCO₂ measurements during anaesthesia (abst.), S89
- Reimer EJ, Badner NH, Moote CA, Komar WE. Bupivacaine added to epidural fentanyl does not improve postoperative analgesia (abst.), S54
- Reinberg C, see Guay J, jt. auth.
- Restall J, see de Mello, WF, jt. auth.
- Reyford HG, see Adner PJ, jt. auth.
- Reynolds FB, see Chang FC, jt. auth.
- see Hansen LM, jt. auth.
- Rhine EJ, Roberts DJ. Induction of anaesthesia in the infant (editorial), 498
- see Splinter WM, jt. auth.
- Rice LJ, Pudimat MA, Hannallah RS. Timing of caudal block placement in relation to surgery does not affect duration of postoperative analgesia in paediatric ambulatory patients, 429
- Riding K, see O'Connor G, jt. auth.
- Rifkind A, see Forrest JB, jt. auth.
- Riley RH. Respiratory arrest following interpleural block in a narcotized patient (correspondence), 487
- Mason SA, Barber CD. Obstruction of a preformed armoured tracheostomy tube (correspondence), 824
- Ringart K, see Mutch WAC, jt. auth.
- Riou S, see O'Connor G, jt. auth.
- Rivard GE, see Guay J, jt. auth.
- Robalino J, see Patel D, jt. auth.
- see Rosenblatt M, jt. auth.
- see Trivedi NS, jt. auth.
- see Vaidya D, jt. auth.
- Robbins GR, Wynands JE, Whalley DG, Donati F, Ramsay JG, Srikant CB, Patel YC. Pharmacokinetics of alfentanil and clinical responses during cardiac surgery, 52
- Robbins R. Manual of cardiorespiratory critical care (book review), 716
- Roberts DJ, see Rhine EJ, jt. auth.
- see Splinter WM, jt. auth.
- Roberts K, see Perreault L, jt. auth.
- Robertson KM, see Gelb AW, jt. auth.
- Rogers KH, see Yee DA, jt. auth.
- Roizen MF, see Aronson S, jt. auth.
- Rolbin S, see Daley MD, jt. auth.
- Rolbin SR, Halpern SH, Braude BM, Kapala D, Unger R, Radhakrishnan S. Fluid through the epidural needle does not reduce complications of epidural catheter insertion, 337
- Romanelli J, see Cheng DCH, jt. auth.
- Romanelli JR, see Gauthier RA, jt. auth.
- Rosaeg OP, see Monteith K, jt. auth.
- Rose DK, see Byrick RJ, jt. auth.
- see Yee DA, jt. auth.
- Rosenal T, see Nalder B, jt. auth.
- see Tang T, jt. auth.
- Rosenberg C, see Wang BC, jt. auth.
- Rosenberg H, see Allen GC, jt. auth.
- see Fletcher JE, jt. auth.
- Rosenblatt M, Merai B, Robalino J, Shevde K, Bryk D. Hypobaric spinal anesthesia in percutaneous nephrostomy (abst.), S56
- Rosenthal MH. The appropriate use of inotropes in shock (refresher course outline), S1xv
- Ross PLE, see Liepert DJ, jt. auth.
- see McMorland GH, jt. auth.
- Roth S, see Aronson S, jt. auth.
- see Immelman L, jt. auth.
- Rout RW, see Aull L, jt. auth.
- Roy AG, Côté JJ, Trépanier CA, Brochu JG, Barbault JP. Intubating conditions with a megadose of vecuronium with or without priming (abst.), S138
- Roy WL, Bissonnette B. Flare reaction following caudal analgesia (clinical report), 127
- Lerman J, McIntyre BG. Preoperative hemoglobin values in minor paediatric surgery (abst.), S7
- Rush W, see Sidi A, jt. auth.
- Russell GB, Graybeal JM, Strout JC. Stability of arterial to end-tidal carbon dioxide gradients during postoperative cardiopulmonary support, 560
- Ruta TS, see Mutch WAC, jt. auth.
- Rybczynski J, see Hartley E, jt. auth.

- Sabourin MA, see Immelman L, jt. auth.
- Saddler JM, Bevan JC, Plumley MH, Donati F, Bevan DR. The potency of atracurium on masseter and adductor pollicis muscles in children, 26
- Bevan JC, Plumley MH, Polomeno RC, Donati F, Bevan DR. Jaw muscle tension after succinylcholine on the adductor pollicis and masseter muscles in children, 21
- see Plumley MH, jt. auth.
- St. Louis P, see Hartley E, jt. auth.
- Saldivia V, see Crawford MW, jt. auth.
- Salevsky FC, Whalley DG, Kalant D, Crawhall J. Epidural epinephrine and the systemic circulation during peripheral vascular surgery, 160
- Samson B, see Reid CW, jt. auth.
- Sandler AN. Epidural opiate analgesia for acute pain relief (refresher course outline), Sxxxiii
- see Daley MD, jt. auth.
- see Norman PH, jt. auth.
- see Panos L, jt. auth.
- see Stringer DG, jt. auth.
- Santibhavan V, see Tait AR, jt. auth.
- Santos, AC, Pedersen H, Morishima HO, Finster M, Arthur GR, Covino BG. Serum protein binding of ropivacaine in nonpregnant and pregnant ewes (abst.), S4
- Sassine A, see de La Coussaye JE, jt. auth.
- Sastry BVR, see Kambam JR, jt. auth.
- Sato K, Yamamura T, Murakami F, Yokota S, Kemmotsu O. Thoracic epidural anaesthesia combined with enflurane anaesthesia reduces atrioventricular conduction in dogs (laboratory report), 813
- Sato M, see Irita K, jt. auth.
- Schaefer JD, see Splinter WM, jt. auth.
- Schneider M, Probst R. High-frequency jet ventilation via a tracheoscope for endobronchial laser surgery (clinical report), 372
- Schuster J, see Stevenson GW, jt. auth.
- Schwander D, see Borgeat A, jt. auth.
- Schwartz AR, see Matteo RS, jt. auth.
- Schweiger IM, see Hall RI, jt. auth.
- Scott AA. Liability and changing patterns of anaesthetic practice in Canada (correspondence), 265
- Scott WAC, see Donnelly M, jt. auth.
- see Slinger PD, jt. auth.
- Segstro, R, Morley-Forster PK, Lu G. The efficacy of indomethacin as a postoperative analgesic following total hip arthroplasty (abst.), S41
- Seyone C, see Chung F, jt. auth.
- Shafer EA, see Maltby JR, jt. auth.
- Shafer S, see Hung OR, jt. auth.
- Shaffer EA, see Maltby JR, jt. auth.
- Shafiq J, see Irita K, jt. auth.
- Shandling B, see Brown KA, jt. auth.
- see Swartz JS, jt. auth.
- Shapiro HM, see Cole DJ, jt. auth.
- Sharpe MD, Lam, AM, Nicholas JF, Chung DC, Merchant R, Alyafi W, Beauchamp R. Correlation between integrated evoked EMG and respiratory function following atracurium administration in unanaesthetized humans, 307
- see McAllister JD, jt. auth.
- Sheffman EJ. Anaesthesia and medico-legal concerns (correspondence), 390
- Shephard DAE. Dr. B.C. Leech (History of Canadian Anaesthesia), 689
- The evolution of anaesthesia as a specialty in Canada (History of Canadian Anaesthesia), 134; (correspondence – reply), 714
- see Lang SA, jt. auth.
- Sheppard S, Eagle CJ, Strunin L. A bolus dose of esmolol attenuates tachycardia and hypertension after tracheal intubation, 202
- Shevde K. Low dose intrathecal-meperidine for lower limb orthopaedic surgery (correspondence), 947
- Trivedi NS, Gross M. Gastric emptying after clear fluids (abst.), S134
- see Patel D, jt. auth.
- see Rosenblatt M, jt. auth.
- see Trivedi NS, jt. auth.
- see Vaidya D, jt. auth.
- Shokeir O, Code WE. Does inhibition of K⁺ transport in glial cells by local anaesthetics contribute to seizures? (abst.), S26
- Shudo Y., see Kumagai M, jt. auth.
- Sidebotham GW, see Wolf GL, jt. auth.
- Sidi A, Kaplan RF, Davis RF. Prolonged neuromuscular blockade and ventilatory failure after renal transplantation and cyclosporine, 543
- Rush W. Systemic compared with coronary infusion of adenosine during acute coronary hypoperfusion in dogs (abst.), S148
- Simon EJ, see Wang BC, jt. auth.
- Simons J, see Devitt JH, jt. auth.
- Simpson T, see Wood G, jt. auth.
- Sims CH, Splinter WM. Fentanyl blunts the haemodynamic response of children to laryngoscopy (abst.), S91
- Siriwardhana SA, Kawa A, Yates S, Gulden H, Lipton JM, Giesecke AH. Oxygen mediated complement activation: an *in-vitro* study (abst.), S116
- Newfield AM, Lipton JM, Giesecke AH. Oxygen delivery by the peritoneal route (abst.), S159
- Sjovall J, see Hickey R, jt. auth.
- Skinner MI, see Knill RL, jt. auth.
- Slee T, see Lam AM, jt. auth.
- Slinger PD. Anaesthesia for lung resection (refresher course outline), Sxv

- Scott WAC, Kliffer AP. Intraoperative awareness due to malfunction of a Siemens 900B ventilator, 258
- Smith BE, see Kambaum J, jt. auth.
- Smith M, Buist RJ, Mansour NY. A simple method to facilitate difficult intubation (correspondence), 144
- Smith M, see Stafford-Smith, M
- Smith MF. Internal jugular venous cannulation in children under 5 years of age (abst.), S102
- Smith PF, see Fancourt Smith
- Sone T, see Harioka T, jt. auth.
- Sosis M. Nitrogen insufflation decreases PVC endotracheal tube cuff flammability during CO₂ laser surgery (abst.), S136
- Saline soaked pledges prevent CO₂ laser induced tracheal tube cuff ignition (abst.), S72
- Coleman N. Use of Ohmeda ear oximetry probe for "buccal" oximetry (correspondence), 489
- Dillon F, Harwood T. A comparison of CO₂ laser ignition of the xomed, PVC and rubber tracheal tubes (abst.), S87
- Spence D, see Beauprie IG, jt. auth.
- Spitznagel EL, Jr, see Tempelhoff R, jt. auth.
- Spjeda V, see Wood G, jt. auth.
- Splinter WM. Intravenous lidocaine does not attenuate the haemodynamic response of children to laryngoscopy and tracheal intubation, 440
- MacNeill HB, Ménard EA, Roberts DJ, Rhine EJ, Komocar L, Chevrier R, Kay J. The effect of general anaesthesia on post-tonsillectomy pain and respiratory status (abst.), S121
- Rhine EJ, MacNeill HB, Ménard EA, Roberts DJ, Komocar L, Kay J, Chevrier R. The effect of general anaesthesia on post-tonsillectomy vomiting (abst.), S96
- Schaefer JD, Bonn GE. Unlimited clear fluid ingestion by infants up to 2 hours before surgery is safe (abst.), S95
- Schaefer JD, Zunder IH. Clear fluids three hours before surgery do not affect the gastric contents of children, 498
- Stewart JA, Muir JG. Large volumes of apple juice preoperatively do not affect gastric pH and volume in children, 36
- see Murphy IL, jt. auth.
- see Sims CH, jt. auth.
- Spoerel, WE, see Tweed WA, jt. auth.
- Sprung J, Gamulin S, Bosnjak ZJ, Kampine JP. Potassium correction of hypothermic hypokalemia induces hyperkalemia after rewarming (abst.), S69
- Srikant CB, see Robbins GR, jt. auth.
- Stafford-Smith M, Hall RI. Complications following total knee arthroplasty - does the anaesthetic technique make a difference? (abst.), S163
- Staniland J, see Lewis P, jt. auth.
- Stanley TH, see Ashburn MA, jt. auth.
- Stanski DR, see Hung OR, jt. auth.
- Starr JM, see Tatman DJ, jt. auth.
- Stasiuk RBP, Jenkins LC. Post spinal headache: A comparison of midline and laminar approaches (abst.), S58
- Stein RA, Jr., Messino MJ, Hessel EA. Anaesthetic implications for bone marrow transplant recipients (review article), S71
- Stephens ID. Succinylcholine and Duchenne's muscular dystrophy (correspondence), 274
- Stevens RA, Lineberry PJ, Arcario TJ, Bacon GS, Cress LW. Epidural anaesthesia attenuates the catecholamine response to hypoventilation, 867
- Stevenson GW, Schuster J, Kross J, Hall SC. Transoesophageal pacing for perioperative control of neonatal paroxysmal supraventricular tachycardia (clinical report), 672
- Steward D, see Pounder DR, jt. auth.
- Steward DJ. New drugs and new understandings of paediatric pharmacology (refresher course outline), Sx1
- see Hackmann T, jt. auth.
- see O'Connor G, jt. auth.
- Stewart J, see Kambaum J, jt. auth.
- Stewart JA, see Splinter WM, jt. auth.
- Stockwell M, see Elliott RD, jt. auth.
- Stringer DG, Sandler AN, Panos L, Lawson S, Einarson TR, Badner N. Continuous infusions of lumbar epidural fentanyl and intravenous fentanyl for post-thoracotomy pain relief. II: Respiratory effects (abst.), S16
- see Panos L, jt. auth.
- Strong HA, see Burrows FA, jt. auth.
- Strout JC, see Russell GB, jt. auth.
- Strunin L, see Hamilton RC, jt. auth.
- see Immelman, L, jt. auth.
- see Sheppard S, jt. auth.
- Subramoni J, see Chi OZ, jt. auth.
- Suderman VS, Crosby ET. Elective intubation in the unstable cervical spine patient (abst.), S122
- Pulmonary artery catheter failure (correspondence), 388
- Sullivan PJ, Martineau RJ, Hull KA, Miller DR. Comparison of bioimpedance and thermodilution measurements of cardiac output during aortic surgery (abst.), S78
- see Reid CW, jt. auth.
- Sundling N, see Lam AM, jt. auth.
- Sutherland LR, see Lewis P, jt. auth.
- see Maltby, JR, jt. auth.
- Suzuki H, Maru E, Fujita M. Effects of enflurane on electrical activities in the hippocampal dentate granule cells (abst.), S117
- Swartz J, Braude BM, Gilmour RF, Shandling B, Gold M. Intraoperative anaphylaxis to latex (clinical report), 589
- see Taylor RH, jt. auth.
- Swartz JS, Gold M, Braude BM, Dolovich J, Gilmour RF, Shandling B. Intraoperative anaphylaxis to latex: An identifiable population at risk (abst.), S131
- Swenerton JE, see McMorland GH, jt. auth.
- Symreng T, see Tatman DJ, jt. auth.
- Szalados J, Donati F, Bevan DR. Edrophonium priming for antagonism of atracurium neuromuscular blockade, 197

- Tait, AR, Kyff JV, Crider B, Santibhavank V, Learned D, Finch JS. Changes in arterial oxygen saturation in cigarette smokers following general anaesthesia, 423
- Takahashi I, see Koyama K, jt. auth.
- Takahashi S, see Irita K, jt. auth.
- Takahashi T, see Yoshitake S, jt. auth.
- Takanashi S, see Inada E, jt. auth.
- Takasaki M, Kajitani H. Plasma lidocaine concentrations during continuous epidural infusion of lidocaine with and without epinephrine, 166
- Takasu H, see Tsuda T, jt. auth.
- Takeda J, see Koyama K, jt. auth.
- see Ochiai R, jt. auth.
- see Yamada M, jt. auth.
- Takeuchi M, see Tsuda T, jt. auth.
- Takinami M, see Kumagai M, jt. auth.
- Tanaka K, Watanabe R, Harada T, Dan K. Extensive application of epidural anaesthesia and analgesia in a teaching university hospital (abst.), S52
- Tanaka S, see Kumagai M, jt. auth.
- Tang T, Jivraj K, Golar S, Ford G, Rosenal T. Hypoxemia on discharge from the post anaesthetic recovery room (abst.), S135
- Tanguay M, Blaise GA, Hollmann C, Amyot Y, Beique G, Meloche R. Halothane and isoflurane prevent free radical induced reduction in the coronary flow and contractility of the isolated rabbit heart (abst.), S147
- Taniguchi K, see Yoshitake S, jt. auth.
- Tareen FM, see Irita K, jt. auth.
- Tarver SD, see Ashburn MA, jt. auth.
- Tatman DJ, Starr JM, Symreng T. Central venous hemoglobin saturation inaccurately estimates SvO_2 (abst.), S154
- Taylor RH, Bissonnette B, Atkinson GR. Anaesthetic data logging using a Psion pocket computer (correspondence), 386
- Burrows FA, Bissonnette B. Cerebral haemodynamics in infants during cardiopulmonary bypass (abst.), S153
- Lerman J. Experimental aerosol delivery by metered dose inhaler via paediatric size tracheal tubes (abst.), S37
- Malviya S, Swartz J, Lerman J. Does the haemoglobin concentration predict post-op apnea in ex-preterm infants? (abst.), S100
- Teasdale S, Downar E. Amiodarone and anaesthesia (editorial), 151
- Teasdale SJ, see Boylan JF, jt. auth.
- see O'Leary G, jt. auth.
- Tei K, see Oshima E, jt. auth.
- Tempelhoff R, Modica PA, Spitznagel EL, Jr. Anticonvulsant therapy increases fentanyl requirements during anaesthesia for craniotomy, 327
- Tessler MJ, Hudson R, Naugler-Colville MA, Biehl DR. Pulmonary oedema in two parturients with hypertrophic obstructive cardiomyopathy (HOCM), 469
- Tessonnier JM, see Dupuis JY, jt. auth.
- Tétrault JP, see Dupuis JY, jt. auth.
- see Lavoie J, jt. auth.
- Tetzlaff JE., Baird BA, Yoon HJ. Spinal anaesthesia with plain bupivacaine for lumbar spine surgery (abst.), S61
- Teves LY, see Doyle DJ, jt. auth.
- Thangathurai D, Mikhail M, Fishman D. Inadequate analgesia with lumbar epidural following retroperitoneal dissection (correspondence), 597
- Thys DM, see Konstadt SN, jt. auth.
- Toda H, see Harioka T, jt. auth.
- Torrielli R, Cesarini M, Winnock S, Cabiro C, Mene JM. Modifications hémodynamiques durant la coelioscopie. Etude menée par bio-impédance électrique, 46
- Torsher L, Martineau RJ, Hull KA, Miller DR. A comparison of the hemodynamic effects of atracurium and vecuronium during anaesthetic induction (abst.), S142
- Tousignant CP, see Martineau RJ, jt. auth.
- Tousignant G, see Bevan JC, jt. auth.
- Toyoda Y, see Kubota Y, jt. auth.
- Tremper KK. Interpretation of noninvasive oxygen and carbon dioxide data (refresher course outline), S1xxvii
- Trépanier CA, Lessard MR, Brochu JG, Denault PH. Risk of cross-infection related to the multiple use of disposable syringes, 156
- see Lessard MR, jt. auth.
- see Roy AG, jt. auth.
- Trivedi NS, Halpern M, Robalino J, Shevde K. Spinal anaesthesia with low dose meperidine for knee arthroscopy in ambulatory surgical patients (abst.), S46
- Robalino J, Shevde K. Interpleural block: a new technique for regional anaesthesia during percutaneous nephrostomy and nephrolithotomy (clinical report), 479
- see Shevde K, jt. auth.
- Truffa-Bachi J, see Montange F, jt. auth.
- Takeuchi M, Ishikawa K, Ando H, Hanamura Y, Takasu H. Bronchodilating effect of inhaled or orally administered calcium channel blocking agents on methacholine-induced bronchoconstriction (abst.), S166
- Tsubo T, Kudo T, Matsuki A, Oyama T. Decreased glucose utilization during prolonged anaesthesia and surgery. 645
- Tsuda, Takeuchi M, Ishikawa K, Ando H, Hanamura Y. Bronchodilating effect of inhaled or orally administered calcium channel blocking agents on methacholine-induced bronchoconstriction (abst.), S166
- Tsuji M, see Yamashita M, jt. auth.
- Turnbull KW, see Kapnoudhis P, jt. auth.
- Turndorf H, see Wang BC, jt. auth.
- Tweed WA. Anaesthesia and medico-legal concerns (editorial), 1
- Amyta R, Spoerel WE. A low-pressure portable anaesthesia system for field use: clinical trials (anaesthesia apparatus), 928

- Re-evaluation of the Farman entrainer in a low pressure system for field anaesthesia (anaesthesia apparatus), 924
- Unger R, see Rolbin SR, jt. auth.
- Urabe N, see Oshima E, jt. auth.
- Vaghadia H, see Kapnoudhis P, jt. auth.
- Vaidya D, Merai B, Robalino J, Shevde K. Intrathecal hypobaric fentanyl with lidocaine for hip surgery (abst.), S60
- Vandenberghe HM, see Knill RL, jt. auth.
- Vandenbrom RHG, see Wierda JMKH, jt. auth.
- Varvel J, see Hung OR, jt. auth.
- Veall G, see O'Leary AM, jt. auth.
- Vezina D, see Perreault L, jt. auth.
- Villard J, see Chassard D, jt. auth.
- Villeneuve E, see Blaise GA, jt. auth.
- Vincent D, see Jolly D, jt. auth.
- Volgyesi GA, Kolesar K, Lerman J. An *in vitro* model for evaluating the accuracy of pulse oximeters (abst.), S67
 - see Kolesar R, jt. auth.
 - see McEvedy BAB, jt. auth.
- Vollmann N, see Doenicke A, jt. auth.
- Wade J, see Cohen MM, jt. auth.
- Wakusawa R, see Kawamura T, jt. auth.
- Walker C. Surveying anaesthesia (editorial), 833
- Wang BC, Hiller JM, Simon EJ, Hillman DE, Limb D, Rosenberg C, Turndorf H. Selection of vehicle for epidural meperidine influences nociceptive latency in rabbits (abst.), S47
- Ward CF, see Mizutani AR, jt. auth.
- Warnell I, see Maltby JR, jt. auth.
- Warner LO, Martino JD, Davidson PJ, Beach TP. Negative pressure pulmonary oedema: a potential hazard of muscle relaxants in awake infants (clinical report), 580
- Warriner CB, see Boisvenu G, jt. auth.
- see Fancourt-Smith PF, jt. auth.
- see McCormack JP, jt. auth.
- Warters RD, see Butler BD, jt. auth.
- Wasylik TJ, Abbott FV, English MJM, Jeans M-E. Reduction of postoperative morbidity following patient-controlled morphine, 726
- Watanabe R, see Tanaka K, jt. auth.
- Watson BV, see Merchant RN, jt. auth.
- Watson JT, Badner NH, Ali MJ. The prophylactic use of octreotide in a patient with ovarian carcinoid and valvular heart disease (clinical report), 798
- Watson NC, see Maltby JR, jt. auth.
- Webster AC. Sporadic PCA pump failure accompanied by activation of a "fail safe" mechanism (correspondence), 272
- Webster DE, see Rasch DK, jt. auth.
- Weeks SK. Spinal headache - prevention and treatment (refresher course outline), Sliii
 - see Crone LA, jt. auth.
 - see Davies JM, jt. auth.
- Weisel RD, see Boylan JF, jt. auth.
- Welborn LG, Hannallah RS, Higgins T, Fink R, Luban N. Postoperative apnoea in former preterm infants: Does anaemia increase the risk? (abst.), S92
- Wellington L, see Miller DR, jt. auth.
- Whalley DG, see Robbins GR, jt. auth.
- see Salevsky FC, jt. auth.
- Whatley GS, see Oxom DC, jt. auth.
- White HS, see Code WE, jt. auth.
- White I, see Mutch WAC, jt. auth.
- White M, see Marsh BJ, jt. auth.
- White SA, see Grant RP, jt. auth.
- Wierda JMKH, Karliczek GF, Vandenbrom RHG, Pinto I, Kersten-Kleef UE, Meijer DKF, Agoston S. Pharmacokinetics and cardiovascular dynamics of pipecuronium bromide during coronary artery surgery, 183
- Wiesel S, Fox GS. Anaesthesia for a patient with central alveolar hypoventilation syndrome (Ondine's Curse) (clinical report), 122
- Wigglesworth D, see Byrick RJ, jt. auth.
- Winn HR, see Lam AM, jt. auth.
- Winnie AP, see Hickey R, jt. auth.
- Winnock S, see Torrielli R, jt. auth.
- Wolf GL, Sidebotham GW. Blowtorch endotracheal tube flame (abst.), S68
- Wolkenstein C. Dr. W. A. Webster (History of Canadian Anaesthesia), 348
 - Sir Robert Macintosh (correspondence), 598
- Wong DHW, Jenkins LC. Surgery in Jehovah's Witnesses (correspondence - reply), 392
- Wong PY, see Byrick RJ, jt. auth.
- Woo J, see Forrest JB, jt. auth.
- Wood G, Milne B, Spjeda V, Lewis J. Ventilatory failure due to an improperly placed nasogastric tube (clinical report), 587
- Simpson T. The effect of hyaluronidase on the speed of onset of retrobulbar anaesthesia (abst.), S62
- Woodward C, see Cohen MM, jt. auth.
- Woodward ER, see Aull L, jt. auth.
- Wright W, see Kinney WW, jt. auth.
- Writer WDR. Epidural morphine for post-Caesarean analgesia (editorial), 608
- Wynands JE, see Robbins GR, jt. auth.
- Yaksh TL, see Penning JP, jt. auth.
- Yamada M, Ochiai R, Takeda J, Nagano M. Does anesthetic technique affect the oxygenation during one lung anaesthesia? (abst.), S164
 - see Ochiai R, jt. auth.
- Yamamura T, see Sato K, jt. auth.
- Yamashita M, Tsuji M. Identification of the epidural space with an IV micro-drip infusion set in infants and children (abst.), S99

- Yang E, see Lippmann M, jt. auth.
- Yano T, see Irita K, jt. auth.
- Yates S, see Siriwardhana SA, jt. auth.
- Yau G, see Gregory MA, jt. auth.
- Yealy DM, Cantees KK, McGuinness JP. Airway management in C-spine injuries (correspondence), 707
- Yee DA, Penning DH. Ambulatory surgery questionnaire (abst.), S8
- Rose DK, Cohen MM, Rogers KH. Recovery room events in eye patients: Should it influence your anaesthetic technique? (abst.), S80
- Yokota S, see Sato K, jt. auth.
- Yoon HJ, see Tetzlaff JE, jt. auth.
- Yoshitake J, see Irita K, jt. auth.
- Yoshitake S, Matsumoto S, Miyakawa H, Takahashi T, Kitano T, Iwasaka H, Hayano Y, Noguchi T, Taniguchi K, Honda N. Intraoperative cardiac output monitoring by transtracheal Doppler tube (abst.), S110
- see Irita K, jt. auth.
- Yoshizawa M, see Kubota T, jt. auth.
- Young C, see Armstrong P, jt. auth.
- Young WL, see Matteo RS, jt. auth.
- Yu PYH, Lee LW. Pulmonary artery pressures with tension pneumothorax (clinical report), 584
- Yuge O, see Morio, jt. auth.
- Yukioka H, Fujimori M. Haemodynamic effects of I.M. opioids for analgesia during ventilator treatment after oesophagectomy (abst.), S115
- Zarroug AW, see Gyasi HK, jt. auth.
- Zlotogorski A, see Eldor A, jt. auth.
- Zunder IH, see Splinter WM, jt. auth.
- Zuurmond WWA, see Helmers JHJH, jt. auth.
- see Jansen GFA, jt. auth.
- see Leeuwen Lv, jt. auth.

Canadian Journal of Anaesthesia

Index of Subjects

VOLUME 37, 1990

Acid-base equilibrium

- pH and gastric fluid volume, effect of unrestricted oral fluids preoperatively on: abst. (Lewis *et al*), S132
- Adenosine, see Anaesthetic techniques, hypotensive
- Adenosine monophosphate, see Metabolism

AIDS, see Infection

Airway

- Anaesthesia of, a simple technique: correspondence (Oxorn), 823
- laryngeal mask, appraisal of: abst. (Maltby *et al*), S108
- management of, in the unstable cervical spine patient: review article (Crosby and Lui), 77; abst. (Suderman and Crosby), S122; correspondence (Yealy *et al*); reply (Crosby and Lui), 708
- obstruction
 - iatrogenic, following dose of muscle relaxants prior to induction of anaesthesia: clinical report (Warner *et al*), 580
 - in a child with Goldenhar's syndrome, respiratory induction plethysmography and pulse oximetry in assessment of: clinical report (Aoe *et al*), 369
 - pulmonary oedema associated with: review article (Lang *et al*), 210
 - requiring tracheal intubation in use of laryngeal mask airway (Maltby *et al*), 509

Allergy

- anaphylaxis
 - after succinylcholine in a child: clinical report (Borgeat *et al*), 675
 - to latex, intraoperative: clinical report (Swartz *et al*), 589
- protamine related haemodynamic effects, administration of histamine₁ and histamine₂ receptor blockers in prevention (Kambam *et al*), 420

Amazon, native plants and anaesthesia: correspondence (Oyston), 491

Ambulatory patients, see Anaesthesia, outpatient

Amino acids, see Proteins

Amiodarone, see Heart, arrhythmias

Amphetamine, see Analeptics

Anaesthesia

- amiodarone and: editorial (Teasdale and Downar), 151
- and mediastinal masses: correspondence (Greengrass), 596; reply (Pullerits and Holzman), 596
- and surgery, intense REM sleep after, increases urinary catecholamines: abst. (Knill *et al*), S8
- and the Amazon: correspondence (Oyston), 490

- Canada, history: correspondence (Craig, 712; reply (Shepherd), 714
- cardiac
 - change in the arterial to end-tidal carbon dioxide gradient (Pa-ET)CO₂ studies in postoperative cardiac surgical patients during respiratory support (Russell *et al*), 560
 - coronary artery bypass, prophylactic lidocaine in postoperative period: clinical report (King *et al*), 363
 - mitral valvular disease, nitrous oxide does not exacerbate pulmonary hypertension or ventricular dysfunction in patients with (Kornstadt *et al*), 613
 - transoesophageal pacing for perioperative control of neonatal paroxysmal supra-ventricular tachycardia: clinical report (Stevenson *et al*), 672
 - valvular surgery, preoperative amiodarone treatment and complications observed during anaesthesia: clinical report (Chassard *et al*), 251
- Cardiovascular
 - central nervous system dysfunction following (McNeill *et al*), 313
 - dipyridamole-thallium myocardial scanning in the preoperative assessment of patient undergoing abdominal aortic aneurysmectomy (Grant *et al*), 409
 - epidural epinephrine and the systemic circulation during peripheral vascular surgery: (Salevsky *et al*), 160
 - response of a continuous variable rate alfentanil infusion for abdominal aortic surgery (Miller *et al*), 844
- care in Canada, a survey: editorial (Walker), 833
- computer controlled infusion of propofol for induction and maintenance of, in children: abst. (Marsh *et al*), S97
- dental, air embolism, fatal during dental implant surgery (Davies and Campbell), 112; correspondence (Wright) 825; reply (Davies and Campbell), 825
- "dental trauma" to oral airways: correspondence (Gemma and Ferrazza), 951
- depth
 - awareness due to malfunction of a Siemens 900 B ventilator: clinical report (Slinger *et al*), 258
 - awareness, maternal and neonatal outcome after ketamine induction of anaesthesia for Caesarean section (Baraka *et al*), 641
 - quantitation of thiopental with clinical stimuli: abst. (Hung *et al*), S18
 - duration, decreased glucose utilization during prolonged (Tsubo *et al*), 645

- electroconvulsive therapy, esmolol to attenuate increases in blood pressure and heart rate during (Kovac *et al*), 58
- epidemiology in the study of adverse outcomes: refresher course outline (Cohen), Sxiv
- evaluation of patient preoperatively, role of anaesthetist in detecting anxiety (Badner *et al*), 444
- for lung resection: refresher course outline (Slinger), Sxv
- for renal transplantation, in sickle cell disease: clinical report (Gyasi *et al*), 778
- general, see Anaesthetic Techniques: inhalation, intravenous
- geriatric
 - oxygen saturation during cataract surgery in: abst. (Forrest *et al*), S50
 - pharmacokinetics of sufentanil in the elderly (Matteo *et al*), 852
- implications for bone marrow transplant recipients: review article (Stein *et al*), 571
- liability concerns, effect on the practice of: editorial (Brown and McIntyre), 4
- management of the brain dead for organ donation: continuing medical education (Gelb and Robertson), 806
- medico-legal concerns
 - correspondence (Sheffman), 390
 - editorial (Tweed), 1
 - effect on the practice of anaesthesia: editorial (Brown and McIntyre), 4
- neurosurgical, preoperative beta-blockade for patients undergoing craniotomy, propranolol and atenolol compared (Allberry and Drake), 448
- obstetric
 - amphetamine ingestion presenting as eclampsia: clinical report (Elliott and Rees), 130
 - blood clot obstruction of epidural catheter during labour, solution to: correspondence (Cohen and Amar), 143
- Caesarean section
 - bupivacaine, intrathecal onset of, to demonstrate its rapid onset and detectable block: abst. (Puchalski and Morison), S35
- epidural
 - in a parturient with a single ventricle and transposition of the great arteries: clinical report (Fong *et al*), 680
 - maternal inspired oxygen concentrations during: abst. (Perreault *et al*), S118
 - morphine for analgesia following (Fuller *et al*), 637; editorial (Writer), 608; causing vertigo (clinical report (Goundry), 804
 - propofol infusion for, neonatal assessment (Gregory *et al*), S14
 - sufentanil for post-Caesarean section analgesia (McMorland), 432
 - supplemental oxygen during: nasal prongs versus face mask: abst. (Halpern and Crosby), S137
 - using three different lidocaine solutions (Liepert *et al*), 333
 - urgent, alfentanil in a patient with severe mitral stenosis and pulmonary hypertension: clinical report (Batson *et al*), 685
- difficult intubation in parturient: correspondence (Mello and Restall), 486
- ketamine induction of anaesthesia, maternal awareness and neonatal outcome after (Baraka *et al*), 641
- epidural
 - alfentanil with continuous infusion bupivacaine: abst. (Perreault *et al*), S5
 - bupivacaine vs bupivacaine-fentanyl: abst. (Elliott and Stockwell), S6
 - catheter migration during, an hypothesis for inadequate analgesia: clinical report (Crosby), 789
 - complications, value of fluid through epidural needle to reduce (Rolbin *et al*), 337
 - for a parturient with herpes gestationis: clinical report (Eldor *et al*), 678
 - in a patient following major spinal surgery: abst. (Daley *et al*), S112
- failed intubation in a parturient: correspondence (Chung), 486
- fetal lung clearance, role of cation channels in: abst. (Orser *et al*), S3
- in a patient with Harrington rods: correspondence (Howard and Anderson), 712
- obstruction of epidural catheter during labour by a blood clot, prevention: correspondence (Cohen and Amar), 143; (Kumar), 709; reply (Cohen and Amar), 710
- pulmonary oedema developing in two parturients with hypertrophic obstructive cardiomyopathy: clinical report (Tessler *et al*), 469
- postoperative apnea in ex-preterm infants, haemoglobin concentrations to predict: abst. (Taylor *et al*), S100
- ropivacaine, serum protein binding of, in nonpregnant and pregnant ewes: abst. (Santos *et al*), S4
- orthopaedic, multiple fractured ribs, continuous infusion interpleural analgesia: correspondence (Hudes), 705
- outpatient
 - ambulatory knee arthroplasty, low dose meperidine for spinal anaesthesia in: abst. (Trivedi *et al*), S46
 - ambulatory using general anaesthesia: questionnaire: abst. (Yee and Penning), S8
 - complications (hospital admissions from the Surgical Day Care Centre of the Vancouver General Hospital 1977-87): occasional review (Fancourt-Smith), 699
 - day care tonsillectomy: abst. (O'Connor *et al*), S133
- paediatric
 - accuracy of end-tidal PCO₂ measurements using a side stream capnometer in children ventilated with Secrist infant ventilator (Hillier *et al*), 318

- airway obstruction during anaesthesia in a child with a mediastinal mass: correspondence (Montagne *et al*), 271
- alfentanil and fentanyl sedation in infants and small children during cardiac catheterization (Meretoja and Rautiainen), 624
- ambulatory, timing of caudal block placement in, relative to surgery, post-operative pain relief or duration of analgesia (Rice *et al*), 429
- atracurium, potency of, on masseter and adductor pollicis muscles in children (Saddler *et al*), 26
- body temperature monitoring, liquid crystalline, value in estimating core temperature: abst. (Leon *et al*), S98
- brain surgery, scalp infiltration with bupivacaine in: abst. (Hartley *et al*), S129
- cardiac, transoesophageal pacing for perioperative control of neonatal paroxysmal supra-ventricular tachycardia: clinical report (Stevenson *et al*), 672
- caudal analgesia, flare reaction following: clinical report (Roy and Bissonnette), 127
- chestwall motion during halothane: abst. (Brown *et al*), S113
- computer controlled infusion of propofol for induction and maintenance: abst. (Marsh *et al*), S97
- congenital heart disease, α_1 -acid glycoprotein and the binding of lidocaine in children with (Burrows *et al*), 883
- cranial duplex sonography
 - does halothane effect the cerebral vascular response to carbon dioxide? abst. (Leon *et al*), S24
 - does isoflurane effect the cerebral vascular response to carbon dioxide? abst. (Leon *et al*), S33
- diffusion hypoxia in, clinical significance of: abst. (Murphy and splinter), S40
- dose-related effects of succinylcholine on the adductor pollicis and masseter muscles in children (Plumley *et al*), 15
- effect of different N_2O concentrations on MAC in: abst. (Murray *et al*), S93
- epidural, use of an IV micro-drip infusion set to identify the epidural space: abst. (Yamashita and Tsuji), S99
- end-tidal carbon-dioxide in critically ill neonates, a comparison of side-stream and mainstream capnometers to estimate (McEvedy *et al*), 322
- Floppy Infant Syndrome, ketamine monoanaesthesia for diagnostic muscle biopsy in (Ramachandra *et al*), 474
- fluid ingestion
 - by infants up to 2 hours before surgery: abst. (Splinter *et al*), S95
 - effect of clear fluids three hours before surgery on gastric fluid contents (Splinter *et al*), 498
 - effect on gastric pH and volume of large volumes of apple juice preoperatively (Splinter *et al*), 36
- halothane
 - and CO_2 in varying concentrations, effect on cerebral blood flow velocity in: abst. (Leon *et al*), S24
 - and isoflurane compared as to emergence complications: abst. (Pounder *et al*), S126
 - elevated serum bromide concentrations following use: clinical report (Morrison and Friesen), 801
- hyperkalaemia
 - during massive blood transfusion in paediatric craniofacial surgery (Brown *et al*), 401
 - during rapid blood transfusion and hypovolaemic cardiac arrest in children (Brown *et al*), 747
- in a child with Goldenhar's syndrome and upper airway dysmorphism; clinical report (Aoe *et al*), 369
- induction of: editorial (Rhine and Roberts), 496
- internal jugular vein cannulation: abst. (Smith *et al*), S102
- isoflurane and CO_2 in varying concentration, effect on cerebral blood flow velocity in: abst. (Leon *et al*), S33
- ketamine monoanaesthesia for diagnostic muscle biopsy in neuromuscular disorders: Floppy Infant Syndrome: clinical report (Ramachandra *et al*), 474
- laryngoscopy and tracheal intubation
 - fentanyl supplementation of IV anaesthetic induction blunts haemodynamic response to: abst. (Sims and Splinter), S91
 - lidocaine, haemodynamic responses to after (Splinter), 440
- lumbar and thoracic epidural analgesia via caudal approach for post-operative pain relief in infants and children: clinical report (Rasch *et al*), 359
- minute ventilation during mask halothane in: abst. (Brown *et al*), S101
- negative pressure pulmonary oedema upon emergence from, potential hazard of administration of muscle relaxants in awake infants: clinical report (Warner *et al*), 580
- new drugs and new understandings of paediatric pharmacology: refresher course outline (Steward), Sx1
- outpatient, premedication with oral transmucosal fentanyl citrate (Ashburn *et al*), 857
- pain relief, postoperative in infants and children, lumbar and thoracic epidural analgesia via the caudal approach for; clinical report (Rasch *et al*), 359
- post-operative neuromuscular block following atracurium or alcuronium in children (Meretoja and Gebert), 743
- post-operative vomiting, transdermal scopolamine patches to reduce, in patients undergoing strabismus surgery: abst. (Horimoto and Naide), S94
- preoperative parenteral anxiety predicts behavioural and emotional responses to induction of anaesthesia in children (Bevan *et al*), 177
- respiratory monitoring in: refresher course outline (Miyasaka), Sxxiv

- strabismus surgery, jaw muscle tension after succinylcholine in children undergoing (Saddler *et al*), 21
- succinylcholine, dose-related effects on adductor pollicis and masseter muscles in children (Plumley *et al*), 15
- thoracic, for correction of congenital lobar emphysema: clinical report (Al-Salem *et al*), 377
- tonsillectomy, aerosol lidocaine after (Bissonnette), 534
- vascular volume monitoring with pulse oximetry during: correspondence (James and Browne), 267
- patient controlled, lumbar epidural fentanyl for post thoracotomy pain: abst. (Grant *et al*), S45
- preanaesthetic institutional checklist: abst. (Hunziker *et al*), S9
- transplantation of organs, management of the brain dead donor: continuing medical education (Gelb and Robertson), 806
- Anaesthesiologists**
 - and respirologists, do they agree on perioperative respiratory management? abst. (Oyston), S11
 - involvement of, in critical care medicine: abst. (Devitt), S119
 - medico-legal concerns among Canadian: occasional survey (Cohen *et al*), 102; correspondence (Scott), 265
- Anaesthesiology**
 - practice, changing patterns and liability: correspondence (Scott), 265
- Anaesthetic techniques**
 - airway intubation: correspondence (Oxorn), 823
 - balanced anaesthesia with low-dose sufentanil in major non-cardiac surgery (Perreault *et al*), 629
 - choice of, in eye surgery, role of recovery room events in influencing selection: abst. (Yee *et al*), S80
 - closed circle tracheal inhalation, use of laryngeal mask airway in (Maltby *et al*), 509
 - **epidural**
 - after major spinal surgery in the obstetric patient: abst. (Daley *et al*), S112
 - and opiate administration in a patient with Harrington rods: correspondence (Howard and Anderson), 712
 - attenuates the catecholamine response to hypoventilation (Stevens *et al*), 867
 - block, effect on lower esophageal sphincter pressure: abst. (Chen *et al*), S59
 - **caudal**
 - approach for postoperative pain relief in infants and children: clinical report (Rasch *et al*), 359
 - block placement and timing relative to surgery in paediatric ambulatory patients, effect on duration of analgesia and postoperative pain (Rice *et al*), 429
 - flare reaction following: clinical report (Roy and Bissonnette), 127
 - cerebrospinal norepinephrine concentrations and the duration of epidural analgesia (Goto *et al*), 839
 - cervical for carotid artery surgery: clinical report (Bonnet *et al*), 353
 - complications, role of fluid through needle in reducing (Rolbin *et al*), 337
 - continuous infusion of lidocaine with and without epinephrine, plasma lidocaine concentrations during (Takasake and Kajitani), 166
 - continuous infusion of lumbar fentanyl and intravenous, for postoperative pain relief: effect on respiratory function: abst. (Stringer *et al*), S16
 - fentanyl serum concentrations in the rat model (Immelman *et al*), 63
 - for a patient with herpes gestations: clinical report (Eldor *et al*), 678
 - for transurethral resection of the prostate in a patient with carcinoid syndrome: clinical report (Monteith and Roaseg), 349
 - induced by bupivacaine with epinephrine added for peripheral vascular surgery, cardiovascular effect of (Salovsky *et al*), 160
 - instruction in techniques and value in a teaching hospital: abst. (Tanaka *et al*), S52
 - location of space by measuring loss of resistance using glass or plastic syringes (Butler *et al*), 438
 - **lumbar**
 - catheter migration during labour: clinical report (Crosby), 789
 - inadequate analgesia with, following reoperation: dissection: correspondence (Thangathurai *et al*), 547
 - or inhalation, choice of techniques, effect on oxygenation during one lung anaesthesia: abst. (Yamada *et al*), S164
 - meperidine, nociceptive latency of, effect of changing the vehicle on: abst. (Wang *et al*), S47
 - morphine for patient with CAHS (Odine's Curse): clinical report (Wiesel and Fox), 122
 - obstetric for Caesarean section, comparison of lidocaine CO₂, two percent lidocaine hydrochloride and pH adjusted lidocaine hydrochloride for (Liepert *et al*), 333
 - sufentanil for post-Caesarean section analgesia (McMorland *et al*), 432
 - thoracic, combined with enflurane reduced atrio-ventricular conduction: laboratory report (Sato *et al*), 813
 - transurethral resection of the prostate in a patient with carcinoid syndrome: clinical report (Monteith and Roaseg), 349
 - unblocked segments during, caused by air bubbles: correspondence (Meiklejohn), 390
 - **hypotensive**
 - adenosine

- controlled systemic, compared with coronary infusion during acute coronary hypoperfusion in dogs: abst. (Sidi and Rush), S148
- versus sodium nitroprusside induced, studies of catecholamine levels and plasma renin activity during: abst. (Lam *et al*), S31
- induced
 - systemic haemodynamics and organ blood flow during: effects of halothane and sevoflurane: abst. (Crawford *et al*), S19
 - with fenoldopam in dogs, preservation of renal blood flow during: laboratory investigation (Aronson *et al*), 380
 - with isoflurane induced, effect on renal function and haemodynamics: abst. (Lessard *et al*), S42
 - with sodium nitroprusside, renal vascular effects of (Aronson *et al*), 380
- *hypothermia*
 - potassium correction of hypokalemia induces hyperkalemia after rewarming: abst. (Sprung *et al*), S69
 - with surface cooling, effect of ulinastatin on the release of granulocyte elastase during: abst. (Kawamura and Wakusawa), S106
- *inhalation*
 - airway obstruction during, in a child with a mediastinal mass: correspondence (Montagne *et al*), 271
 - alfentanil as an adjuvant to, in spontaneously breathing patients: abst. (Dunn), S124
 - antagonism of benzodiazepine-fentanyl anaesthesia with flumazenil (Kaukinen *et al*), 40
 - atropine-induced heart rate changes: a comparison between midazolam-fentanyl-propofol-N₂O and midazolam-fentanyl-thiopentone-enflurane-N₂O, during (Cross *et al*), 416
 - biotransformation of toxicity of: refresher course outline (Morio), Scxvi
 - effect on post-tonsillectomy pain and respiratory status: abst. (Splinter *et al*), S121
 - effect on post-tonsillectomy vomiting: abst. (Splinter *et al*), S96
 - risk factors for nausea and vomiting after: abst. (Forrest *et al*), S90
 - versus regional in total hip arthroplasty: effect on postoperative complications: abst. (Stafford-Smith and Hall), S163
 - under field conditions
 - a low pressure portable system: anaesthesia apparatus (Tweed *et al*), 928
 - using the Farman entrainer in a low pressure system: anaesthesia apparatus (Tweed *et al*), 924
- intraperitoneal, fentanyl serum concentrations in the rat model (Immelman *et al*), 63
- *intravenous*
 - atropine-induced heart rate changes: a comparison between midazolam-fentanyl-propofol-N₂O and midazolam-fentanyl-thiopentone-enflurane-N₂O during (Cross *et al*), 416
 - general
 - airway obstruction during, in a child with a mediastinal mass: correspondence (Montagne *et al*), 271
 - changes in arterial blood oxygen saturation in cigarette smokers following (Tait *et al*), 423
 - low-dose sufentanil and lidocaine supplementation of (Cheng *et al*), 521
 - massive tongue swelling following: correspondence (Grigsby *et al*), 825
 - propofol infusion for Caesarean section (Gregory *et al*), 514
 - sedation with alfentanil and fentanyl in infants and small children during cardiac catheterization (Meretoja and Rautiainen), 624
- *total*
 - editorial (Mallon), 279
 - comparative evaluation of propofol and thiopentone for (Kashtan *et al*), 170
 - with high frequency jet ventilation via tracheoscope for endobronchial laser surgery: clinical report (Schneider and Probst), 372
 - with propofol, alfentanil and oxygen-air (van Leeuwen *et al*), 282
- laryngoscopy, effect of bolus administration of esmolol on tachycardia and hypertension after tracheal intubation (Sheppard *et al*), 202
- neuroanaesthesia, changing practices in: refresher course outline (Drummond), Slxxxix
- neurolept for cataract surgery, recovery following: abst. (Forrest *et al*), S82
- *regional*
 - axillary brachial plexus block, using a peripheral nerve stimulator: single or multiple injections: abst. (Lavoie *et al*), S39
 - block,
 - brachial plexus
 - plasma concentrations of ropivacaine given with and without epinephrine for (Hickey *et al*), 878
 - using 0.5 percent ropivacaine (Hickey *et al*), 732
 - intercostal nerve, in obese patients: correspondence (Lu *et al*), 268
 - interpleural, a new technique during percutaneous nephrostomy and nephrolithotomy: clinical report (Trivedi *et al*), 479
 - interpleural, in a narcotized patient, respiratory arrest following: correspondence (Riley), 487
 - ischioanal space, for anorectal surgery: abst. (Courtice and MacLeod), S65

- retrobulbar, hyaluronidase addition to local anaesthetic increases speed of onset time: abst. (Wood and Simpson), S62
 - suprascapular nerve block for scapular fracture: clinical report (Breen and Haigh), 786
 - cardiovascular effects of epidural, induced by bupivacaine with epinephrine added for peripheral vascular surgery (Salevsky *et al*), 160
 - compared with general, for occurrence of adverse effects: abst. (Cohen), S84
 - for cataract extraction and intraocular lens implant: correspondence (Belopavlovic and Blanksma), 943; reply (Hamilton *et al*), 943
 - hypobaric spinal in percutaneous nephrostomy: abst. (Rosenblatt *et al*), S56
 - in limb surgery, two methods of exsanguination: abst. (Francourt-Smith *et al*), S55
 - skin, intradermal lidocaine compared with ethyl chloride to control venepuncture pain (armstrong *et al*), 656
 - spinal
 - advice for small bore spinal needles for immediate detection of CSF: correspondence (Eldor), 145
 - bupivacaine for lumbar spinal surgery: abst. (Tetzlaff *et al*), S61
 - fentanyl serum concentrations in the rat model (Immelman *et al*), 63
 - headache
 - following, a comparison of midline and laminar approaches in: abst. (Stasiuk and Jenkins), S58
 - prevention and treatment: refresher course outline (Weeks), Sliii
 - in endoscopic urological procedures, intrathecal meperidine and lidocaine compared (Patel *et al*), 567
 - interaction with sedation to alter ventilatory response: abst. (Gauthier *et al*), S38
 - tetracaine decreases central nervous system metabolism during somatosensory stimulation in the rat: laboratory investigation (Cole *et al*), 231
 - with low dose meperidine for knee arthroplasty in ambulatory surgical patients: abst. (Trivedi *et al*), S46
- Anaesthetics, Gases
- nitrous oxide
 - editorial (O'Connor), 603
 - effect on pulmonary circulation, ventricular function in patients with pulmonary hypertension (Kornstadt *et al*), 613
- Anaesthetics, Intravenous
- alfentanil
 - continuous infusion, for abdominal aortic surgery (Miller *et al*), 844
 - control of haemodynamic response during rapid sequence induction of anaesthesia (Martineau *et al*), 755
 - epidural, during labour in association with infusion of bupivacaine: abst. (Perrealut *et al*), S5
 - evaluation as an anaesthetic adjuvant in spontaneously breathing patients: abst. (Dunn), S124
 - for intra-abdominal surgery: abst. (Ralley *et al*), S20
 - for urgent Caesarean section in a patient with severe mitral stenosis and pulmonary hypertension: clinical report (Batson *et al*), 685
 - pharmacokinetics of, and clinical responses during cardiac surgery (Robbins *et al*), 52
 - sedation in infants and small children during cardiac catheterization (Meretoja and Rautiainen), 624
 - supplemented, apnoea and unconsciousness after apparent recovery from: clinical report (Hudson), 255
 - droperidol, loss of antiemetic effect of, in menstruating women: abst. (Lindblad *et al*), S138
 - etomidate
 - venous tolerance to in lipid emulsion or propylene glycol hypnomidate: correspondence (Doenicke *et al*), 823
 - visual evoked potentials during administration (Chi *et al*), 450
 - fentanyl
 - continuous propofol infusion with, for intracranial surgery: abst. (Jansen *et al*), S128
 - epidural and intravenous, for post thoracotomy pain relief, effect on respiratory function: abst. (Stringer *et al*), S16
 - equilibrium dialysis of plasma free concentrations of, influence of membrane binding in accurate measurement of: abst. (Dawe *et al*), S15
 - intrathecal hypobaric with lidocaine for hip surgery: abst. (Vaidya *et al*), S60
 - plasma free concentrations, influence of membrane binding in the accurate measurement of equilibrium dialysis: abst. (Dawe *et al*), S15
 - requirements of, during craniotomy in patients receiving anticonvulsant therapy (Tempelhoff *et al*), 327
 - sedation in infants and small children during cardiac catheterization (Meretoja and Rautiainen), 624
 - ketamine
 - continuous subcutaneous injection, for control of cancer pain: correspondence (Oshima *et al*), 386
 - for diagnostic muscle biopsy in neuromuscular disorders in infancy and childhood: Floppy Infant Syndrome: clinical report (Ramachandra *et al*), 474
 - for induction of anaesthesia for Caesarean section, maternal awareness and neonatal outcome (Baraka *et al*), 641
 - ketamine/midazolam vs sufentanil/midazolam for rapid sequence induction of anaesthesia for CABG surgery: abst. (Gordon *et al*), S43
 - ketamine/thiopentone, neuroprotective effect: review article (Hall and Murdoch), 762

- *propofol*
 - and atracurium, anaphylactoid reactions following use: correspondence (McLeskey), 946; reply (Naguib), 946
 - computer controlled infusion for induction and maintenance of anaesthesia in children: abst. (Marsh *et al*), S97
 - continuous infusion combined with fentanyl and sufentanil for intracranial surgery: abst. (Jansen *et al*), S128
 - for induction and maintenance of anaesthesia: comparison with thiopental and isoflurane: abst. (Dolman *et al*), S141
 - for total intravenous anaesthesia (van Leeuwen *et al*), 282
 - infusion for Caesarean section (Gregory *et al*), 514
 - midazolam-fentanyl N₂O and midazolam-fentanyl thiopentone-enflurane-N₂O, a comparison of atropine-induced heart rate changes during (Cross *et al*), 416
 - with sufentanil vs enflurane-sufentanil for cardiac surgery, changes in serum cholesterol, triglycerides and lipoproteins and cortisol during: abst. (Hall *et al*), S76
 - sodium oxybutyrate - ketamine, effect on lower esophageal sphincter pressure: abst. (Chen *et al*), S59
 - *sufentanil*
 - and midazolam vs ketamine/midazolam for rapid sequence induction of anaesthesia for CABG surgery: abst. (Gordon *et al*), S43
 - and propofol vs enflurane/sufentanil for cardiac surgery, changes in serum cholesterol, triglycerides, lipoproteins and cortisol during: abst. (Hall *et al*), S76
 - epidural block, effect on catecholamine response to hypoventilation: (Stevens *et al*), 867
 - in major surgery (Perreault *et al*), 629
 - pharmacokinetics of, in the elderly (Matteo *et al*), 852
 - with continuous propofol infusion for intracranial surgery: abst. (Jansen *et al*), S128
 - thiamylal, intracellular action in vascular smooth muscle of canine mesenteric artery: abst. (Hatano *et al*), S125
 - *thiopental*
 - compared with propofol for induction and maintenance of anaesthesia: abst. (Dolman *et al*), S141
 - quantitation of depth with clinical stimuli: abst. (Hung *et al*), S18
 - thiopentone-midazolam-fentanyl-enflurane-N₂O and propofol-midazolam-fentanyl-N₂O-fentanyl, comparison of atropine-induced heart rate changes during (Cross *et al*), 416
- Anaesthetics, local**
- *bupivacaine*
 - and morphine, analgesic synergy without augmentation of motor dysfunction or hypotension: abst. (Penning *et al*), S49
 - for interpleural block in patients undergoing percutaneous nephrostomy and nephrolithotomy: clinical report (Trivedi *et al*), 479
 - for spinal anaesthesia in lumbar spinal surgery: abst. (Tetzlaff *et al*), S61
 - in Caesarean section, onset and detectable block: abst. (Puchalski and Morison), S35
 - induced slow-inward current inhibition: a voltage clamp study for frog atrial fibres: laboratory investigation (de La Coussage *et al*), 819
 - infusion in labour in association with epidural alfentanil (Perreault *et al*), S5
 - interaction with intrathecal morphine and lidocaine: abst. (Penning and Yaksh), S48
 - intra-articular, does not decrease narcotic requirements after arthroscopic surgery in adolescents: abst. (Broadman *et al*), S51
 - plus fentanyl compared with fentanyl alone for postoperative analgesia: abst. (Reimer *et al*), S54
 - scalp infiltration with, in paediatric brain surgery: abst. (Hartley *et al*), S129
 - toxicity
 - reduced with nicardipine (Kinney *et al*), 920
 - treatment with isoproterenol: abst. (Lacombe *et al*), S1
 - versus bupivacaine-fentanyl for continuous infusion epidural anaesthesia for obstetrics: abst. (Elliott and Stockwell), S6
 - via caudal route in paediatric anaesthesia, flare reaction following: clinical report (Roy and Bissonnette), 127
 - with epidural epinephrine added, cardiovascular effects of, during peripheral vascular surgery (Salevsky *et al*), 160
 - wound infiltration, analgesia and postoperative hypoxaemia after gastric partition with and without: abst. (Aull *et al*), S53
- ethyl-chloride compared with lidocaine to produce skin anaesthesia to prevent the pain of venepuncture (Armstrong *et al*), 656
- *lidocaine*
 - aerosol lidocaine after tonsillectomy in children (Bissonnette), 534
 - analgesic interaction with bupivacaine and intrathecal morphine: abst. (Penning and Yaksh), S48
 - and low dose sufentanil supplementation of general anaesthesia (Cheng *et al*), 521
 - compared with ethyl-chloride to produce skin anaesthesia to prevent the pain of venepuncture (Armstrong *et al*), 656
 - compared with meperidine for spinal anaesthesia in endoscopic urological procedures (Patel *et al*), 567
 - effect on haemodynamic response of children to laryngoscopy and tracheal intubation (Splinter), 440
 - epidural block, effect on catecholamine response to hypoventilation: (Stevens *et al*), 867
 - for Caesarean section, 3 solutions compared, lidocaine CO₂, 2% lidocaine and 2% carbonation with pH adjusted (Liepert *et al*), 333

- in children with congenital heart disease, alpha₁-acid glycoprotein and the binding of (Burrows *et al*), 883
 - neuroprotective effect: review article (Hall and Murdoch), 762
 - plasma concentrations of, during continuous epidural infusion of lidocaine with and without epinephrine (Takasaki and Kajitani), 166
 - procaine, tetracaine, role in causing seizures: abst. (Shokier *et al*), S26
 - thoracic epidural combined with enflurane, effect on intracardiac conduction: laboratory report (Sato *et al*), 813
 - with intrathecal hypobaric fentanyl for hip surgery: abst. (Vaidya *et al*), S60
 - *procaine*
 - intravenous balanced. effect on lower esophageal sphincter pressure: abst. (Chen *et al*), S59
 - role in causing seizures: abst. (Shokier *et al*), S26
 - *ropivacaine*
 - a replacement for bupivacaine? editorial (Finucane), 722
 - for brachial-plexus block (Hickey *et al*), 732
 - serum binding of, in nonpregnant and pregnant ewes: abst. (Santos *et al*), S4
 - with and without epinephrine for brachial plexus block, plasma concentrations of (Hickey *et al*), 878
 - *tetracaine*
 - decreases central nervous system metabolism during somatosensory stimulation: laboratory investigation (Cole *et al*), 231
 - liposomal for IV cannulation: abst. (Hansen *et al*), S64
 - role in causing seizures: abst. (Shokier *et al*), S26
- Anaesthetics, Volatile
- *enflurane*
 - combined with thoracic-epidural lidocaine, effect on intracardiac conduction: laboratory report (Sato *et al*), 813
 - effect of bromide and fluoride on pseudocholinesterase and acetylcholinesterase activity following: laboratory investigation (Kambam *et al*), 916
 - effect on contractility of canine diaphragm: abst. (Ide *et al*), S161
 - effect on electrical activities in the hippocampal dentate granule cells: abst. (Suzuki *et al*), S117
 - emergence from, neurological phenomena during (McCulloch and Milne), 739
 - sufentanil vs propofol/sufentanil, study of changes in serum cholesterol, triglycerides, lipoproteins and cortisol during cardiac surgery in patients anaesthetized with: abst. (Hall *et al*), S76
 - *halothane*
 - comparison of cerebral pressure-flow relationship for halothane and isoflurane, at haemodynamically equivalent end-tidal concentrations in the rabbit: laboratory investigation (Mutch and Ruta), 223
 - contracture response of skeletal muscle to, in diagnosis of malignant hyperthermia: laboratory investigation (Fletcher *et al*), 695
 - effect of bromide and fluoride on pseudocholinesterase and acetylcholinesterase activity following: laboratory investigation (Kambam *et al*), 916
 - effect on cardiovascular response to phenylephrine (Grum and Azmy), 873
 - effect on cerebrovascular response to carbon dioxide in children: cranial duplex sonography: abst. (Leon *et al*), S33
 - effect on pattern and mechanics of breathing in man: abst. (Kocki *et al*), S169
 - effect on regional hypoxic pulmonary vasoconstriction: abst. (Johnson *et al*), S167
 - effect on systemic hemodynamics and organ blood flow during adenosine-induced hypotension: abst. (Crawford *et al*), S19
 - emergence respiratory complications in children, compared with isoflurane: abst. (Pounder *et al*), S126
 - finoldopan-induced hypotension during, effect on renal blood flow: laboratory investigation (Aronson *et al*), 380
 - in infants and children, effect of different N₂O concentrations on MAC: abst. (Murray *et al*), S93
 - in infants, chest wall motion during use: abst. (Brown *et al*), S113
 - *In vitro* response to, in malignant susceptible muscle, effects of diltiazem and nifedipine on (Adnet *et al*), S56
 - mask, in infants, minute ventilation during: abst. (Brown *et al*), S101
 - repeated in a child, elevated bromide concentrations following: clinical report (Morrison and Friesen), 801
 - spinal tetracaine during, to decrease central nervous system metabolism during somatosensory stimulation in the rat: laboratory investigation (Cole *et al*), 231
 - temperature-dependent effects of, on the isolated left atrium: laboratory investigation (Laorden *et al*), 482
 - to prevent free radical induced reduction in the coronary flow and contractility of the isolated rabbit heart: abst. (Tanguary *et al*), S147
 - *isoflurane*
 - compared with propofol and thiopental, for induction and maintenance of anaesthesia: abst. (Dolman *et al*), S141
 - comparison of cerebral pressure-flow relationship, at haemodynamically equivalent end-tidal concentrations in the rabbit: laboratory investigation (Mutch and Ruta), 223
 - does not inhibit platelet induced vasoconstriction in the canine coronary arteries: abst. (Blaise *et al*), S146
 - effect on cerebrovascular response to carbon dioxide in children: cranial duplex sonography: abst. (Leon *et al*), S24

- emergence from, neurological phenomena during (McCulloch and Milne), 739
 - emergence respiratory complications in children, compared with halothane: abst. (Pounder *et al*), S126
 - induced hypotension, effect on renal function and haemodynamics: abst. (Lessard *et al*), S42
 - neuroprotective effect (Hall and Murdoch), 762
 - temperature-dependent, effects of, on the isolated atrium: laboratory investigation (Laorden *et al*), 482
 - to prevent free radical induced reduction in the coronary flow and contractility of the isolated rabbit heart: abst. (Tanguay *et al*), S147
 - methoxyflurane, effect of bromide and fluoride on pseudocholinesterase and acetylcholinesterase activity following: laboratory investigation (Kambam *et al*), 916
 - sevoflurane
 - effect of bromide and fluoride on pseudocholinesterase and acetylcholinesterase activity following: laboratory investigation (Kambam *et al*), 916
 - effect on contractility of canine diaphragm: abst. (Ide *et al*), S161
 - effect on pattern and mechanics of breathing in man: abst. (Kocki *et al*), S169
 - effect on systemic hemodynamics and organ blood flow during adenosine-induced hypotension: abst. (Crawford *et al*), S19
- Anaesthetists, *see* Anaesthesiologists
- Analeptics
- amphetamine ingestion presenting as eclampsia: clinical report (Elliott and Rees), 130
- Analgesia
- continuous infusion interpleural, for multiple rib fractures: correspondence (Hudes), 705
 - lumbar epidural, inadequate, following retroperitoneal dissection: correspondence (Thangathurai *et al*), 597
 - patient controlled
 - editorial (Ready), 719
 - morphine, reduction of postoperative morbidity following (Wasylah *et al*), 726
 - pump failure accompanied by activation of a "fail safe" mechanism: correspondence (Randall), 272
 - postoperative
 - aerosol lidocaine following tonsillectomy in children (Bissonnette), 534
 - bupivacaine added to epidural fentanyl: abst. (Reimer *et al*), S54
 - epidural morphine following Caesarean section (Fuller), 636: editorial (Writer), 608
 - for pain relief in infants and children, epidural via caudal approach: clinical report (Rasch *et al*), 359
 - indomethacin for control of pain following hip arthroplasty: abst. (Segstro and Morley-Forster), S41
 - measurement, rat tail flick response to fentanyl (Immelman *et al*), 63
 - morbidity, reduction following (Wasylah *et al*), 726
 - neurolept for cataract surgery, recovery following: abst. (Forrest *et al*), S82
 - patient controlled, pump failure by activation of a "fail safe" mechanism: correspondence (Randall), 272
- see also, Pain
- Analgesics
- alfentanil
 - effect on emergence following neurosurgery: abst. (Mutch *et al*), S30
 - for total intravenous anaesthesia (van Leeuwen *et al*), 282
 - in minor surgery requiring intubation: abst. (Mallon), S123
 - injection prior to propofol anaesthesia, control of pain by: correspondence (Helmers *et al*), 267
 - midazolam - demerol/diazepam, comparison of sedation effects for upper GI endoscopy: abst. (Donnelly *et al*), S21
 - buprenorphine
 - epidural, puritis associated with: correspondence (Fox), 272; reply (Ackerman *et al*), 273
 - intramuscular, effect on systemic and pulmonary haemodynamics after surgery: abst. (Yokioka and Fujimori), S115
 - demerol/diazepam and alfentanil/midazolam, comparison of sedation effects for upper GI endoscopy: abst. (Donnelly *et al*), S21
 - fentanyl
 - benzodiazepines-fentanyl, antagonism with flumazenil (Kaukinen *et al*), 40
 - causing respiratory depression, side effects of nalbuphine to reverse: clinical report (Blaise *et al*), 794
 - effect of infusion of, on emergence following neurosurgery: abst. (Mutch *et al*), S30
 - injection prior to propofol anaesthesia, control of pain by: correspondence (Helmers *et al*), 267
 - effect of, on common bile duct pressure: abst. (Gao and Chai), S143
 - hypercapnic dogs, following, reversal of opioid effects by naloxone and nalbuphine compared: laboratory investigation (Mills *et al*), 238
 - lumbar and intravenous, infusion for post-thoracotomy pain relief: abst. (Pano *et al*), S66
 - oral transmucosal, for paediatric outpatients (Ashburn *et al*), 857
 - patient controlled epidural, for post thoracotomy pain: abst. (Grant *et al*), S45
 - plus bupivacaine compared with fentanyl alone for post-operative analgesia: abst. (Reimer *et al*), S54
 - serum concentrations of extradural, subdural and intraperitoneal, in the rat model (Immelman), 63

- versus esmolol for preventing haemodynamic response to intubation in cardiovascular disease: abst. (Kapnoudhis *et al*), S145
 - lidocaine, compared with meperidine for spinal anaesthesia in endoscopic urological procedures (Patel *et al*), S67
 - *meperidine*
 - epidural, selection of a vehicle for, may influence nociceptive latency in rabbits: abst. (Wang *et al*), S47
 - low dose intrathecal for lower limb orthopaedic surgery: correspondence (Shevde), 947
 - spinal anaesthesia with low dose, for knee arthroplasty in ambulatory surgical patients: abst. (Trivedi *et al*), S46
 - *morphine*
 - and bupivacaine, analgesic synergy without augmentation of motor dysfunction or hypotension: abst. (Penning *et al*), S49
 - epidural
 - for post-Caesarean section pain control: editorial (Writer), 608; (Fuller *et al*), 636
 - for post-operative pain control following Caesarean section, vertigo after: clinical report (Goundrey), 804
 - for post-spinal headache: correspondence (Eldor *et al*), 710
 - interaction with lidocaine and bupivacaine: abst. (Penning and Yaksh), S48
 - intramuscular, effect on systemic and pulmonary haemodynamics after surgery: abst. (Yokioka and Fujimori), S115
 - patient-controlled, reduction of post-operative morbidity following (Wasylyak *et al*), 726
 - post-operative, in patient with central alveolar hypoventilation syndrome- CAHS (Ondine's Curse): clinical report (Wiesel and Fox), 122
 - regular scheduled oral, in treatment of post surgical pain secondary to hip arthroplasty: abst. (McCormack *et al*), S57
 - *narcotic*
 - and its antagonists, effect on common bile duct pressure, measured in cholecystectomy patients: abst. (Gao and Chai), S143
 - improved system for control in the operating room: abst. (Johnson *et al*), S83
 - pentazocine, intramuscular, effect on systemic and pulmonary haemodynamics after surgery: abst. (Yokioka and Fujimori), S115
 - *sufentanil*
 - and lidocaine supplementation of general anaesthesia (Cheng *et al*), S21
 - during anaesthetic induction to control elevation of blood pressure and heart rate: abst. (Mahesh), S114
 - epidural for post-Caesarean section (McMorland *et al*), 432
 - intranasal for premedication: correspondence (Henderson and Fisher), 387; reply (Helmers), 387
- Anaphylaxis see Allergy
- Antagonists narcotic
- *nalbuphine*
 - compared with naloxone for reversal of opioid effect in hypercapnic dogs: laboratory investigation (Mills *et al*), 238
 - to reduce opioid induced respiratory depression, side effects of: clinical report (Blaise *et al*), 794
 - *naloxone*
 - compared with nalbuphine for reversal of opioid effects in hypercapnic dogs: laboratory investigation (Mills *et al*), 238
 - effect on common bile duct pressure: abst. (Gao and Chai), S142
 - *neuromuscular relaxants*
 - edrophonium
 - and neostigmine, and ventilatory failure after renal transplantation and cyclosporine (Sidi *et al*), 543
 - priming for antagonism of atracurium neuromuscular blockade (Szalados *et al*), 197
 - neostigmine
 - and edrophonium and ventilatory failure after renal transplantation and cyclosporine (Sidi *et al*), 543
 - atropine mixtures: correspondence (Kopman), 269
 - reversal of neuromuscular block in children, post-operative residual paralysis following (Meretoja and Gilbert), 743
 - pyridostigmine, effect of, on sensitivity to vecuronium in myasthenia gravis patients (Eisenkraft), 301
- Antibiotics, used with neuromuscular blocking agents: correspondence (Lippmann *et al*), 945; reply (Martin), 945
- Anticonvulsants
- carbamazepine, effect on fentanyl requirements during anaesthesia for craniotomy (Tempelhoff *et al*), 327
 - *phenytoen*
 - as a brain protective agent: review article (Hall and Murdoch), 771
 - effect on fentanyl requirements during anaesthesia for craniotomy (Tempelhoff *et al*), 327
 - primidone, effect on fentanyl requirements during anaesthesia for craniotomy (Tempelhoff *et al*), 327
 - valproic acid, effect on fentanyl requirements during anaesthesia for craniotomy (Tempelhoff *et al*), 327
- Anxiety
- *preoperative*
 - detection and contributing factors (Badner *et al*), 444
 - is there a relationship to myocardial ischaemia? abst. (Jolly *et al*), S77
 - parental, predicts behavioural and emotional responses to induction of anaesthesia in children (Bevan *et al*), 176
- Apnea, see Ventilation

Arteries

- canine mesenteric, intracellular action of thiamylal in vascular smooth muscle of: abst. (Hatano *et al*), S125
- carotid, occlusion caused by trauma (Oxorn and Clark), 913
- radial cannulation, aneurysm following: clinical report (McEllistrem *et al*), 907

Arthroscopic surgery, see Surgery, orthopaedic

Aspiration, see Complications, acid aspiration pneumonitis

Associations

- Canadian Anaesthetists' Society Guidelines for Minimal Standards of Practice of Anaesthesia, 4
- Canadian Medical Protective Association, 4

Asthma, see Complications

Astrocytes, free calcium concentrations in, effect of midazolam on: abst. (Code *et al*), S27

Atropine, see Parasympathetic nervous system, premedication

Bain circuits, see Equipment, Anaesthesia circuits

Bayard, William: History of Canadian Anaesthesia (McDougall), 932

Benzodiazepines, see Hypnotics

Biotransformation (Drug)

- bromide, elevated serum concentrations following repeated halothane anaesthesia in a child: clinical report (Morrison and Friesen), 801
- of inhalation anaesthetics: refresher course outline (Morio *et al*), Scxvi

Block, see Anaesthetic techniques, regional

Blood

- albumin, alpha₁-acid glycoprotein and the binding of lidocaine in children with congenital heart defects (Burrows *et al*), 883
- coagulation
 - amyloidosis associated with bleeding diathesis in the surgical patient: clinical report (Mizutani and Ward), 910
 - associated with protamine administration, prophylactic administration of histamine, and histamine₂ receptor blockers in prevention of (Kambam *et al*), 420
 - haemorrhage, replacement, in perioperative management of patients with Von Willebrand's disease: review article (Cameron and Kobrinsky), 341
 - plasma levels of heparin, antithrombin III and antithrombin III-heparin, changes of, and active clotting time in patients undergoing cardiac surgery: abst. (Inada *et al*), S75
- flow
 - decreased by portal clamping: effect of, on myocardial contractility: abst. (Oka *et al*), S73
 - desamino-8-arginine vasopressin, value of, in bleeding during spinal fusion: abst. (Guay *et al*), S14
 - during adenosine-induced hypotension: effect of halothane and sevoflurane on: abst. (Crawford *et al*), S19
 - exsanguination of limb, comparison of two methods of: abst. (Francourt-Smith *et al*), S55

- phrenic artery patterns during and after TOF stimulation of the dog diaphragm: abst. (Erian), S162
- renal, effect of isoflurane-induced hypotension on: abst. (Lessard *et al*), S42
- viscosity, effect of saline dilution and IV catheter size on: abst. (Boisvenu *et al*), S85
- haemodynamic effects of atracurium and vecuronium during anaesthetic induction, a comparison: abst. (Torsher *et al*), S142
- haemoglobin
 - concentration
 - effect on accuracy of pulsable oximetry: abst. (Kolesar *et al*), S88
 - to predict post-operative apnea in ex-preterm infants: abst. (Taylor *et al*), S100
- preoperative values in minor paediatric surgery: abst. (Roy *et al*), S7
- loss in patients undergoing craniostomies: correspondence (Imberti *et al*), 948; reply (Kearney), 949
- oxygen free radical production, effect of, on antagonistic or agonistic substances on: abst. (Ogata *et al*), S104
- pressure
 - control of rise in during intubation by doses of labetalol and sufentanil during anaesthetic induction: abst. (Mahesh), S114
 - hypertension following tracheal intubation, esmolol attenuates (Sheppard *et al*), 202
 - hypertension, post-intubation, prevention by bolus dose of esmolol (Oxorn *et al*), 206
- proteins,, complement activation, causative role of high concentrations of oxygen: abst. (Siriwardhana *et al*), S116
- serum cholesterol, triglycerides, lipoproteins and cortisol changes in during cardiac surgery in patients anaesthetized with propofol-sufentanil vs enflurane-sufentanil: abst. (Hall *et al*), S76
- venous saturation outside the pulmonary artery, and mixed venous saturation, 2 aspects of venous saturation monitoring, accuracy of: abst. (Tatman *et al*), S154

Book Reviews

- Anesthesia and the brain: clinical, functional metabolic, and vascular correlates, by JD Michenfelder (Archer), 492
- Anesthesia and uncommon diseases, 3rd ed. by J Katz, JL Benumof and LB Kadis (Archer), 829
- Anesthesia for vascular surgery, edited by MF Roizen (King), 600
- Anesthesia in emergency medicine, edited by GS Vanstrum (Keith), 599
- Bailliére's clinical anaesthesiology, international practice and research: Depth of anaesthesia, edited by JG Jones (Plourde), 715
- The CO₂ laser in otolaryngology and head and neck surgery, by VH Oswal, HK Kashima and LM Flood (Gauthier), 149

- Cardiac anesthesia, 2nd ed., volumes 1 and 2, edited by JA Kaplan (Chung), 830
 - Clinical anesthesia, edited by PG Barash, BF Cullen and RK Stoeling (Donen), 276
 - Clinical monitoring, by CL Lake (Kolton), 830
 - Drug treatment of cancer pain in a drug-oriented society (Advances in pain research and therapy - volume 11), edited by CS Hill Jr. and WS Fields (Catchlove), 277
 - Heart-lung interactions in health and disease, Lung biology in health and disease, vol. 42, edited by SM Scharf and SS Cassidy (Knill), 149
 - Illustrated manual of regional anesthesia, by P Raj, H Nolte and M Stanton-Hicks (Lewis), 148
 - Intensive care manual, 3rd ed., edited by TE Oh (Pietak), 829
 - Lectures on anesthetics and on asphyxia, by Claude Bernard, translated by BR Fink (Bevan), 492
 - Malignant hyperthermia - current concepts, edited by MA Nalda Felipe, S Gottmann, HK Kambatta (Cox), 149
 - Manual of cardiorespiratory critical care, by F Guzman *et al* (Robbins), 716
 - Manual of pediatric anesthesia, 3rd ed., by DJ Stewart (Baxter), 600
 - Medical therapeutics, a pocket companion, edited by EB Larson and PG Ramsey (Covert), 715
 - The Practice of cardiac anesthesia, edited by FA Hensley, Jr. and D.E. Martin (Liepert, O'Connor), 952
 - Preanesthetic assessment 2, edited by EAM Frost (Purkis), 829
 - Preparing for the anesthesia orals: Board stiff, by CJ Gallagher and DA Lubarsky (Eagle), 393
 - Problems in anaesthesia: analysis and management, by S Feldman, W Harrop-Griffiths and N Hirsch (Davies), 599
 - Regional anesthesia: an illustrated procedural guide by MF Mulroy (Lampe), 715
 - Resuscitation of the newborn, Part 1 - Basic resuscitation, Part 2 - Advanced resuscitation, by the Royal College of Obstetricians and Gynaecologists (Biehl), 276
 - Le risque allergique en anesthésie-réanimation, by M-C Laxenaire and D-A Moneret-Vautrin (Donati), 717
 - Techniques and procedures in critical care, by RW Taylor, JM Civetta and RR Kirby (Oxorn), 716
 - Textbook of respiratory medicine, volumes 1 and 2, by JF Murray and JA Nadel (Knill), 148
 - Urgences en pratique anesthésique: Conduites à tenir, par P Gauthier-Lafaye (Chartrand), 600
- Brain**
- *cerebral blood flow*
 - after cardiopulmonary bypass, autoregulation and CO₂ responsiveness of (McNeill *et al*), 313
 - in infants during cardiopulmonary bypass: abst. (Taylor *et al*), S153
 - injury, ischaemia, metabolism, oxygenation: pharmacology of protection: review article Part II (Hall and Murdoch), 762; physiology of: review article: Part I (Murdoch and Hall), 663
 - monitoring during cervical epidural anaesthesia for carotid artery surgery: clinical report (Bonnet *et al*), 353
 - relationship for halothane and isoflurane compared at haemodynamically equivalent end-tidal concentrations in the rabbit: laboratory investigations (Mutch *et al*), 223
 - death, organ donation, anaesthetic management of: continuing medical education (Gelb and Robertson), 806
 - evoked potentials during etomidate administration in humans (Chi *et al*), 452
 - intracranial surgery, total intravenous anaesthesia during: continuous propofol infusion in combination with either fentanyl or sufentanil: abst. (Jansen *et al*), S128
 - locus coeruleus, *in vivo* catechol activity following nociception: abst. (Hong *et al*), S28
 - metabolism decreased by tetracaine during somatosensory stimulation in the rat: laboratory investigation (Cole *et al*), 231
 - protection, and pharmacological considerations: review article (Hall and Murdoch), 762
 - stem function monitoring during posterior fossa surgery: abst. (Manninen *et al*), S23
 - velocity
 - effect of halothane and CO₂ in varying concentrations in anaesthetized infants and children: abst. (Leon *et al*), S24
 - effect of isoflurane and CO₂ in varying concentrations in anaesthetized infants and children: abst. (Leon *et al*), S33
 - following tourniquet release in humans: abst. (Lam *et al*), S29
- Breathing, see Ventilation
- Bromide, see Ions
- Bronchoconstriction, see Lung
- Bupivacaine, see Anaesthetics, local
- Buprinorphine, see Analgesia
- Calcium, see Ions
- Calcium channel blocking agents, see Pharmacology
- Cannulation, see Veins
- Capnography, see Measurement techniques, carbon dioxide
- Carbamazepine, see Anticonvulsants
- Carbon dioxide
- alveolar arterial, end-tidal measurements, using a sidestream capnometer in infants and children ventilated with Secrist infant ventilator (Hillier *et al*), 318
 - blood levels, end-tidal measurements to detect accidental endobronchial intubation: abst. (Chang *et al*), S44
 - end-tidal tension, arterial, alveolar measurement by sidestream and mainstream capnometers in critically ill neonates (McEvedy *et al*), 322

- measurement during anaesthesia; arterial, end-tidal, transcutaneous: abst. (Reid *et al*), S89
- monitoring tension, correlation between arterial and end-tidal gradient during postoperative cardiorespiratory support (Russell), 560
- noninvasive, interpretation of: refresher course outline (Tremper), S1xxvii
- Carcinoid, see Serotonin
- Cardiopulmonary bypass, see Surgery, cardiovascular
- Catheters, see Equipment
- Caudal anaesthesia, see Anaesthetic techniques, epidural
- Cells, hippocampal dentate granule, effect of enflurane on electrical activities in: abst. (Suzuki *et al*), S117
- Choline, see Enzymes
- Cimetidine diphenhydramine, see Histamine antagonists
- Complications
 - acid aspiration pneumonitis, effectiveness of nizatidine, famotidine, ranitidine in treatment: abst. (McAllister *et al*), S22
 - acute ischaemic ventricular dysfunction, haemodynamic effects of sodium nitroprusside and adenosine monophosphate compared: abst. (Finegan and Clanachan), S149
 - airway management in patients with cervical spine abnormalities: review article (Crosby and Lui), 77; correspondence (Yealy), 707; reply (Crosby and Lui), 708
 - amyloidosis, coagulopathies associated with, in the surgical patient: clinical report (Mizutani and Ward), 910
 - anaemia in pre-term infants, does it increase risk of postoperative apnoea in? abst. (Welborn *et al*), S92
 - anaphylaxis
 - following propofol-atracurium sequence: correspondence (McLeskey) 946; reply (Naguib), 946
 - following succinylcholine in a child: clinical report (Borgeat *et al*), 675
 - to latex: clinical report (Swartz *et al*), 589
 - aneurysm, post-cannulation radial artery: clinical report (McEllistrem *et al*), 907
 - apnoea and unconsciousness after apparent recovery from alfentanil-supplemented anaesthesia: clinical report (Hudson), 255
 - arrest, cardiac, arrhythmias, during surgery: review article (Doyle and Mark), 219
 - arrhythmias
 - advances in therapy: implications for the anaesthetist: review article (Lucas *et al*), 94
 - cardiac and arrest during surgery: review article (Doyle and Mark), 219
 - in postoperative coronary artery bypass patients; prophylactic lidocaine: clinical report (King *et al*), 363
 - aspiration
 - and regurgitation of stomach contents in the non-pregnant patient: pathophysiology, incidence and prophylaxis: symposium report (Hardy) 900; in the pregnant patient (O'Sullivan), 903; pharmacology of agents affecting (Nimmo), 898
- of stomach contents
 - during anaesthesia (Hardy *et al*), 502
 - in children, effect of large volume of apple juice preoperatively on (Splinter *et al*), 36
 - in children undergoing surgery, risk factors in ingesting clear fluids three hours before surgery (Splinter *et al*), 498
 - measurement of gastric contents: correspondence (Maltby and Shaffer), 597
- asthma, diltiazem, verapamil and nifedipine in treatment of: abst. (Tsuda *et al*), S166
- awareness, intraoperative due to malfunction of Siemens 900B ventilator: clinical report (Slinger *et al*), 258
- blood clot obstruction of epidural catheter during labour; solution: correspondence (Cohen and Amar), 143
- carcinoid syndrome, epidural anaesthesia for transurethral resection of prostate in a patient with: clinical report (Monteith and Roaseg), 349
- cardiovascular
 - and neuromuscular effects of pipecuronium (Foldes *et al*), 549
 - hypertension, tachycardia, in neurosurgical patients, value of preoperative beta-blockade to attenuate (Allberry and Drake), 448
- coma, hypoglycaemia, following surgical removal of pheochromocytoma: clinical report (Levin and Heifetz), 477
- death due to air embolism during dental surgery: clinical report (Davies and Campbell), 112
- diffusion hypoxia after general anaesthesia in children: abst. (Murphy and Splinter), S40
- dizziness after epidural morphine: clinical report (Goundrey), 804
- Duchenne's muscular dystrophy, succinylcholine and: correspondence (Stephens), 274
- during regional anaesthesia compared with general anaesthesia: abst. (Cohen), S84
- eclampsia, amphetamine ingestion presenting as: clinical report (Elliott and Rees), 130
- embolism, fatal during dental anaesthesia: clinical report (Davies and Campbell), 112
- endobronchial intubation in dogs: abst. (Chang *et al*), S44
- epidemiology to study adverse outcomes in anaesthesia: refresher course outline (Cohen), Sxiv
- epilepsy, effect of anticonvulsant therapy on fentanyl requirements during anaesthesia for craniotomy (Tempelhoff), 327
- fetal depression after ketamine induction of anaesthesia for Caesarean section (Baraka *et al*), 641
- flare reaction following caudal analgesia: clinical report (Roy and Bissonnette), 127

- Floppy Infant Syndrome; diagnostic muscle biopsy in, ketamine monoanaesthesia for: clinical report (Ramachandra *et al*), 474
- following epidural catheter insertion (Roblin *et al*), 337
- following total knee arthroplasty, effect of anaesthetic technique on: abst. (Stafford-Smith and Hall), S163
- Goldenhar's syndrome, respiratory inductance plethysmography and pulse oximetry in assessment of upper airway patency in a child with: clinical report (Aoe *et al*), 369
- headache
 - post-spinal, a comparison of midline and laminar approaches: abst. (Stasiuk and Jenkins), S58
 - post-spinal, epidural morphine injections for (Eldor *et al*), 710
 - spinal, prevention and treatment: refresher course outline (Weeks), S111
- hypercarbia, narcotic reversal in dogs, comparison of naloxone and nalbuphine: laboratory investigation (Mills *et al*), 238
- hyperkalaemia during, massive blood transfusion in paediatric craniofacial surgery (Brown *et al*), 401
- hypertension
 - during electroconvulsive therapy with esmolol (Kovac *et al*), 58
 - during cardiac surgery with alfentanil (Robbins *et al*), 52
 - during rapid-sequence induction of anaesthesia, control with alfentanil (Martineau *et al*), 755
 - in quadriplegic patients undergoing surgery: correspondence (Kubota *et al*), 488; reply (Chen and Castro), 488
 - post-bypass, haemodynamics and pharmacokinetics of: abst. (O'Leary *et al*), S144
 - post-coronary artery bypass graft, a comparison of esmolol, diltiazem, nifedipine and nitroprusside therapy: abst. (Boylan *et al*), S156
 - post-intubation, esmolol for prevention (Oxorn *et al*), 206 (Sheppard *et al*), 202
 - pulmonary, and ventricular dysfunction, effect of nitrous oxide on (Kornstadt *et al*), 613
 - role of intravenous lidocaine in preventing, in children after laryngoscopy and tracheal intubation (Splinter), 400
- hypokalaemia, post hypothermic potassium correction of, induces hyperkalaemia: abst. (Sprung *et al*), S69
- hypoxemia
 - in the post anaesthetic care unit: abst. (Daley *et al*), S10
 - on discharge from the post anaesthetic recovery room: abst. (Tang *et al*), S135
- infections, risk of, related to the multiple use of disposable syringes (Trépanier *et al*), 156
- inflammatory bowel disease, postoperative pain management in: abst. (Pillow *et al*), S63
- intraoperative allergic reaction to latex, an identifiable population at risk: abst. (Swartz *et al*), S131
- Lambert-Eaton myasthenia syndrome: correspondence (Irita *et al*), 944
- laser surgery
 - CO₂ induced flammability of PVC endotracheal tube cuffs, protection by; nitrogen insufflation: abst. (Sosis), S136; saline soaked pledgets: abst. (Sosis), S72
 - ignition of endotracheal tubes, "blowtorch", "explosion", "rocket": abst. (Wolf and Sidebotham), S68
- masseter muscle rigidity, incidence of malignant hyperthermia susceptibility in adult patients with (Allen and Rosenberg), 31
- mediastinal mass
 - and anaesthesia: correspondence (Pullerits and Holzman), 596
 - anterior, cardiopulmonary effects of: abst. (Johnson *et al*), S165
 - in a child, airway obstruction during anaesthesia: correspondence (Montagne *et al*), 271
- morbidity following postoperative patient-controlled morphine, reduction of (Wasyk *et al*), 726
- myasthenia gravis, sensitivity to vecuronium in, a dose-response study (Eisenkraft *et al*), 301
- neurological, during emergence from enflurane or isoflurane anaesthesia (McCulloch and Milne), 739
- obesity, intercostal nerve block in patients suffering from: correspondence (Lu *et al*), 269
- Odine's Curse, central alveolar hypoventilation syndrome, anaesthesia for a patient with: clinical report (Wiesel and Fox), 122
- oedema, pulmonary
 - associated with airway obstruction: review article (Lang *et al*), 210
 - in two parturients with hypertrophic obstructive cardiomyopathy (HOCM): clinical report (Tessler *et al*), 469
 - of bone marrow transplantation, 573
- pain on injection of etomidate in lipid emulsion or propylene glycol: correspondence (Doenicke *et al*), 823
- paralysis, residual, following atracurium or alcuronium in children (Meretoja and Gilbert), 743
- peripheral nerve injuries in cardiac anaesthesia: abst. (Merchant *et al*), S152
- pneumothorax tension, pulmonary artery pressures with: clinical report (Yu and Lee), 584
- postoperative recovery room events in eye patients: should they influence choice of anaesthetic technique? abst. (Yee *et al*), S80
- pruritis associated with epidural buprenorphine: correspondence (Fox), 272; reply (Ackerman *et al*), 273
- renal failure, pathophysiology and preventive role of the anaesthetist: review article (Byrick and Rose), 457
- respiratory
 - arrest, following interpleural block in a narcotized patient: correspondence (riley), 487

- depression, opioid-induced, side effects of nalbuphine reversal of: clinical report (Blaise *et al*), 794
 - in children during and following halothane and isoflurane anaesthesia, a comparison: abst. (Pounder), S126
 - seizures, effect of inhibition of K^+ transport in glial cells by local anaesthetics as a cause of: abst. (Shokier *et al*), S26
 - shivering during emergence from enflurane or isoflurane anaesthesia (McCulloch and Milne), 739
 - smoking, effect on postoperative arterial saturation (Tait *et al*), 423
 - sore throat following endotracheal anaesthesia, role of pharyngeal suction devices in causing: abst. (Fuller *et al*), S157
 - spinal cord injured patients, autonomic hyperreflexia in: correspondence (Kubota *et al*), 488; reply (Chen and Castro), 488
 - tachycardia
 - during cardiac surgery with alfentanil (Robbins *et al*), 52
 - during electroconvulsive therapy with esmolol (Kovac *et al*), 58
 - during rapid-sequence induction of anaesthesia, control with alfentanil (Martineau *et al*), 755
 - tongue swelling after general anaesthesia: correspondence (Grigsby *et al*), 825
 - trauma
 - causing crico-tracheal disruption and common carotid artery occlusion (Oxorn and Clark), 913
 - dental, to oral airways: correspondence (Gemma and Ferrazza), 951
 - venous sequelae to etomidate in lipid emulsion or propylene glycol: correspondence (Doenicke *et al*), 823
 - vertigo, after epidural morphine: clinical report (Goundrey), 804
 - vomiting
 - postoperative
 - loss of anti-emetic effect of droperidol in menstruating women: abst. (Lindblad *et al*), S139
 - in paediatric patients undergoing strabismus surgery, reduction by transdermal scopolamine patch: abst. (Horimoto and Naide), S94
 - risk factors of, after general anaesthesia: abst. (Forrest *et al*), S90
 - post-tonsillectomy, effect of general anaesthesia on: abst. (Splinter *et al*), S96
 - Von Willebrand's disease, perioperative management of patients with: review article (Cameron and Kobrinsky), 341
 - unstable cervical spine patients, airway management techniques, studies: abst. (Suderman and Crosby), S122
- Computers, see Anaesthesia; Measurement techniques
- Contractility, see Heart; Muscle
- Coronary arteries, see Heart
- Corticosteroids, see Hormones
- Craniosynostosis, see Surgery, Paediatric
- Critical care, see Intensive care
- Cyclosporin, see Immune responses, suppression
- Data, see Records, Anaesthesia
- Day care, see Surgery, outpatient
- Dialysis, equilibrium of plasma free fentanyl concentrations, influence of membrane binding in accurate measurement of: abst. (Dawe *et al*), S15
- Diazepam, see Hypnotics, benzodiazepines
- Diltiazem, see Pharmacology, calcium channel blockers
- Dopamine, see Sympathetic nervous system, pharmacology
- Droperidol, see Anaesthetics, Intravenous
- Duchenne's muscular dystrophy, see Complications
- Echocardiography, see Heart
- Edrophonium, see Antagonists, Neuromuscular relaxants
- Education, teaching the technique and value of epidural anaesthesia and analgesia in the University hospital: abst. (Tanaka *et al*), S52
- Electrocardiography, see Heart
- Electroconvulsive therapy, see Anaesthesia, electroconvulsive
- Electrolytes, see Fluid balance
- Embolism
 - air
 - fatal
 - correspondence (Davies and Armstrong), 709; editorial (Matthews), 12
 - during dental implant surgery: clinical report (Davies and Campbell), 112; correspondence (Wright), 825; reply (Davies and Campbell), 825
 - fat, effect of corticosteroids on acute pulmonary response to: abst. (Byrick *et al*), S130
 - gas, carbon dioxide, hyperbaric oxygen and: correspondence (Etches), 270; reply (McGrath), 271

Emergence, see Recovery

Encainide, see Heart, arrhythmias - antiarrhythmic therapy

Endocrines, see Hormones

Endoscopy, see Surgery

Endotracheal anaesthesia, see Intubation

Environmental concerns, and anaesthesia: correspondence (Oyston), 491

Enzymes

 - acetylcholinesterase/pseudocholinesterase, effect of fluorine and bromide on: laboratory investigations (Kambam *et al*), 916
 - choline acetyltransferase activity, stimulation by succinylcholine and inhibition by pancuronium, vecuronium, d-tubocurarine: laboratory investigations (Kambam *et al*), 690
 - granulocyte elastase release during hypothermia with surface cooling, effect of ulinastatin on: abst. (Kawamura and Wakusawa), S106

Epidemiology, in the study of adverse outcomes in anaesthesia: refresher course outline (Cohen), Sxlv

- Epidural, see Anaesthesia, obstetric; Anaesthesia obstetric, Caesarean section; Anaesthetic techniques; Analgesia
- Epinephrine, see Sympathetic nervous system-pharmacology
- Equipment
- alfentanil Bard pump, atracurium in: correspondence (Michael and McLeskey), 146
 - anaesthesia machines
 - and related monitor, Saskatchewan hospital prevalence study: abst. (Gellner *et al*), S81
 - exhaust systems, vaporizers, ventilators, upgrading and replacement of, a provincial approach; occasional review (Friesen and Hatton), 889
 - Farman entrainer in a low-pressure system for field anaesthesia: anaesthesia apparatus (Tweed *et al*), 924
 - low-pressure portable system for field use: anaesthesia apparatus (Tweed *et al*), 928
 - standards, 713
 - bedside respiratory monitoring system, to measure respiratory work in a breath-by-breath analysis: abst. (Kubota *et al*), S109
 - catheters
 - epidural
 - complications of insertion, role of introducing fluid through the needle in reduction of (Rolbin *et al*), 337
 - obstruction by a blood clot during labour: correspondence (Cohen and Amar), 143; (Kumar), 709; reply (Cohen and Amar), 710
 - pulmonary artery, failure of: correspondence (Suderman and Crosby), 388
 - triple lumen, a potential hazard: correspondence (Isabel and Baribault), 950; reply (Rains), 950
 - fiberoptic venous, in measuring oxygen saturation outside the pulmonary artery: abst. (Tatman *et al*), S154
 - flow directed pulmonary artery, role of balloon flotation and flow-direction in position of: abst. (Parlow *et al*), S86
 - IV, effect of size on infusion of packed red blood cells: abst. (Boisvenu *et al*), S85
 - circuits
 - Bain, delivery tube obstruction: correspondence (Goresky), 385
 - breathing, occlusion due to defect in swivel port connector: correspondence (Ananthanarayan *et al*), 707
 - non-rebreathing (modified Mapleson D) pre-use testing: the perils of Pethnick: abst. (Beauprie *et al*), S103
 - esophageal temperature measurement by gastric tube with thermister: abst. (Kayama *et al*), S111
 - failures, prevention by implementation of an institutional preanaesthetic checklist: abst. (Hunziker *et al*), S9
 - Hemonetics cell saver apparatus, benefit of during cardiac surgery (Hall *et al*), 618
 - infusion systems, needles and syringes, risk of cross infection related to multiple use (Trépiner), 156
 - inhaler, metered dose via paediatric size tracheal tubes, for aerosol delivery: abst. (Taylor *et al*), S37
 - in-line fluid warming device, evaluation: abst. (Hackman and Steward), S107
 - IV micro-drip infusion set in infants and children to identify the epidural space: abst. (Yamachita and Tsuji), S99
 - laryngeal mask airway, appraisal (Maltby *et al*), 509; abst. (Maltby *et al*), S108
 - laryngoscope design; length of blade is more important in difficult tracheal intubation: correspondence (Eldor and Gozal), 268; reply (McIntyre), 268
 - lasers, Nd:Yag, in endobronchial surgery: clinical report (Schneider and Probst), 372
 - model finger calibration device for evaluating the accuracy of oximeter: abst. (Volgyesi *et al*), S67
 - monitors, sensormedic TcCO₂ in anaesthesia: abst. (Reid *et al*), S89
 - Ohmeda ear oximetry probe for "buccal" oximetry: correspondence (Sosis and Coleman), 489
 - oximeters, accuracy of, an in vitro model for evaluating: abst. (Volgyesi *et al*), S67
 - oxygen delivery system, nasal prongs vs face mask: abst. (Halpern and Crosby), S137
 - patient controlled pump failure, accompanied by activation of a "fail safe" mechanism: correspondence (Randall), 272
 - peripheral nerve stimulator, for axillary plexus block: abst. (Lavoie *et al*), S39
 - pharyngeal suction devices as a cause of sore throat following endotracheal anaesthesia: abst. (Fuller *et al*), S157
 - syringes
 - a new holder: correspondence (Oyston), 827
 - glass or plastic for loss of resistance technique for locating the epidural space (Butler *et al*), 438
 - tourniquets
 - acute pulmonary oedema after release: correspondence (O'Leary *et al*), 826
 - cerebral blood flow velocity following release: abst. (Lam *et al*), S29
 - transfusion using cell saver apparatus: abst. (Hall *et al*), S155
 - tubes
 - endotracheal
 - adaptation of, to facilitate difficult intubation: correspondence (Amith *et al*), 144
 - CO₂ laser ignition of: comparison of Xomed, PVC and Rubber: abst. (Sosis *et al*), S87
 - flammability of PVC cuff during CO₂ laser surgery, protection: by nitrogen insufflation: abst. (Sosis), S136; by saline soaked pledgets: abst. (72)

- laser ignition of: abst. (Wolf and Sidebotham), S68
 - phonocardiographic monitoring using: abst. (Doyle *et al*), S105
 - gastric, misplaced causing ventilatory failure: clinical report (Wood *et al*), S87
 - tracheostomy
 - obstruction of a preformed armoured: correspondence (riley *et al*), 824
 - oxygenation by: correspondence (Raymond and Hardy), 274
 - transtracheal Doppler tube, a cardiac output measuring device, intraoperative use: abst. (Yoshitake *et al*), S110
 - tracheoscope in endobronchial surgery: clinical report (Schneider and Probst), 372
 - ventilation (percutaneous transtracheal), "Off the wall-jet," self-inflating bag, Flush technique: abst. (Nadler *et al*), S34
 - ventilator
 - high frequency jet: clinical report (Schneider and Probst), 372
 - malfunction of a Siemens 900D, intraoperative awareness due to: clinical report (Slinger *et al*), 258
- Esmolol, see Sympathetic nervous system, beta-adrenergic antagonists
- Eye
- cataract surgery
 - neurolept analgesia for: abst. (Forrest *et al*), S83
 - oxygen desaturation in elderly patients during: abst. (Forrest *et al*), S50

Famotidine, see Genitourinary tract, stomach

Fasting, see Metabolism

Feldopam, see Sympathetic nervous system, pharmacology

Fetus, see Anaesthesia, Obstetric

Fentanyl, see Analgesics; Anaesthetics, intravenous

Flecainide, see Heart arrhythmias, antiarrhythmic therapy

Fluid balance

- electrolyte and endocrine emergencies, perioperative: refresher course outline (Chernow), S1xxi
- infusion, an in-line warming device for: abst. (Hackman and Steward), S107
- ingestion of fluids
 - by infants 2 hours before surgery: abst. (Splinter *et al*), S95
 - gastric emptying time after: abst. (Shevde *et al*), S134
 - oral, preoperative, effect on gastric fluid volume and pH: abst. (Lewis *et al*), S132
 - preoperative oral fluids in children (Splinter *et al*), 498

Flumazenil, see Hypnotics, benzodiazepine antagonists

Fracture, scapular, continuous suprascapular nerve block for analgesia: clinical report (Breen & Haigh), 786

Gases, non-anaesthetic, nitrogen, insufflation decreases PVC endotracheal tube cuff flammability during CO₂ laser surgery: abst. (Sosis), S136

Gastrointestinal tract

- antacids, in elective surgical patients, effect of oral ranitidine alone compared with sequentially administered ranitidine metoclopramide and sodium citrate (Maltby *et al*), 650
- endoscopy, a comparison of sedation for, using diazepam with demerol or midazolam with alfentanil: abst. (Donnelly *et al*), S21
- gastric emptying, gastric pH, gastric volume
 - effect of oral ranitidine alone compared with sequentially administered ranitidine, metoclopramide and sodium citrate on (maltby *et al*), 650
 - effect of large volumes of apple juice preoperatively on, in children (Splinter *et al*), 36
 - effect of preoperative oral fluids on, in children (Splinter *et al*), 498
 - effect of unrestricted oral fluid until three hours preoperative: abst. (Lewis *et al*), S132
- gastrointestinal reflux on induction of anaesthesia, does not correlate with gastric pH and gastric volume (Hardy *et al*), 502
- lower esophageal sphincter pressure, effect of 3 kinds of anaesthesia on: abst. (Chan *et al*), S59
- stomach
 - emptying time after clear liquid ingestion: abst. (Shevde *et al*), S134
 - factors of importance to the anaesthetist: symposium report (Davies *et al*), 896
 - famotidine, nizatidine, ranitidine, a comparison for prevention of acid aspiration pneumonitis: abst. (McAllister *et al*), S22
 - secretion and emptying - pharmacology of drugs affecting: symposium report (Nimmo *et al*), 898

General anaesthesia, see Anaesthetic techniques, inhalation; intravenous

Genetic factors, lobar emphysema, congenital: clinical report (Al-Salem *et al*), 377

Granulocyte elastase. see Enzymes

Griffith, Harold, biography of: correspondence (Bodman and Gillies), 146

Halothane, see Anaesthetics, volatile

Headache, see Complications

Heart

- arrhythmias
 - anti-arrhythmics
 - amiodarone
 - and anaesthesia: editorial (Teasdale and Downar), 151
 - and encainidine, flecainide, mexiletine, tocainide, implications for the anaesthetist review article (Lewes *et al*), 94

- preoperative treatment and complications during anaesthesia for valvular cardiac surgery: clinical report (Chassard *et al*), 251
 - bradycardia, sinus arrest, during surgery: review article (Doyle and Mark), 219
 - in postoperative coronary artery bypass patients, treatment with lidocaine: clinical report (King *et al*), 363
 - postoperative-preoperative amiodarone treatment to prevent: clinical report (Chassard *et al*), 251
 - assessment, ischaemia preoperatively by dipyridamole-thallium scanning (DTS) (Grant *et al*), 409
 - atria, temperature-dependent effects of halothane and isoflurane on: laboratory investigation (Laorden *et al*), 482
 - **cardiac**
 - arrest in children associated with hyperkalaemia during rapid blood transfusion (Brown *et al*), 747
 - output, effect of nitrous oxide on, in patients with mitral valvular disease (Konstadt *et al*), 613
 - cardiomyopathy, hypertropic obstructive, in two parturients, pulmonary oedema developing in: clinical report (Tessler *et al*), 469
 - cardiovascular disease, esmol versus fentanyl for prevention of haemodynamic response to intubation: abst. (Kap-noudhis *et al*), S145
 - catheterization in infants and small children, alfentanil and fentanyl sedation during (Meretoja and Rautiainen), 624
 - conduction, atrioventricular, reduction by combination of thoracic epidural anaesthesia and enflurane anaesthesia: laboratory report (Sato *et al*), 813
 - **congenital defects**
 - α_1 -acid glycoprotein and the binding of lidocaine in children with (Burrows *et al*), 883
 - single ventricle transposition in a parturient, epidural anaesthesia for labour and Caesarean section: clinical report (Fong *et al*), 680
 - **contractility**
 - halothane and isoflurane to prevent free radical induced, reduction of: abst. (Tanguay *et al*), S147
 - myocardial effect of portal clamping on: abst. (Oka *et al*), S73
 - **coronary**
 - arteries, platelet-induced vasoconstriction, isoflurane does not inhibit: abst. (Blaise *et al*), S146
 - blood flow, halothane and isoflurane to prevent free radical induced reduction of: abst. (Tanguay *et al*), S147
 - hyperperfusion in dogs, effect of adenosine-controlled hypotension and intracoronary administration of adenosine during: abst. (Sidi and Rush), S148
 - occlusion, perioperative myocardial infarction in patients undergoing CABG surgery, criteria for diagnosis: abst. (Duke *et al*), S150
 - echocardiographic and electrocardiographic abnormalities compared, for assessment of cardiac function in subarachnoid haemorrhage: abst. (Davies *et al*), S25
 - function, effect of anterior mediastinal mass on: abst. (Johnson *et al*), S165
 - inotropes, appropriate use of, in shock: refresher course outline (Rosenthal), S1xiv
 - mitral stenosis in pregnancy, alfentanil for urgent Caesarean section: clinical report (Batson *et al*), 685
 - **myocardium**
 - ischaemia, correlation with preoperative anxiety: abst. (Jolly *et al*), S77
 - stunned, effect of calcium on: abst. (Beauchamp and Mazer), S151
 - phonocardiographic monitoring using a special endotracheal tube: abst. (Doyle *et al*), S105
 - pulse rate changes, atropine induced, compared during propofol-N₂O and thiopentone-enflurane N₂O anaesthesia (Cross *et al*), 416
 - regional left ventricular function, computer software for analysis: abst. (Kay *et al*), S74
 - **tachycardia**
 - after tracheal intubation, esmolol attenuates (Sheppard *et al*), 202
 - neonatal paroxysmal supra-ventricular transoesophageal pacing for diagnosis and treatment of: clinical report (Stevenson *et al*), 672
 - post-intubation, prevention by bolus dose of esmolol (Oxorn *et al*), 206
 - transoesophageal pacing for perioperative control of neonatal paroxysmal supra-ventricular tachycardia: clinical report (Stevenson *et al*), 672
 - ventricular function, effect of nitrous oxide on, in patients with mitral valvular disease (Konstadt *et al*), 613
 - voltage clamp Ca⁺⁺ current study in the frog, bupivacaine-induced slow-inward current inhibition: laboratory investigation (de La Coussaye *et al*), 819
- Hemorrhage**
- coagulopathy associated with amyloidosis in the surgical patient: clinical report (Mizutani and Ward), 910
 - subarachnoid, electrocardiographic and echocardiographic changes in, correlated to assess cardiac function in subarachnoid patients: abst. (Davies *et al*), S25
- Herpes, see Infections**
- Histamine antagonists, cimetidine, diphenhydramine in prevention of protamine-related haemodynamic changes (Kambam *et al*), 420**
- History**
- **anaesthesia in Canada**
 - as a specialty, evolution of: History of Canadian Anaesthesia (Shephard), 134; correspondence (Craig), 712; reply (Shephard), 714
 - William Bayard, History of Canadian Anaesthesia (MacDougall), 932
 - Harold R. Griffith: correspondence (Bodman), 146
 - Beverly Charles Leech: History of Canadian Anaesthesia (Shephard), 689

- Walter Muir: History of Canadian Anaesthesia (Bodman and Hope), 468
 - C.H. Robson: History of Canadian Anaesthesia (Conn), 579
 - William Webster, pioneer Manitoba anaesthetist: History of Canadian Anaesthesia (Wolkenstein), 348
 - E.D. Worthington, an early Quebec anaesthetist: History of Canadian Anaesthesia (Holland), 250
- Hormones**
- *Anti-diuretic*
 - vasopressin
 - 1-deamino-8-D-arginine in treatment of Von Willebrand's disease, 341
 - role in reducing bleeding during spinal fusion for idiopathic scoliosis: abst. (Guay *et al*), S14
 - atrial natriuretic factor, influence of hypothermic cardiopulmonary bypass on: correspondence (Hynynen), 488; reply (Kharasch), 489
 - catecholamines, insulin, glucagon plasma concentration of during prolonged anaesthesia and surgery (Tsubo *et al*), 645
 - *corticosteroids*
 - neuroprotective action, 772
 - preoperative therapy, effect on acute pulmonary response to fat embolism: abst. (Byrick *et al*), S130
 - perioperative endocrine and electrolyte emergencies: refresher course outline (Chernow), S1xxi
 - renin, plasma, activity and catecholamine level during induced hypotension - adenosine vs sodium nitroprusside: abst. (Lam *et al*), S31
 - somatostatin analogue, octreotide, in a patient with ovarian carcinoid and valvular heart disease: clinical report (Watson *et al*), 798
- Hospitals, anaesthetic departments, formalization and implementation of an Institutional preanaesthetic checklist: abst. (Hunziker *et al*), S9
- Hyaluronidase added to local anaesthetic solution, effect on the speed of onset of retrobulbar block: abst. (Wood and Simpson), S62
- Hyperbarbia, oxygen therapy and treatment of CO₂ embolism: correspondence (Etches), 270; reply (McGrath), 271
- Hyperkalaemia, see Complications
- Hypertension, see Blood pressure; Complications
- Hyperthermia**
- influence of, on effects of halothane and isoflurane on the isolated left atrium: laboratory investigations (Laorden *et al*), 482
 - *malignant*
 - calcium ions, importance of, for *in vitro* testing: laboratory investigations (Fletcher *et al*), 695
 - contracture response to halothane in, reduced by diltiazem and nifedipine (Adnet *et al*), 556
 - in adult patients with masseter muscle rigidity (Allen and Rosenberg), 31
 - phaeochromocytoma present as: clinical report (Allen and Rosenberg), 593
- Hypnotics**
- barbiturates, neuroprotective action, 763
 - *benzodiazepine antagonists*
 - flumazenil, antagonism of benzodiazepine-fentanyl anaesthesia with (Kaukinen *et al*), 40
 - flunitrazepam, premedication, use in fentanyl anaesthesia speeds up recovery time (Kaukinen *et al*), 40
 - neuroprotective action, 767
- Hypoxaemia, see Complications Oxygen saturation
- Hypoxia**
- diffusion hypoxia after general anaesthesia in children: abst. (Murphy and Splinter), S40
 - effect on release of amino acid neurotransmitters from fetal lamb brain *in vitro*: abst. (Penning *et al*), S2
- Hypnotics, benzodiazepines**
- diazepam with demerol compared with midazolam with alfentanil for sedation in upper GI endoscopy: abst. (Donnelly *et al*), S21
 - *midazolam*
 - and spinal anaesthesia, effect on ventilatory response: abst. (Gauthier *et al*), S38
 - potentially affects free calcium concentrations in astrocytes: abst. (Code *et al*), S27
 - with alfentanil compared with diazepam with demerol for sedation in upper GI endoscopy: abst. (Donnelly *et al*), S21
 - with ketamine vs. sufentanil for rapid sequence induction of anaesthesia for CABG surgery: abst. (Gordon *et al*), S43
- Hypoglycaemia, see Metabolism
- Hypothermia, influence of, on effects of halothane and isoflurane on the isolated left atrium: laboratory investigation (Laorden *et al*), 482**
- see also Anaesthetic techniques
- Hypoxia, post-operative, cigarette smoking as a cause (Tait *et al*), 423
- Immune responses**
- suppression, cyclosporin and renal transplantation, prolonged neuromuscular blockade and ventilatory failure after (Sidi *et al*), 543
 - to bone marrow transplantation: review article (Stein *et al*), 571
- Indomethacin, see Pharmacology**
- Induction**
- anaesthesia in children, preoperative parenteral anxiety predicts behavioural and emotional responses in (Bevan *et al*), 177
 - of anaesthesia in the infant: editorial (Rhine and Roberts), 496

- rapid-sequence anaesthesia,
 - alfentanil controls haemodynamic response to (Martineau *et al*), 755
 - use of succinylcholine or vecuronium in (Boulanger *et al*), 296
- Infarction, see Heart, coronary occlusion
- Infection
 - AIDS, risk of cross-infection related to multiple use of disposable syringes (Trépanier *et al*), 156
 - herpes
 - gestationis in a parturient with, epidural analgesia (Eldor *et al*), 678
 - zoster, duration of effects of epidural analgesia in (Goto *et al*), 839
- Inotropes, see Heart
- Interactions (drug)
 - amiodarone, preoperative treatment and complications during cardiac surgery: clinical report (Chassard *et al*), 251
 - analgesic interaction between intrathecal morphine, lidocaine and bupivacaine in the rat: abst. (Penning and Yakash), S48
 - antagonists and neuromuscular relaxants causing ventilatory failure after renal transplantation and cyclosporine (Sidi *et al*), 543
 - antibiotics and neuromuscular blocking agents: correspondence (Lippmann *et al*), 945; reply (Martin), 945
 - anticonvulsant therapy increases fentanyl requirements during anaesthesia for craniotomy (Tempelhoff *et al*), 327
 - morphine and bupivacaine, effect on motor function, blood pressure, heart rate, compared to effect on a nociceptive endpoint: abst. (Penning *et al*), S49
 - neuromuscular relaxants, defasciculating dose of d-tubocurarine causes resistance to succinylcholine (Eisenkraft *et al*), 538
 - sedation and spinal anaesthesia, does it alter ventilating response? abst. (Gauthier *et al*), S38
- Intensive care
 - post anaesthetic care (recovery) unit
 - events in eye surgery: influence on choice of anaesthetic technique: abst. (Yee *et al*), S80
 - hypoxemia in: abst. (Daley *et al*), S10
 - hypoxemia on discharge from: abst. (Tang *et al*), S135
 - respiratory monitoring of the infant in: refresher course outline (Miyasaka), Scxxiv
 - role of the anaesthetist in: abst. (Devitt *et al*), S119
- Intubation
 - airway management in the unstable cervical spine patient: abst. (Suderman and Crosby), S122
 - difficult
 - (correspondence), Mello and Restall), 486
 - a simple method to facilitate: correspondence (Smith *et al*), 144
 - endotracheal, pharyngeal suction device causing sore throat following: abst. (Fuller *et al*), S157
 - failed, correspondence (Chung), 486
 - failure: correspondence (Burgess), 388; reply (Davies and Weeks), 705; reply (Pavlin), 706
 - in cardiovascular disease, esmolol versus fentanyl for prevention of haemodynamic response: abst. (Kapnoudhis *et al*), S145
 - tracheal
 - bolus dose of esmolol for prevention of perioperative hypertension and tachycardia (Oxorn *et al*), 206
 - cardiovascular response to, in children, effect of intravenous lidocaine on (Splinter), 440
 - complications,
 - a bolus dose of esmolol attenuates tachycardia and hypertension after (Sheppard *et al*), 202
 - cardiovascular, role of preoperative beta-blockade by propranolol or atenolol in attenuation of (Allberry and Drake), 448
 - hypertension and tachycardia during rapid-sequence induction of anaesthesia (Martineau *et al*), 755
 - in patients with abnormal cervical spines: review article (Crosby and Lui) 77; correspondence (Yealy *et al*), 707; reply (Crosby and Lui) 708
 - conditions after administration of succinylcholine or vecuronium (Boulanger *et al*), 296
 - damage to, by patient's teeth during surgery: correspondence (Gemma and Ferrazza), 951
 - difficult, length of blade is more important than the design: correspondence (Eldor and Gozal), 268; reply (McIntyre), 268
 - in children, study of role of fentanyl to supplement IV anaesthesia in blunting the haemodynamic response to laryngoscopy: abst. (Sims and Splinter), S91
 - in minor surgery, using alfentanil: abst. (Mallon), S123
 - in patients with abnormal cervical spines, complications and techniques: review article (Crosby and Lui), 77; correspondence (Yealy *et al*), 707; reply (Crosby and Lui), 708
 - postoperative, necessitated by massive tongue swelling following general anaesthesia: correspondence (Grigsby *et al*), 825
 - with a megadose of vecuronium, with or without priming: abst. (Roy *et al*), S138
- Ions
 - bromide
 - elevated serum concentrations following repeated halothane anaesthesia in a child: clinical report (Morrison and Friesen), 801
 - fluoride, effect on pseudocholinesterase and acetylcholinesterase: laboratory investigations (Kambam *et al*), 916

- *calcium*
 - concentrations in astrocytes, effect of midazolam on: abst. (Code *et al*), S27
 - importance of, for testing *in vitro* malignant hyperthermia: laboratory investigations (Fletcher), 695
 - inotropic effect of, on stunned myocardium: abst. (Beauchamp and Mazer), S151
 - role of, in physiology of brain injury: review article: Part I (Murdoch and Hall), 663
 - magnesium serum levels (hypomagnesemia) factors affecting, after cardiopulmonary bypass: abst. (Irita *et al*), S120
 - potassium correction of hypothermic hypokalemia induces hyperkalaemia after rewarming: abst. (Sprung *et al*), S69
- Isoflurane, see Anaesthetics, volatile
Isoproterenol, see Sympathetic nervous system, Pharmacology

Jehovah's witnesses and surgery: correspondence (Blogg *et al*), 391; reply (Wong and Jenkins), 392

Kidney

- *renal*
 - blood flow, preserved during hypotension induced with finoldopam in dogs: laboratory investigations (Aronson *et al*), 380
- *failure*
 - in sickle cell disease, anaesthesia for: clinical report (Gyasi *et al*), 778
 - role of the anaesthetist in prevention: review article (Byrick and Rose), 457
- function and haemodynamics, effect of isoflurane-induced hypotension on: abst. (Lessard *et al*), S42
- *transplantation*
 - anaesthesia for, in sickle cell disease: clinical report (Gyasi *et al*), 778
 - and cyclosporine, prolonged neuromuscular blockade and ventilatory failure after (Sidi *et al*), 543

Labetalol, see Sympathetic nervous system, Pharmacology

Lambert-Eaton syndrome, see Complications

Larynx, trauma causing cricotracheal disruption and common carotid artery occlusion (Oxorn and Clark), 913

Laser, see Surgery

Latex,

- *intraoperative allergic reaction to*
 - causing anaphylaxis: clinical report (Swartz *et al*), 589
 - identification of the population at risk of: abst. (Swartz *et al*), S131

Leech, Beverly Charles (1898-1960): History of Canadian Anaesthesia (Shepard), 689

Lung

- blood flow and pulmonary pressure: abst. (McLean *et al*), S114

- bronchoconstriction, metacholine-induced, bronchodilating effect of inhaled orally administered calcium channel blocking agents on: abst. (Tsuda *et al*), S166
- congenital lobar emphysema: clinical report (Al-Salem *et al*), 377
- function, inspiratory pressure, forced vital capacity (FVC) correlated with integrated evoked EMG following atracurium administration in unanaesthetized humans (Sharpe *et al*), 307
- gas exchange indices compared with changes in inspired oxygen concentrations (Herrock *et al*), 69
- hypoxic pulmonary vasoconstriction, effect of halothane on: abst. (Johnson *et al*), S167
- *pulmonary*
 - artery catheters, positioning of: abst. (Parlow *et al*), S86
 - oedema
 - after toruniquet release: correspondence (O'Leary *et al*), 826
 - associated with airway obstruction, review article (Lang *et al*), 210
 - negative pressure, a potential hazard of muscle relaxants in awake infants: clinical report (Warner *et al*), 580
 - pressure and its relation to high blood flows: abst. (McLean *et al*), S158
 - response to fat embolism, effect of corticosteroids on: abst. (Byrick *et al*), S130
 - resection, anaesthesia for: refresher course outline (Slinger), Sxv
 - *respiratory*
 - disease: perioperative management: do respirologists and anaesthetists agree? abst. (Oyston), S11
 - distress, caused by congenital lobar emphysema: clinical report (Al-Salem *et al*), 377
 - shunting, to measure pulmonary alternatives to calculations using changes in inspired oxygen concentrations (Herrick *et al*), 69

MAC, see Potency, anaesthetic

Macintosh, Sir Robert: correspondence (Woklenstein), 598

Magnesium, see Ions

Malpractice, see Medico-legal

Measurement techniques

- arterial end-tidal PCO₂ and transcutaneous PCO₂ measurements during anaesthesia: abst. (Reid *et al*), S89
- biliary tract pressure to study the effects of narcotic analgesics and its antagonists on common bile duct pressure during cholecystectomy: abst. (Gao and Chai), S143
- *capnometry*
 - side-stream and mainstream compared in estimates of the PaCO₂ in critically ill neonates (McEvedy *et al*), 322
 - side-stream in infants and children, ventilated with the Sechrist infant ventilator, accuracy of end-tidal PCO₂ measurements (Hillier *et al*), 318

- carbon dioxide, capnography, side-stream, time constant related distortion: abst. (Doyle), S70
- central venous hemoglobin saturation inaccurately estimates SVO₂: abst. (Tatman *et al*), S154
- computers, a software program to analyse regional left ventricular function: abst. (Kay *et al*), S74
- core body temperature monitoring in anesthetized children: role of liquid crystalline monitoring in: abst. (Leon *et al*), S98
- dipyridamole-thallium radionuclide imaging to compare haemodynamic courses and the correlation between pulmonary capillary Wedge Pressure and central venous pressure in patients undergoing abdominal aortic aneurysmectomy (Grant *et al*), 409
- *electromyography*
 - and mechanomyography, respiratory function correlations during neuromuscular blockade with vecuronium (Dupuis *et al*), 192; correspondence (Kopman), 711; reply (Martin and Dupuis), 711
 - correlation between integrated evoked EMG and respiratory function following atracurium in unanesthetized humans: (Sharpe *et al*), 307
 - neuromuscular blockade, dose-effect relationships for vecuronium in normal and myasthenia gravis patients (Eisenkraft *et al*), 301
- euglycaemic insulin clamp method to evaluate effect of prolonged anaesthesia and surgery on glucose metabolism (Tsubo *et al*), 645
- for intraoperative cardiac output using a transtracheal Doppler tube: abst. (Yoshitake *et al*), S110
- gastric contents: correspondence (Maltby and Shaffer), 597
- neuromuscular blockade, train-of-four stimulation in the dog diaphragm, phrenic artery blood flow patterns during and after: abst. (Erian), S162
- noise levels in the operating room: abst. (Cuppige and Davies), S79
- neuromuscular blockade, train-of-four stimuli of the orbicularis oculi in monitoring of vecuronium blockade: abst. (Donati *et al*), S13
- of cardiac output during abdominal aortic surgery: comparison of trans thoracic electrical bioimpedance (TED) and thermodilution (TD) methods: abst. (Sullivan *et al*), S78
- of equilibrium dialysis of plasma free fentanyl concentrations, influence of membrane binding on accuracy of: abst. (Dawe *et al*), S15
- *oximetry*
 - "buccal," use of an Ohmeda ear oximetry probe for: correspondence (Sosis and Coleman), 489
 - effect of haemodynamic concentrations on the accuracy of: abst. (Kolesar *et al*), S88
 - pulse, during paediatric anaesthesia, vascular volume monitoring: correspondence (James and Brown), 266
 - pulmonary artery pressures to indicate tension pneumothorax: clinical report (Yu and Lee), 584
 - sonography, cranial duplex - Does halothane affect cerebrovascular response to carbon dioxide in anesthetized children? abst. (Leon *et al*), S24; Does isoflurane affect? abst. (Leon *et al*), S33
 - transcranial ultrasonography, to examine the change in cerebral blood flow following tourniquet release by measuring middle cerebral artery velocity (Lam *et al*), S29
- Medical literature, patient identity and confidentiality in: correspondence (Cohen), 706
- Medico-legal
 - anaesthesia and: editorial (Tweed), 1
 - aspects of anaesthesia: correspondence (Sheffman), 390
 - aspects of failed intubation, value of published management recommendations and professional standards in litigation: correspondence (Burgess), 388
 - concerns among Canadian anaesthetists: occasional survey (Cohen *et al*), 102
 - effect of liability concerns on the practice of anaesthesia: editorial (Brown and McIntyre), 4
 - liability and changing patterns of anaesthetic practice in Canada: correspondence (Scott), 265
- Membrane, loss of fentanyl to, effect on accurate measurement of equilibrium dialysis of plasma free fentanyl concentrations: abst. (Dawe *et al*), S15
- Metabolism
 - adenosine monophosphate and sodium nitroprusside, a comparison of haemodynamic effects of, following acute microsphere-induced ischaemic ventricular dysfunction: abst. (Finegan and Calanachan), S149
- *fasting*
 - Canadian Anaesthetists' Society guidelines for fasting, fluid intake in elective/emergency patients: symposium report (Maltby), 905
 - guidelines for elective surgical patients (Goresky and Maltby), 493
 - hyperthermia during anaesthesia, cause, a diagnostic challenge: clinical report (Allen and Rosenberg), 593
 - hypoglycaemia, postoperative, pheochromocytoma and severe protracted: clinical report (Levin and Heifetz), 477
- Mexiletine, see Heart arrhythmias (antiarrhythmic therapy)
- Midazolam, see Hypnotics, benzodiazepines
- Monitoring
 - body temperature in anesthetized children, value of liquid crystalline, in estimating core temperature: abst. (Leon *et al*), S98
 - brain stem auditory evoked potentials in posterior fossa surgery: abst. (Manninen *et al*), S23
 - capnography and pulse oximetry in early postoperative period in patients receiving narcotic supplemented anaesthesia: clinical report (Hudson), 255

- carbon dioxide stability, arterial to end-tidal gradients during postoperative cardiorespiratory support (Russell *et al*), 560
 - cardiac output intraoperatively with transtracheal Doppler tube: abst. (Yoshitake *et al*), S110
 - heart sounds (phonocardiography) using a special endotracheal tube: abst. (Doyle *et al*), S105
 - invasive haemodynamic: refresher course outline (Nathan), Scviii
 - evoked potentials, visual during etomidate administration (Chi *et al*), 452
 - mandibular nerve stimulation, train-of-four, twitch tension, in study of potency of atracurium on masseter and adductor pollicis muscles in children: abst. (Saddler *et al*), 26
 - neuromuscular
 - function
 - after surgery: editorial (Bevan), 395
 - during recovery from neuromuscular blockade with vecuronium (Dupuis *et al*), 192; correspondence (Kopman), 711; reply (Martin and Dupuis), 711
 - train-of-four, single twitch, of edrophonium for antagonism of atracurium neuromuscular blockade (Szalados *et al*), 197
 - twitch tension, train-of-four, dose related effects of succinylcholine on the adductor pollicis and masseter (Plumley *et al*), 15
 - train-of-four stimulation to ulnar nerve and the masseter in the study of the effect of succinylcholine on, in children undergoing strabismus surgery (Saddler *et al*), 21
 - junction, train-of-four in comparing intubating conditions after rapid sequence induction with vecuronium and succinylcholine (Boulanger *et al*), 296
 - recovery by muscular response to tetanic nerve stimulation (Dupuis *et al*), 397
 - noninvasive, with the pulse oximeter, a simple device for evaluating accuracy of: abst. (Volgyesi *et al*), S67
 - orbicularis oculi as an indication of diaphragmatic paralysis: abst. (Donati *et al*), S13
 - oxygen, pulse oximetry in assessment of upper airway patency in a child with Goldenhar's syndrome: clinical report (Aoe *et al*), 369
 - respiration
 - of the infant in anaesthesia and intensive care: refresher course outline (Miyasaka), Scxxiv
 - using a new bedside respiratory monitoring system: abst. (Kubota *et al*), S109
 - temperature during major abdominal and thoracic surgery: abst. (Harioka *et al*), S71
 - vascular
 - dipyridamole-thallium myocardial scanning in the preoperative assessment of patients undergoing abdominal aortic aneurysmectomy (Grant *et al*), 409
 - responses by respiratory inductive plethysmography (Cheng *et al*), S21
 - volume with pulse oximetry during paediatric anaesthesia: correspondence (James and Brown), 266
 - venous haemoglobin saturation, 2 aspects of, to accurately measure oxygen saturation of the pulmonary artery: abst. (Tatman *et al*), S154
 - ventilation by respiratory inductive plethysmography (Cheng *et al*), S21
- Muir, Walter, 1880-1957: History of Canadian anaesthesia (Bodman and Hope), 468
- Muscles
- contractility of canine diaphragm, effects of sevoflurane and enflurane on: abst. (Ide *et al*), S161
 - skeletal
 - adductor pollicis and masseter in children
 - dose-related effects of succinylcholine (Plumley *et al*), 15
 - potency of atracurium on (Saddler *et al*), 26
 - masseter rigidity, incidence of malignant hyperthermia susceptibility in adult patients with (Allen and Rosenberg), 31
- Myasthenia gravis, see Complications
- Myocardium, see Heart
- Naloxone, see Antagonists, narcotic
- Nerve block, see Anaesthetic techniques, regional
- Nerves, peripheral, injuries during cardiac surgery: abst. (Merchant *et al*), S32
- Neuroanaesthesia, see Anaesthetic techniques
- Neuroleptanalgesia, see Anaesthetic techniques
- Neuromuscular relaxants
- alcuronium, in children, postoperative neuromuscular block following (Meretoja and Gebert), 743
 - atracurium
 - blockade, edrophonium priming for antagonism of (Szalados *et al*), 197
 - effect on the masseter muscle: editorial (Brandom), 7
 - for prolonged blockade, causing ventilatory failure after renal transplantation and cyclosporine (Side *et al*), 543
 - haemodynamic effects compared with vecuronium during anaesthesia induction: abst. (Torsher *et al*), S142
 - in children, postoperative neuromuscular block following (Meretoja and Gebert), 743
 - in the Bard alfentanil pump: correspondence (Michael and McLeskey), 146
 - in unanaesthetized humans, correlation between integrated evoked EMG and respiratory function following administration of (Sharpe *et al*), 307
 - potency of, on masseter and adductor pollicis muscles in children (Saddler *et al*), 86
 - pretreatment with, to prevent post-succinylcholine myalgias in cases of vaginal hysterectomy: abst. (Hooper), S140

- used with antibiotics: correspondence (Lippmann *et al*), reply (Martin), 945
 - complication of use in awake infants: clinical review (Warner *et al*), 580
 - *d-tubocurarine*
 - defasciculating dose, causes resistance to succinylcholine (Eisenkraft *et al*), 538
 - inhibition of choline acetyltransferase activity: laboratory investigation (Kambam *et al*), 690
 - pretreatment with, to prevent post succinylcholine myalgias in cases of vaginal hysterectomy: abst. (Hooper), S140
 - *measurement of*
 - residual weakness after use during anaesthesia: editorial (Bevan), 395
 - response, train-of-four stimulation to ulnar nerve and masseter, in the study of effect of succinylcholine on jaw muscle tension in children undergoing strabismus surgery (Saddler *et al*), 21
 - response to tetanic nerve stimulation, clinical assessment (Dupuis *et al*), 397
 - *pancuronium*
 - cardiovascular effects of (Foldes *et al*), 549
 - inhibition of choline acetyltransferase activity: laboratory investigation (Kambam *et al*), 690
 - pharmacokinetics and cardiovascular dynamics of, during coronary artery surgery (Wierda *et al*), 183
 - *pipecuronium*
 - cardiovascular effects of (Foldes *et al*), 549
 - pharmacokinetics and cardiovascular dynamics of, during coronary artery surgery (Wierda *et al*), 183
 - *succinylcholine*
 - anaphylactoid reaction after intravenous, in a child: clinical report (Borgeat *et al*), 675
 - and Duchenne's muscular dystrophy (Stephens), 274
 - contracture responses of skeletal muscle to, in diagnosis of malignant hyperthermia: laboratory investigation (Fletcher *et al*), 695
 - dose-related effects of, on the adductor pollicis and masseter muscles in children (Plumley *et al*), 15
 - effect on the masseter muscle: editorial (Brandom), 7
 - induction (rapid) of anaesthesia with, intubating conditions following (Boulanger *et al*), 296
 - jaw muscle tension after, in children undergoing strabismus surgery (Saddler *et al*), 21
 - masseter muscle rigidity after, as a sign of malignant hyperthermia (Allen and Rosenberg), 31
 - myalgias in cases of vaginal hysterectomy, atracurium and d-tubocurarine pretreatment to prevent: abst. (Hooper), S140
 - resistance to, caused by defasciculating dose of d-tubocurarine (Eisenkraft *et al*), 538
 - stimulation of choline acetyltransferase activity: laboratory investigation (Kambam *et al*), 690
 - *vecuronium*
 - blockade
 - at the diaphragm, orbicularis oculi and adductor pollicis muscles: abst. (Donati *et al*), S13
 - potentiating effect of nitrous oxide: abst. (Fiset *et al*), S17
 - prolonged, causing ventilatory failure after renal transplantation and cyclosporine (Sidi *et al*), 543
 - cardiovascular effects of (Foldes *et al*), 549
 - continuous infusion, relationship between recovery time in bolus administration and maintenance dose of: abst. (Kumagi *et al*), S127
 - haemodynamic effect during anaesthesia induction compared with atracurium: abst. (Torsher *et al*), S142
 - induction (rapid) of anaesthesia, intubating conditions following (Boulanger *et al*), 296
 - inhibition of choline acetyltransferase activity: laboratory investigation (Kambam *et al*), 690
 - measurement response, clinical electrical and mechanical during recovery from neuromuscular blockade (Dupuis *et al*), 192; correspondence (Kopman), 711; reply (Martin and Dupuis), 711
 - megadose for intubating, with and without priming: abst. (Roy *et al*), S138
 - sensitivity to, in myasthenia gravis (Eisenkraft *et al*), 301
 - use with antibiotics: correspondence (Lippmann *et al*), 945; reply (Martin), 945
- Neuromuscular transmission, paediatric: differential effects of atracurium on masseter and adductor pollicis muscles in children (Saddler *et al*), 26
- Nicardipine, see Pharmacology, calcium channel blockers
- Nifedipine, see Pharmacology
- Nitrogen, see Gases, nonanaesthetic
- Nitroprusside, see Anaesthetic techniques, hypotensive; Pharmacology
- Octreotide, see Hormones, somatostatin analogue
- Operating rooms
- an improved system for narcotic control: abst. (Johnson *et al*), S83
 - contamination resulting from practice of reusing disposable syringes (Trépanier), 156
 - noise levels, effect on patients and staff: abst. (Cuppige and Davies), S79
- Opiates, see Analgesics
- Opioids, see Analgesics
- Organizations
- Association of Canadian University Departments of Anaesthesia: correspondence (Craig), 713
 - *Canadian Anaesthetists' Society*
 - correspondence (Craig), 713
 - medal, 953
 - new guidelines for fasting in elective/emergency patients. symposium report (Maltby), 905

Oximetry, see Measurement techniques

Oxygen

- blood levels
 - gradients and tension as indices of pulmonary gas exchange (Herrick *et al*), 69
 - "rate-pressure product:" correspondence (O'Sullivan), 389; reply (Miller and Martineau), 389
- delivery system
 - by the peritoneal route: abst. (Siriwardhana *et al*), S159
 - by tracheostomy: correspondence (Raymond and Hardy), 274
 - during epidural anaesthesia for Caesarean section: Nasal prong vs face mask: abst. (Halpern and Crosby), S137
- desaturation and breathing patterns in pre-operative thoracic surgery: abst. (Norman *et al*), S160
- free radical, see Blood
- maternal inspired concentrations during Caesarean section: abst. (Perreault *et al*), S118
- mediated complement activation: abst. (Sirwardhana *et al*), S116
- monitoring following general anaesthesia, changes in arterial saturation in cigarette smokers (Tait *et al*), 423
- noninvasive, interpretation of: refresher course outline (Tremper), S1xxvii
- saturation, hypoxaemia
 - after gastric partition with and without bupivacaine wound infiltration: abst. (Aull *et al*), S52
 - in the post-anaesthetic care unit: abst. (Daley *et al*), S10
 - on discharge from the post anaesthetic recovery unit: abst. (Tang *et al*), S135

pH, see Acid base equilibrium

Pain

- acute, epidural opiate analgesia for relief: refresher course outline (Sandler), Sxxxiii
- cancer, control of with continuous subcutaneous injection of ketamine: correspondence (Oshima *et al*), 386
- caused by propofol injection, reduction of: correspondence (Helmets *et al*), 267
- postoperative
 - control by morphine: editorial (Writer), 608
 - effect of intraoperative bupivacaine wound infiltration on: abst. (Aull *et al*), S53
 - following arthroscopic surgery, effect of intra-articular bupivacaine in control of: abst. (Broadman *et al*), S51
 - following hip arthroplasty, efficacy of indomethacin in control of: abst. (Segstro and Morley-Forester), S41
 - following thoracotomy, analgesic and pharmacokinetic effects of lumbar and intravenous fentanyl infusion for relief of: abst. (Panos *et al*), S66
 - in ambulatory paediatric patients, effect of timing of caudal block placement in relation to surgery (Rice *et al*), 429

- in children following tonsillectomy, aerosol lidocaine for (Bissonnette), 534
- in infants and children, lumbar and thoracic epidural analgesia via caudal approach for relief of: clinical report (Rasch *et al*), 359
- management in patients with inflammatory bowel disease: abst. (Pillow *et al*), S63
- patient controlled
 - analgesia: editorial (Ready), 719
 - epidural fentanyl for a thoracotomy patient (Grant *et al*), S45
 - morphine, reduction of morbidity (Wasylak *et al*), 726
- post-tonsillectomy, effect of general anaesthetic on: abst. (Splinter *et al*), S121

Parasympathetic nervous system

- atropine
 - effect on common bile duct pressure: abst. (Gao and Chai), S143
 - induced heart rate changes compared during propofol-N₂O and thiopentone-enflurane N₂O anaesthesia (Cross *et al*), 416
 - neostigmine mixture: correspondence (Kopman), 269
- scopolamine, transdermal patches to reduce postoperative emesis in paediatric patients undergoing strabismus surgery: abst. (Horimoto and Naide), S94

Patients, protection of identity in medical literature: correspondence (Cohen), 706

Phaeochromocytoma, see Surgery

Pharmacodynamics

- priming principle
 - edrophonium priming for antagonism of atracurium neuromuscular blockade (Szalasos *et al*), 197
 - sequence with succinylcholine and vecuronium, intubating conditions following (Boulanger *et al*), 296

Pharmacokinetics

- absorption, plasma concentration of lidocaine during continuous epidural infusion of lidocaine with and without epinephrine (Takasaki and Kijitani), 166
- of alfentanil and plasma concentrations during and after cardiac surgery (Robbins *et al*), 52
- of pipecuronium bromide during coronary artery surgery (Wierda), 183
- of sufentanil in the elderly (Matteo), 852
- ropivacaine for brachial plexus block (Hickey *et al*), 878

Pharmacology

- aminophylline, effect on common bile duct pressure: abst. (Gao and Chai), S143
- calcium channel blocking agents
 - diltiazem, verapamil, nifedipine and orphenadrine sulfate: bronchodilating effects of: abst. (Tsuda *et al*), S166
 - diltiazem, esmolol, nifedipine, nitroprusside, a comparison of, in therapy of post-CABG hypertension: abst. (Boylan *et al*), S156
 - diltiazem, reduces *in vitro* contracture response to halo-

- thane in malignant hyperthermia-susceptible muscle (Adnet *et al*), 556
- flunarizine, lidoflazine, nimodipine as neuroprotective agents: review article (Hall and Murdoch), 762
- nicardipine to reduce cardio-respiratory toxicity to intravenous bupivacaine (Kinney *et al*), 920
- nifedipine, intranasal, in treatment of post-bypass hypertension: abst. (O'Leary *et al*), S144
- drug interaction, anticonvulsant therapy increases fentanyl requirements during anaesthesia for craniotomy (Tempelhoff *et al*), 327
- endotoxin, effect on oxygen free radical production: abst. (Ogata *et al*), S104
- indomethacin, efficacy of, as a postoperative analgesic following total hip arthroplasty: abst. (Segstro and Mosley-Forrester), S41
- metoclopramide/ranitidine, effect on gastric fluid volume and pH in elective surgical patients (Maltby *et al*), 650
- of agents affecting gastric secretion, emptying and vomiting: symposium report (Nimmo), 898
- overdose, amphetamine presenting as eclampsia: clinical report (Elliott and Rees), 130
- paediatric, new drugs and new understandings of: refresher course outline (Steward), Sx1
- propylene glycol, venous tolerance to etomidate in: correspondence (Doenicke), 823
- sodium nitroprusside and adenosine monophosphate, a comparison of haemodynamic effects of, following acute microsphere induced ischaemic ventricular dysfunction: abst. (Finegan and Calanachan), S149
- verpamil, effect on oxygen free radical production: abst. (Ogata *et al*), S104
- Phenylephrine, see Sympathetic nervous system, pharmacology
- Phenytoin, see Anticonvulsants
- Pipecuronium, see Neuromuscular relaxants
- Post-anaesthetic recovery room, see Intensive care
- Potassium, see Ions
- Potency, anaesthetic, MAC concentrations in infants and children, effect of different N₂O concentrations on: abst. (Murray *et al*), S93
- Pregnancy
 - fetal brain amino acid neurotransmitters from, effect of hypoxia on: abst. (Penning *et al*), S2
 - herpes gestationis in a parturient, epidural analgesia for: clinical report (Eldor *et al*), 678
- Premedication
 - fentanyl, oral transmucosal for paediatric outpatients: (Ashburn), 857
 - to control preoperative anxiety, ability of the anaesthetist to detect: (Badner *et al*), 444
- see also, Analgesics
- Primidone, see Anticonvulsants
- Procaine, see Anaesthetics, local

Proteins

- alpha₁-acidglycoprotein and the binding of lidocaine in children with congenital heart defects (Burrows *et al*), 883
- amino acid neurotransmitters, effect of hypoxia in, from fetal lamb brain *in vitro*: abst. (Penning *et al*), S2
- Psychological responses
 - preoperative anxiety
 - detection and contributing factors (Badner *et al*), 444
 - is there a relationship to myocardial ischaemia: (abst.), Jolly *et al*), S77
 - parental, predicts behavioural and emotional responses of induction of anaesthesia in children (Bevan *et al*), 176

Ranitidine, see Gastro-intestinal tract, stomach

Receptors, NMDA rec₁ for antagonists, neuroprotective action, 771

Records

- anaesthesia, data logging using a Pison pocket computer: correspondence (Taylor *et al*), 386
- data base to record postoperative recovery room events: abst. (Yee *et al*), S80

Recovery

- assessment
 - cognitive function, psychomotor function, comparing propofol and thiopentone for total intravenous anaesthesia (Kashtan *et al*), 170
 - following propofol infusion for Caesarean section (gregory *et al*), S14
- emergence
 - facilitated by narcotic infusion following neurosurgery, alfentanil and fentanyl compared: abst. (Mutch *et al*), S30
 - neurologic phenomena during emergence from enflurane or isoflurane anaesthesia (McCulloch and Milne), 739
 - respiratory complications in children: halothane and isoflurane compared: abst. (Pounder *et al*), S126
- vecuronium, relationship between time and maintenance dose of, in continuous infusion correlated: abst. (Kumagi), S127

Reflexes

- chemoreceptor, control of breathing and measurement of responses: continuing medical education (Duffin), 933
- vagal, causing changes in heart rate and blood pressure during surgery: review article (Doyle and Mark), 219

Renal, see Kidney

Renin, see Hormones

Respiration, see Ventilation

Risk factors

- anaemia and postoperative apnoea in preterm infants: abst. (Welborn *et al*), S92
- for nausea and vomiting after general anaesthesia: abst. (Forrest *et al*), S90
- identification of the population at risk of intraoperative latex allergic reaction: abst. (Swartz *et al*), S131

- of hypoxemia on discharge from the postanesthetic recovery room: abst. (Tang *et al*), S135
- Ropivacaine, see Anaesthetics, local
- Salbutamol, see Sympathetic nervous system, beta₂-adrenergics
- Scopolamine, see Parasympathetic nervous system
- Serotonin
 - carcinoid syndrome
 - epidural anaesthesia for transurethral resection of prostate in a patient with: clinical report (Monteith and Roaseg), 349
 - prophylactic use of octreotide in: clinical report (Watson *et al*), 798
- Sevoflurane, see Anaesthetics, volatile
- Shock, inotropes in, appropriate use of: refresher course outline (Rosenthal), S1xv
- Sleep, Rem, after anaesthesia and surgery increases urinary catecholamines: abst. (Knill *et al*), S12
- Sodium nitroprusside, see Anaesthetic techniques, Hypotensive, induced; Pharmacology
- Solubility
 - lipid emulsion, venous tolerance to etomidate in: correspondence (Doenicke), 823
 - of red blood cells prior to transfusion using normosol-R as compared to saline: abst. (Collins and Gascoyne), S36
- Spinal cord, anatomy, implications for airway management: review article (Crosby and Lui), 77
- Stomach, see Gastro-intestinal tract
- Surgery
 - abdominal
 - alfentanil infusion for: abst. (Ralley *et al*), S20
 - aortic, alfentanil infusion for (Miller *et al*), 844
 - temperature monitoring during major: abst. (Harioka *et al*), S71
 - aortic aneurysmectomy, preoperative assessment of patients by dipyridamole-thallium myocardial scanning (Grant *et al*), 409
 - ambulatory, see Anaesthesia, outpatient; Anaesthesia, paediatric
 - anorectal, ischiorectal space block for: abst. (Courtice and MacLeod), S65
 - bone marrow transplantation, anaesthetic implications of: review article (Stein *et al*), S71
 - cardiac
 - changes of antithrombin III and antithrombin III-heparin complex levels and ACT in: abst. (Inada *et al*), S75
 - coronary artery bypass graft
 - cardiovascular response to phenylephrine during halothane anaesthesia for (Grum *et al*), 873
 - prophylactic lidocaine for postoperative period: clinical report (King *et al*), 363
 - coronary artery disease, transfusion during, using cell-saver apparatus: abst. (Hall *et al*), S155
 - enflurane/sufentanil vs propofol/sufentanil; study of changes in serum cholesterol, triglycerides, lipoproteins and cortisol in patients anaesthetized with: abst. (Hall *et al*), S76
 - cardiovascular
 - aortic, cardiac output during: comparison of bioimpedance and thermodilution measurements of: abst. (Sullivan *et al*), S78
 - cardiopulmonary bypass
 - atrial natriuretic factor and: correspondence (Hynynen), 488; reply (Kharasch), 489
 - autoregulation and CO₂ responsiveness of cerebral blood flow after (McNeill *et al*), 313
 - benefit of Hemonetics cell saver apparatus during (Hall *et al*), 618
 - criteria for the diagnosis of perioperative myocardial infarction in patients undergoing: abst. (Duke *et al*), S150
 - factors effecting hypomagnesemia after: abst. (Irita *et al*), S120
 - forehead liquid crystal temperature to monitor temperature trends and "core" temperature during rewarming (Allen *et al*), 659
 - hypertension following, intranasal nifedipine for: abst. (O'Leary *et al*), S144
 - hypertension, therapy comparing diltiazem, esmolol, nifedipine and nitroprusside: abst. (Boylan *et al*), S156
 - in infants, cerebral haemodynamics in: abst. (Taylor *et al*), S153
 - injuries to the ulnar nerve during: abst. (Merchant *et al*), S152
 - midazolam-ketamine vs sufentanil for rapid sequence induction of anaesthesia for: abst. (Gordon *et al*), S43
 - pharmacokinetics and cardiovascular dynamics of pipercuronium bromide during (Wierda *et al*), 183
 - preoperative amiodarone treatment to prevent complications during surgery: clinical report (Chassard *et al*), 251
 - carotid artery, cervical epidural anaesthesia for: clinical report (Bonnet *et al*), 353
 - dental, fatal air embolism during: clinical report (Davies and Campbell), 112; correspondence (Wright), 825; reply (Davies and Campbell), 825
 - endoscopy, upper GI, sedation for, diazepam with demerol or midazolam with alfentanil: abst. (Donnelly *et al*), S21
 - fasting guidelines for: editorial (Goresky and Maltby), 493
 - gastric partition in morbidly obese patients, with and without bupivacaine wound infiltration, analgesia and postoperative hypoxaemia after: abst. (Aull *et al*), S53
 - genito-urinary, percutaneous nephrostomy, hypobaric spinal anaesthesia for: abst. (Rosenblatt *et al*), S56
 - in Jehovah's witnesses: correspondence (Blogg and Lawson), 391; reply (Wong and Jenkins), 392

- *laser*
 - CO₂ induced flammability of PVC endotracheal tube cuffs, protection by nitrogen insufflation: abst. (Sosis), S136
 - endobronchial, using high frequency ventilation via a tracheoscope: clinical report (Schneider and Probst), 372
 - ignition of endotracheal tubes: abst. (Wolff and Sidebotham), S68
 - ignition of tracheal tubes, a comparison of Xomed, PVC and rubber: abst. (Sosis *et al*), S87
 - saline soaked pledgets to protect tube cuffs from ignition: abst. (Sosis), S72
- lung, resection, anaesthesia for: refresher course outline (Slinger), Sxv
- major, low-dose sufentanil in (Perreault *et al*), 629
- minor, requiring intubation, alfentanil in: abst. (Mallon), S123
- *neurological*
 - craniotomy, preoperative beta-blockade for patients undergoing, comparison of propranolol and atenolol (Allberry and Drake), 448
 - emergence following: effect of infusions of alfentanil and fentanyl on: abst. (Mutch *et al*), S30
 - intracranial, total intravenous anaesthesia during: continuous propofol infusion in combination with either fentanyl or sufentanil: abst. (Jansen *et al*), S128
 - neuromuscular, monitoring after: editorial (Bevan), 395
 - posterior fossa, monitoring of brain stem function during: abst. (Manninen *et al*), S23
- oesophagectomy, effect of intramuscular opioids for analgesia on systemic and pulmonary haemodynamics immediately after: abst. (Yokioka and Fujimori), S115
- *ophthalmic*
 - cataract
 - comparison of midazolam and diazepam injectable emulsion in (Chung *et al*), S28
 - extraction and intra-ocular lens implant, regional anaesthesia for: correspondence (Belopavlovic and Blanksma), 943; reply (Hamilton *et al*), 943
 - neurolept analgesia for, oxygen desaturation in elderly patients during: abst. (Forrest *et al*), S50
 - role of recovery room events on choice of anaesthetic technique: abst. (Yee *et al*), S80
 - strabismus surgery in children, measurement of jaw muscle tension after succinylcholine (Saddler *et al*), 21
- *orthopaedic*
 - arthroscopic in adolescents, intra-articular bupivacaine, effect on narcotic requirements for pain control following: abst. (Broadman *et al*), S51
 - cervical spine ailments, implications for airway management: review article (Crosby and Lui), 77; correspondence (Yealy *et al*), 707; reply (Crosby and Lui), 708
- *hip*
 - intrathecal hypobaric fentanyl with lidocaine for: abst. (Vaidya *et al*), S60
 - arthroplasty
 - complications following, effect of anaesthetic technique on: abst. (Stafford-Smith and Hall), S163
 - indomethacin to control post-operative pain: abst. (Segstro and Morley-Froster), S41
 - morphine treatment of post-operative pain: abst. (McCormack *et al*), S57
 - knee arthroplasty in ambulatory patients, spinal anaesthesia with low dose meperidine for: abst. (Trivedi *et al*), S46
 - lowerlimb, low dose intrathecal meperidine for: correspondence (Shevde), 947
 - lumbar spinal anaesthesia with bupivacaine: abst. (Tetzlaff *et al*), S61
 - spinal fusion for scoliosis, value of vasopressin to reduce bleeding: abst. (Guay *et al*), S14
- *otolaryngologic*
 - tonsillectomy
 - day care: abst. (O'Connor *et al*), 133
 - in children, postoperative aerosol lidocaine for pain control (Bissonnette), S34
 - post operative pain and respiration, effect of general anaesthetic on: abst. (Splinter *et al*), S121
 - vomiting following, effect of general anaesthesia on: abst. (Splinter *et al*), S96
- ovarian carcinoid, prophylactic use octreotide in a patient undergoing anaesthesia and surgery: clinical report (Watson *et al*), 798
- *paediatric*
 - ambulatory, preoperative haemoglobin values in determining conduct of anaesthesia and surgery: abst. (Roy *et al*), S7
 - brain surgery: scalp infiltration with bupivacaine in: abst. (Hartley *et al*), S129
 - cardiopulmonary bypass, cerebral haemodynamics in: abst. (Taylor *et al*), S153
 - craniofacial hyperkalaemia during massive blood transfusion in (Brown *et al*), 401
 - craniostomy, postoperative management: correspondence (Imberti *et al*), 948; reply (Kearney), 949
 - strabismus in children, transdermal scopolamine patch reduces postoperative emesis: abst. (Horimoto and Naide), S94
 - perioperative endocrine and electrolyte emergencies: refresher course outline (Chernow), S1xxi
- *phaeochromocytoma*
 - and severe protracted postoperative hypoglycaemia: clinical report (Levin and Heifetz), 477
 - presenting as acute malignant hyperthermia: clinical report (Allen and Rosenberg), 593
 - retroperitoneal dissection, inadequate spread of lumbar epidural analgesia following: correspondence (Thangathurai), 597

- *thoracic*
 - effect of technique on oxygenation during one lung anaesthesia: abst. (Yamada *et al*), S164
 - lobectomy for congenital lobar emphysema: clinical report (Al-Salem *et al*), 377
 - pre-thoracic patients, oxygen saturation and breathing patterns in: abst. (Norman *et al*), S160
 - temperature monitoring during major: abst. (Harioka *et al*), S71
 - thoracotomy, post-operative pain, analgesic and pharmacokinetic effects of epidural and IV fentanyl infusion in control of: abst. (Panos *et al*), S66
 - thoracotomy, pain relief following, respiratory effect of continuous infusions of lumbar fentanyl and intravenous fentanyl on: abst. (Stringer *et al*), S16
 - *urologic*
 - comparison of intrathecal meperidine and lidocaine in spinal anaesthesia for (Patel *et al*), S67
 - nephrostomy and nephrolithotomy, percutaneous, intrapleural block, a new technique of regional anaesthesia for: clinical report (Trivedi *et al*), 479
 - transurethral resection of the prostate, epidural anaesthesia for, in a patient with carcinoid syndrome (Monteith and Roaseg), 349
 - *vascular*
 - aneurysmectomy, preoperative assessment of patients by dipyridamole-thallium myocardial scanning (Grant *et al*), 409
 - peripheral, of the lower limb, cardiovascular effects of epidural anaesthesia induced by bupivacaine with epinephrine added (Salevsky *et al*), 160
- Sympathetic nervous system
- alpha-adrenergic antagonists, yohimbine, catechol activity, effect on *in vivo* locus coeruleus: abst. (Hong *et al*), S28
 - antagonists, narcotic, naloxone, catechol activity, effect of, on *in vivo* locus coeruleus: abst. (Hong *et al*), S28
 - *beta₂-adrenergic antagonists*
 - atenolol and propranolol compared for patients undergoing craniotomy (Allberry and Drake), 448
 - esmolol
 - a bolus dose and infusion attenuates increases in blood pressure and heart rate during electroconvulsive therapy (Kovac *et al*), 58
 - a bolus dose attenuates tachycardia and hypertension after tracheal intubation (Sheppard *et al*), 202
 - for prevention of perioperative hypertension and tachycardia (Oxorn *et al*), 206
 - propranolol and atenolol compared for patients undergoing craniotomy (Allberry and Drake), 448
 - salbutamol, percent delivery efficiency by metered dose inhaler via paediatric size tracheal tubes: abst. (Taylor), S37
- *blockade*
 - epinephrine and norepinephrine levels in epidural anaesthesia (Stevens *et al*), 867
 - ganglionic, transmission induced by hexamethonium, role in compensating for N₂O induced myocardial depression during high-dose fentanyl anaesthesia: laboratory investigation (Anzai *et al*), 245
 - catecholamine level and plasma renin activity during induced hypotension - adenosine vs sodium nitroprusside: abst. (Lam *et al*), S31
 - *pharmacology*
 - dopamine, induced hypotension, cardiovascular and renal effects of: laboratory investigation (Aronson *et al*), 380
 - *epinephrine*
 - epidural added to bupivacaine, effect on the cardiovascular system during peripheral vascular surgery (Salevsky *et al*), 160
 - infusion, continuous epidural of lidocaine with and without epinephrine, plasma lidocaine concentrations during (Takasaki and Kititani), 166
 - plasma concentration of ropivacaine given with and without, for brachial plexus block (Hickey *et al*), 878
 - *esmolol*
 - a bolus dose attenuates tachycardia and hypertension after tracheal intubation (Sheppard *et al*), 202
 - diltiazem, nifedipine and nitroprusside therapy compared for post-CABG hypertension: abst. (Boylan *et al*), S156
 - for prevention of perioperative hypertension and tachycardia (Oxorn *et al*), 206
 - vs fentanyl for preventing haemodynamic response to intubation in cardiovascular disease: abst. (Kapnoudhis *et al*), S145
 - *fenoldapam-induced hypotension, cardiovascular and renal effects of: laboratory investigation (Aronson *et al*), 380*
 - *isoproterenol in treatment of bupivacaine toxicity: abst. (Lacombe *et al*), S1*
 - *labetalol, during anaesthetic induction to prevent rise in blood pressure and heart rate: abst. (Mahesh *et al*), S114*
 - *norepinephrine, CSF concentration of, and the duration of epidural analgesia (Goto *et al*), 839*
 - *phenylephrine*
 - effect of halothane on cardiovascular response to (Grum *et al*), 873
 - induced increases in mean arterial pressure in the study of comparison of cerebral pressure flow relationship for halothane and isoflurane at haemodynamically equivalent concentrations: laboratory investigation (Mutch *et al*), 223
 - *vasoconstriction, platelet-induced in the canine coronary arteries, effect of isoflurane on: abst. (Blaise *et al*), S146*
- Syndromes, see Complications

Teaching, see Education

Temperature

- body

- monitoring

- during major abdominal and thoracic surgery: abst. (Harioka *et al*), S71

- during rapid rewarming phase of cardio-pulmonary bypass, use of forehead liquid crystal technique (Armstrong *et al*), 659

- liquid crystalline: does it estimate core temperature in anaesthetized children: abst. (Leon *et al*), S98

- esophageal, measured by gastric tube with thermister: abst. (Koyama *et al*), S111

Tetanic nerve stimulation, see Neuromuscular relaxants, measurement of response

Tetracaine, see Anaesthetics, local

Theories of anaesthetic activity, intracellular action of thiamylal in vascular smooth muscle of canine mesenteric artery: abst. (Hatano *et al*), S125

Thiamylal, see Anaesthetics, intravenous

Tonsillectomy, see Surgery, otolaryngologic

Toxicity

- bupivacaine, treatment with isoproterenol: abst. (Lacombe *et al*), S1

- of inhalation anaesthetics; refresher course outline: (Morio, Scxvi

- of local anaesthetics, reduced by nicardipine: laboratory investigation (Kinney *et al*), 920

Toxicity

- of oral anti-arrhythmic medications, implications for the anaesthetist: review article (Lucas *et al*), 94

Tracheostomy, see Equipment, tubes

Train-of-four stimuli, see Measurement techniques; Neuromuscular relaxants, measurement of responses

Transfusion

- blood

- autologous, benefit and complications of use of Hemonetics cell saver apparatus during cardiac surgery (Hall *et al*), 618

- effect of saline dilution and IV catheter size on infusion of packed red blood cells: abst. (Boisvenu *et al*), S85

- in children, complicated by hyperkalaemia and hypovolaemic cardiac arrest (Brown *et al*), 747

- massive and stored in paediatric craniofacial surgery, complications resulting in hyperkalaemia (Brown *et al*), 747

- use of normosol-R for dilution of red blood cell concentrations prior to: abst. (Collins and Gascoyne), S36

- using a cell saver apparatus during surgery for coronary artery disease: abst. (Hall *et al*), S155

Trauma, see Complications

Ulinastatin, effect on granulocyte elastase release during hypothermia with surface cooling: abst. (Kawamura and Wakusawa), S106

Valproic acid, see Anticonvulsants

Vancouver General Hospital, Day Care Centre. Hospital admissions from 1977-1987: occasional survey (Fancourt-Smith), 699

Vasoconstriction, see Sympathetic nervous system

Vasopressin, see Hormones, antidiuretic

Veins

- cannulation

- intravenous, topical liposomal tetracaine for: abst. (Hansen *et al*), S64

- internal jugular in children under 5: abst. (Smith), S102

- venipuncture pain, ethyl chloride compared with lidocaine to produce skin anaesthesia to prevent (Armstrong *et al*), 656

Ventilation

- apnoea, postoperative

- after recovery from alfentanil - supplementd anaesthesia: clinical report (Hudson), 255

- in ex-term infants, does haemoglobin concentration predict? abst. (Taylor *et al*), S100

- in former preterm infants: does anaemia increase the risk? abst. (Welborn *et al*), S92

- breathing

- chemoreflex control of, and its measurement: continuing medical education (Duffin), 933

- mechanics and patterns, effect of sevoflurane and halothane on: abst. (Kochi *et al*), S169

- patterns, evaluation of, for successful weaning from mechanical ventilation: abst. (Ochiai *et al*), S168

- patterns in pre-operative thoracic patients, oxygen saturation of: abst. (Norman *et al*), 160

- control, in case of CAHS (Ondine's Curse) undergoing surgery: clinical report (Wiesel and Fox), 122

- failure, due to improperly placed nasogastric tube: clinical report (Wood *et al*), 587

- high frequency jet via tracheoscope for endobronchial laser surgery: clinical report (Schneider and Probst), 372

- measurement, inductive plethysmography in assessment of upper airway patency in a child with Goldenhar's syndrome (Aoe *et al*), 369

- mechanical

- and spontaneous, effect of anterior mediastinal mass on cardiopulmonary function during: abst. (Johnson *et al*), S165

- carbon-dioxide tension, arterial and end-tidal sampling in postoperative cardiac surgery (Russell *et al*), 560

- evaluation of breathing patterns for successful weaning from the mechanical ventilation: abst. (Ochiai *et al*), S168

- in critically ill neonates, measurement of end-tidal carbon-dioxide using side-stream and mainstream capnometers (McEvedy *et al*), 322
- in infants and children using a Secrist ventilator, accuracy of end-tidal PCO₂ measurements using a side-stream capnometer (Hillier *et al*), 318
- minute, during mask halothane anaesthesia in infants: abst. (Brown *et al*), S101
- oxygen tension gradients and shunting during (Herrick *et al*), 69
- oxygen-air, with propofol and alfentanil for total intravenous anaesthesia (van Leeuwen *et al*), 282
- oxygenation during one lung anaesthesia, effect of anaesthetic technique on: abst. (Yamada *et al*), S164
- percutaneous transtracheal, 3 techniques "off the wall-jet", self-inflating bagging unit, Flush technique: abst. (Nalder *et al*), S34
- post-tonsillectomy respiratory events, effect of general anaesthesia on: abst. (Splinter *et al*), S121
- respiratory monitoring in the infant in anaesthesia and intensive care: refresher course outline (Miyasaka), Scxxiv
- respiratory work, measurement of, in a breath by breath analysis using new bedside respiratory monitoring system: abst. (Kubota *et al*), S109
- spontaneously breathing patient, alfentanil as an anaesthetic adjuvant in: abst. (Dunn), S124
- ventilator treatment following oesophageal surgery, haemodynamic effects of intramuscular opioids for analgesia: abst. (Yukioka and Fujimori), S115

Vomiting

- pharmacology of agents that effect: symposium report (Nimmo), 898
- *post-operative*
 - after general anaesthesia, risk factors: abst. (Forrest *et al*), S90
 - antiemetic effect of droperidol reduced in mensurating women: abst. (Lindblad *et al*), S139
 - in pediatric patients undergoing strabismus surgery: reduced by transdermal scopolamine patch: abst. (Horimoto and Naide), S94
 - loss of antiemetic effect of droperidol in menstruating women: abst. (Lindblad *et al*), S139
- post-tonsillectomy, effect of general anaesthesia on: abst. (Splinter *et al*), S96

Von Willebrand's disease, see Complications

Webster, William: Pioneer Manitoba Anaesthetist: History of Canadian Anaesthesia (Wolkenstein), 348

Worthington, E.D.: An early Quebec Anaesthetist: History of Canadian Anaesthesia (Holland), 250

Yohimbine, see Sympathetic nervous system, alpha-adrenergic antagonists

